

# Appendix 9.3

*Daylight and Sunlight Results*

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)					
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
67 HAWKS ROAD																													
F00	R2	RESIDENTIAL	LIVING ROOM		W4/F00 / INC (2)	29.9	29.5	0.4	1.3%	32	29.7	2.3	7.2%	100	100	0.0	0.0%	67	24	66	23	1.5%	4.2%	86	27	83	25	3.5%	7.4%
			LIVING ROOM		W5/F00 / INC (2)	33.7	31.2	2.5	7.4%									86	27	83	25	3.5%	7.4%						
			LIVING ROOM		W6/F00 / INC (2)	30.9	27.1	3.8	12.3%									61	19	58	17	4.9%	10.5%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01 / INC (2)	35.2	32.4	2.8	8.0%	35.2	32.4	2.8	8.0%	99.3	99.3	0.0	0.0%	85	29	82	27	3.5%	6.9%	85	29	82	27	3.5%	6.9%
	R2	RESIDENTIAL	BEDROOM		W2/F01 / INC (2)	35.2	32.4	2.8	8.0%	35.2	32.4	2.8	8.0%	99.3	99.3	0.0	0.0%	85	29	82	27	3.5%	6.9%	85	29	82	27	3.5%	6.9%
65 HAWKS ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	33.8	33.4	0.4	1.2%	32.3	30.1	2.2	6.8%	100	100	0.0	0.0%	77	25	77	25	0.0%	0.0%	94	27	92	26	2.1%	3.7%
			LIVING ROOM		W2/F00	33.1	30.6	2.5	7.6%									84	25	82	24	2.4%	4.0%						
			LIVING ROOM		W3/F00	29.5	25.8	3.7	12.5%									60	19	57	17	5.0%	10.5%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01 / INC (2)	35	32.4	2.6	7.4%	35	32.4	2.6	7.4%	99	99	0.0	0.0%	86	29	84	27	2.3%	6.9%	86	29	84	27	2.3%	6.9%
	R2	RESIDENTIAL	BEDROOM		W2/F01 / INC (2)	35.1	32.4	2.7	7.7%	35.1	32.4	2.7	7.7%	99.2	99.2	0.0	0.0%	85	29	83	27	2.4%	6.9%	85	29	83	27	2.4%	6.9%
69-69A HAWKS ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00 / INC (2)	33.5	30.9	2.6	7.8%	33.5	30.9	2.6	7.8%	98.9	92.7	1.3	6.2%	81	25	77	22	4.9%	12.0%	81	25	77	22	4.9%	12.0%
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01 / INC (2)	32.5	29.5	3	9.2%	32.5	29.5	3	9.2%	98.9	94.8	0.9	4.1%	79	28	74	24	6.3%	14.3%	79	28	74	24	6.3%	14.3%
71 HAWKS ROAD																													
F00	R1	RESIDENTIAL	BEDROOM		W1/F00	33	30.7	2.3	7.0%	33	30.7	2.3	7.0%	88.6	84.5	0.1	4.6%	75	24	71	22	5.3%	8.3%	75	24	71	22	5.3%	8.3%
	R2	RESIDENTIAL	LIVING ROOM		W2/F00	32.9	31.2	1.7	5.2%	32.9	30.7	2.2	6.7%	100	98.7	0.1	1.3%	78	25	73	22	6.4%	12.0%	80	25	75	22	6.3%	12.0%
			LIVING ROOM		W3/F00	32.9	30.2	2.7	8.2%									78	24	73	21	6.4%	12.5%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	32.7	29.9	2.8	8.6%	32.7	29.9	2.8	8.6%	99.5	98.8	0.1	0.8%	77	26	73	24	5.2%	7.7%	77	26	73	24	5.2%	7.7%
73 HAWKS ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	32.6	31.4	1.2	3.7%	32.7	30.5	2.2	6.7%	100	100	0.0	0.0%	79	25	73	21	7.6%	16.0%	82	25	76	21	7.3%	16.0%
			LIVING ROOM		W2/F00	33.4	31.2	2.2	6.6%									82	25	76	21	7.3%	16.0%						
			LIVING ROOM		W3/F00	32.3	29	3.3	10.2%									76	24	70	20	7.9%	16.7%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	32.7	29.8	2.9	8.9%	32.7	29.8	2.9	8.9%	99.4	97.4	0.3	2.0%	81	28	76	25	6.2%	10.7%	81	28	76	25	6.2%	10.7%
75 HAWKS ROAD																													
F00	R2	RESIDENTIAL	LIVING ROOM		W3/F00	32.9	30.2	2.7	8.2%	32.9	30.2	2.7	8.2%	95.9	95.2	0.1	0.7%	80	23	73	19	8.8%	17.4%	80	23	73	19	8.8%	17.4%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)						
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
75 HAWKS ROAD (CONTINUED)																														
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.3	30.1	3.2	9.6%	33.3	30.1	3.2	9.6%	92.6	81.7	15	118%	83	28	77	24	7.2%	14.3%	83	28	77	24	7.2%	14.3%	
77 HAWKS ROAD																														
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	32.7	30.2	2.5	7.6%	32.3	29.3	3	9.3%	97.3	94.5	0.3	2.9%	80	25	73	21	8.8%	16.0%	82	25	75	21	8.5%	16.0%	
			LIVING ROOM		W2/F00	32.1	29.1	3	9.3%									81	25	74	21	8.6%	16.0%							
			LIVING ROOM		W3/F00	32.1	28.5	3.6	11.2%									75	22	69	19	8.0%	13.6%							
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.1	29.6	3.5	10.6%	33.1	29.6	3.5	10.6%	96	86.6	15	9.7%	83	28	75	23	9.6%	17.9%	83	28	75	23	9.6%	17.9%	
79 HAWKS ROAD																														
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	32.4	29.1	3.3	10.2%	32.4	29.1	3.3	10.2%	97.8	96.7	0.1	1.1%	82	24	75	20	8.5%	16.7%	82	24	75	20	8.5%	16.7%	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	32.7	28.9	3.8	11.6%	32.7	28.9	3.8	11.6%	98	76.3	3.1	22.1%	83	28	75	23	9.6%	17.9%	83	28	75	23	9.6%	17.9%	
81 HAWKS ROAD																														
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	32.1	28.4	3.7	11.5%	32.1	28.4	3.7	11.5%	94.2	69.6	2.8	26.1%	79	22	71	18	10.1%	18.2%	79	22	71	18	10.1%	18.2%	
	R3	RESIDENTIAL	UNKNOWN		W4/F00	32.2	28.4	3.8	11.8%	32.1	27.7	4.4	13.7%	99.2	98.6	0.1	0.6%	79	22	70	18	11.4%	18.2%	84	25	74	19	11.9%	24.0%	
			UNKNOWN		W5/F00	31.7	26	5.7	18.0%									54	15	44	9	18.5%	40.0%							
	R4	RESIDENTIAL	UNKNOWN		W6/F00	27.2	22.3	4.9	18.0%	27.2	22.3	4.9	18.0%	65.3	57.7	1.0	11.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	32.6	28.4	4.2	12.9%	32.6	28.4	4.2	12.9%	96.3	76.9	3.0	20.2%	84	28	75	22	10.7%	21.4%	84	28	75	22	10.7%	21.4%	
83 HAWKS ROAD																														
F00	R2	RESIDENTIAL	LIVING ROOM		W4/F00	25	22.2	2.8	11.2%	25	22.2	2.8	11.2%	94.9	94.9	0.0	0.0%	57	21	51	16	10.5%	23.8%	57	21	51	16	10.5%	23.8%	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	31.8	28.8	3	9.4%	31.8	28.8	3	9.4%	93.7	88.3	0.5	5.8%	80	26	73	20	8.8%	23.1%	80	26	73	20	8.8%	23.1%	
89 HAWKS ROAD																														
F00	R2	RESIDENTIAL	LIVING ROOM		W4/F00	31	27	4	12.9%	31	27	4	12.9%	98.8	98.8	0.0	0.0%	73	25	62	18	15.1%	28.0%	73	25	62	18	15.1%	28.0%	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.1	29.1	4	12.1%	33.1	29.1	4	12.1%	93	81.9	0.8	12.0%	79	29	70	22	11.4%	24.1%	79	29	70	22	11.4%	24.1%	
87 HAWKS ROAD																														
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	32.7	29.3	3.4	10.4%	32.7	29.3	3.4	10.4%	98.7	98.7	0.0	0.0%	78	24	72	18	7.7%	25.0%	78	24	72	18	7.7%	25.0%	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.2	29.6	3.6	10.8%	33.2	29.6	3.6	10.8%	93.4	93.2	0.0	0.3%	79	28	71	21	10.1%	25.0%	79	28	71	21	10.1%	25.0%	

- (1) KITCHEN SMALLER THAN 13m2
- (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)
- (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
85 HAWKS ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	31.7	28.6	3.1	9.8%	31.7	28.6	3.1	9.8%	98.1	98	0.0	0.1%	78	25	72	20	7.7%	20.0%	78	25	72	20	7.7%	20.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	32.8	29.6	3.2	9.8%	32.8	29.6	3.2	9.8%	94.9	94.4	0.0	0.6%	78	27	71	21	9.0%	22.2%	78	27	71	21	9.0%	22.2%
83 HAWKS ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	33.3	28.4	4.9	14.7%	33.3	28.4	4.9	14.7%	99.2	99.2	0.0	0.1%	84	26	69	18	17.9%	30.8%	84	26	69	18	17.9%	30.8%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	32.4	27.7	4.7	14.5%	32.4	27.7	4.7	14.5%	95.4	95.1	0.0	0.3%	78	28	66	21	15.4%	25.0%	78	28	66	21	15.4%	25.0%
91 HAWKS ROAD																													
F00	R2	RESIDENTIAL	LIVING ROOM		W2/F00	33.2	28.8	4.4	13.3%	33.2	28.8	4.4	13.3%	98.7	98.7	0.0	0.0%	83	27	70	19	15.7%	29.6%	83	27	70	19	15.7%	29.6%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	32.5	28.1	4.4	13.5%	32.5	28.1	4.4	13.5%	95.4	87.3	0.7	8.4%	77	28	67	21	13.0%	25.0%	77	28	67	21	13.0%	25.0%
PYRAMID COURT 99 HAWKS ROAD																													
F00	R1	RESIDENTIAL	BEDROOM	GLAZED DOOR PANEL	W1/F00	31.1	22.2	8.9	28.6%	31.1	22.2	8.9	28.6%	97.6	73.6	3.0	24.6%	71	23	46	14	35.2%	39.1%	71	23	46	14	35.2%	39.1%
	R2	RESIDENTIAL	LKD	GLAZED DOOR PANEL	W2/F00	32.5	23.5	9	27.7%	20.5	13	7.5	36.6%	95.1	82.8	0.5	2.7%	74	22	51	14	31.1%	36.4%	74	22	52	14	29.7%	36.4%
			LKD		W3/F00	12.8	6.2	6.6	51.6%									26	13	12	4	53.8%	69.2%						
	R3	RESIDENTIAL	LKD	GLAZED DOOR PANEL	W4/F00	17.7	12.2	5.5	31.1%	23.5	17.6	5.9	25.1%	98	97.9	0.0	0.1%	34	8	18	2	47.1%	75.0%	50	11	29	4	42.0%	63.6%
			LKD		W5/F00	32	25.5	6.5	20.3%									49	10	28	4	42.9%	60.0%						
	R4	RESIDENTIAL	BEDROOM	GLAZED DOOR PANEL	W6/F00	32.2	26	6.2	19.3%	32.2	26	6.2	19.3%	94.6	78.9	2.4	16.6%	49	10	29	3	40.8%	70.0%	49	10	29	3	40.8%	70.0%
F01	R1	RESIDENTIAL	LKD		W1/F01	35.3	27	8.3	23.5%	35.3	27	8.3	23.5%	99.3	92.7	1.1	6.7%	85	28	61	18	28.2%	35.7%	85	28	61	18	28.2%	35.7%
	R2	RESIDENTIAL	BEDROOM		W2/F01	35.5	26.8	8.7	24.5%	35.5	26.8	8.7	24.5%	98.4	90.8	0.8	7.7%	85	28	59	17	30.6%	39.3%	85	28	59	17	30.6%	39.3%
	R3	RESIDENTIAL	BEDROOM		W3/F01	35.4	26.3	9.1	25.7%	35.4	26.3	9.1	25.7%	97.8	92.1	0.8	5.8%	84	28	54	15	35.7%	46.4%	84	28	54	15	35.7%	46.4%
	R4	RESIDENTIAL	BEDROOM		W4/F01	33.9	24.4	9.5	28.0%	33.9	24.4	9.5	28.0%	96.8	78.7	2.3	18.7%	79	27	51	15	35.4%	44.4%	79	27	51	15	35.4%	44.4%
	R5	RESIDENTIAL	LKD		W5/F01	34.5	24.8	9.7	28.1%	21.4	13.1	8.3	38.8%	94.7	92.7	0.4	2.1%	79	26	52	15	34.2%	42.3%	79	26	55	16	30.4%	38.5%
			LKD		W6/F01	16.7	8.9	7.8	46.7%									38	16	24	8	36.8%	50.0%						
	R6	RESIDENTIAL	LKD		W7/F01	21.9	15.3	6.6	30.1%	25.2	18.5	6.7	26.6%	98.7	98.7	0.0	0.0%	41	13	22	5	46.3%	61.5%	52	13	31	5	40.4%	61.5%
			LKD		W8/F01	33.7	26.6	7.1	21.1%									50	11	30	4	40.0%	63.6%						
	R7	RESIDENTIAL	BEDROOM		W9/F01	33.9	27.3	6.6	19.5%	33.9	27.3	6.6	19.5%	98	82.3	2.4	16.0%	51	12	32	3	37.3%	75.0%	51	12	32	3	37.3%	75.0%
F02	R1	RESIDENTIAL	LKD		W1/F02	36.5	28.2	8.3	22.7%	36.5	28.2	8.3	22.7%	99.3	93.8	0.9	5.5%	85	28	63	19	25.9%	32.1%	85	28	63	19	25.9%	32.1%
	R2	RESIDENTIAL	BEDROOM		W2/F02	36.7	28	8.7	23.7%	36.7	28	8.7	23.7%	98.4	90.9	0.8	7.6%	85	28	59	17	30.6%	39.3%	85	28	59	17	30.6%	39.3%
	R3	RESIDENTIAL	BEDROOM		W3/F02	36.7	27.5	9.2	25.1%	36.7	27.5	9.2	25.1%	97.8	92.1	0.8	5.8%	84	28	56	16	33.3%	42.9%	84	28	56	16	33.3%	42.9%
	R4	RESIDENTIAL	BEDROOM		W4/F02	35.2	25.4	9.8	27.8%	35.2	25.4	9.8	27.8%	97.6	80.4	2.2	17.6%	80	28	52	16	35.0%	42.9%	80	28	52	16	35.0%	42.9%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	SQM	%	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL

PYRAMID COURT 99 HAWKS ROAD (CONTINUED)

	R5	RESIDENTIAL	LKD		W5/F02	36	25.8	10.2	28.3%	23	13.8	9.2	40.0%	94.7	92.8	0.4	2.1%	81	28	53	16	34.6%	42.9%	81	28	55	16	32.1%	42.9%
			LKD		W6/F02	18.3	9.5	8.8	48.1%									43	20	24	8	44.2%	60.0%						
	R6	RESIDENTIAL	LKD		W7/F02	23	15.8	7.2	31.3%	26.4	19.2	7.2	27.3%	99.2	99.2	0.0	0.0%	42	14	24	5	42.9%	64.3%	55	15	36	5	34.5%	66.7%
			LKD		W8/F02	35.2	27.7	7.5	21.3%									54	14	35	4	35.2%	71.4%						
	R7	RESIDENTIAL	BEDROOM		W9/F02	35.4	28.4	7	19.8%	35.4	28.4	7	19.8%	98.8	83.7	2.3	15.3%	53	14	34	4	35.8%	71.4%	53	14	34	4	35.8%	71.4%
F03	R1	RESIDENTIAL	LKD		W1/F03	31	25.9	5.1	16.5%	31	25.9	5.1	16.5%	99.3	95.5	0.7	3.9%	78	21	59	15	24.4%	28.6%	78	21	59	15	24.4%	28.6%
	R2	RESIDENTIAL	BEDROOM		W2/F03	37.7	29	8.7	23.1%	37.7	29	8.7	23.1%	98.4	90.9	0.8	7.6%	85	28	60	17	29.4%	39.3%	85	28	60	17	29.4%	39.3%
	R3	RESIDENTIAL	BEDROOM		W3/F03	37.6	28.5	9.1	24.2%	37.6	28.5	9.1	24.2%	97.8	92.2	0.8	5.7%	85	28	58	16	31.8%	42.9%	85	28	58	16	31.8%	42.9%
	R4	RESIDENTIAL	BEDROOM		W4/F03	36.1	26.1	10	27.7%	36.1	26.1	10	27.7%	97.7	82.9	1.9	15.2%	79	28	51	16	35.4%	42.9%	79	28	51	16	35.4%	42.9%
	R5	RESIDENTIAL	LKD		W5/F03	36.8	26.4	10.4	28.3%	28.9	18.1	10.8	37.4%	95.4	93.5	0.4	2.0%	82	28	54	16	34.1%	42.9%	82	28	57	16	30.5%	42.9%
			LKD		W6/F03	24.5	13.4	11.1	45.3%									56	21	28	8	50.0%	61.9%						
	R6	RESIDENTIAL	LKD		W7/F03	29.2	20.3	8.9	30.5%	31.8	23.2	8.6	27.0%	99.2	99.2	0.0	0.0%	56	17	31	5	44.6%	70.6%	58	18	38	6	34.5%	66.7%
			LKD		W8/F03	36.1	28.2	7.9	21.9%									54	17	33	5	38.9%	70.6%						
	R7	RESIDENTIAL	BEDROOM		W9/F03	36.3	28.9	7.4	20.4%	36.3	28.9	7.4	20.4%	98.8	85.5	2.1	13.5%	51	16	32	4	37.3%	75.0%	51	16	32	4	37.3%	75.0%

3 PORTMAN ROAD

F00	R2	RESIDENTIAL	KITCHEN (1)		W2/F00	19.4	17.6	1.8	9.3%	15.6	14.2	1.4	9.0%	85.9	85.9	0.0	0.0%	42	5	38	4	9.5%	20.0%	42	5	38	4	9.5%	20.0%
			KITCHEN (1)		W3/F00	13.7	12.4	1.3	9.5%									32	2	29	2	9.4%	0.0%						
	R3	RESIDENTIAL	DINING ROOM		W4/F00	17.7	14.5	3.2	18.1%	17.7	14.5	3.2	18.1%	81.2	64	1.7	21.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	34	29.7	4.3	12.6%	34	29.7	4.3	12.6%	99.2	82.1	1.0	17.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	BEDROOM		W2/F01	26.7	22.6	4.1	15.4%	26.7	22.6	4.1	15.4%	93.3	79.9	1.0	14.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

1 PORTMAN ROAD

F00	R2	RESIDENTIAL	KITCHEN (1)		W2/F00	28.2	28.1	0.1	0.4%	28.2	28.1	0.1	0.4%	82.3	82.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	DINING ROOM		W3/F00	20.5	18.7	1.8	8.8%	20.5	18.7	1.8	8.8%	89	89	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	34.2	29.8	4.4	12.9%	34.2	29.8	4.4	12.9%	98.6	80.9	1.1	18.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	BEDROOM		W2/F01	29.3	26.7	2.6	8.9%	29.3	26.7	2.6	8.9%	94.7	94.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

40 PIPER ROAD

F00	R1	RESIDENTIAL	RESIDENTIAL		W1/F00	15.2	10.2	5	32.9%	14	9.9	4.1	29.3%	92.9	75.9	1.4	18.2%	14	0	9	0	35.7%	0.0%	29	6	24	6	17.2%	0.0%
			RESIDENTIAL		W2/F00	5.1	1.6	3.5	68.6%									7	1	3	1	57.1%	0.0%						

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS %	LOSS %	EX	PR	LOSS %	LOSS %	EX	PR	LOSS %	LOSS %
						%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
40 PIPER ROAD (CONTINUED)																													
			RESIDENTIAL		W3/F00	15.3	12.1	3.2	20.9%											27	6	21	6	22.2%	0.0%				
			RESIDENTIAL		W4/F00	22.7	17.9	4.8	21.1%											27	4	22	4	18.5%	0.0%				
	R2	RESIDENTIAL	RESIDENTIAL		W5/F00	33.1	28.1	5	15.1%	33.1	28.1	5	15.1%	99.5	85.9	2.0	13.7%	45	13	41	13	8.9%	0.0%	45	13	41	13	8.9%	0.0%
F01	R1	RESIDENTIAL	RESIDENTIAL		W1/F01	34.5	28.6	5.9	17.1%	34.5	28.6	5.9	17.1%	100	72.8	2.2	27.2%	45	13	40	13	11.1%	0.0%	45	13	40	13	11.1%	0.0%
	R2	RESIDENTIAL	RESIDENTIAL		W2/F01	34.5	28.4	6.1	17.7%	34.5	28.4	6.1	17.7%	99.5	79.3	3.0	20.3%	44	12	38	12	13.6%	0.0%	44	12	38	12	13.6%	0.0%
36 PIPER ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	25.8	24.1	1.7	6.6%	28.4	24.6	3.8	13.4%	99.7	90.6	1.2	9.2%	41	11	37	10	9.8%	9.1%	46	14	40	13	13.0%	7.1%
			LIVING ROOM		W2/F00	31	26.6	4.4	14.2%									42	13	39	13	7.1%	0.0%						
			LIVING ROOM		W3/F00	27.6	22.6	5	18.1%									21	5	17	5	19.0%	0.0%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	34.1	28	6.1	17.9%	34.1	28	6.1	17.9%	98.7	91.7	0.8	7.1%	46	13	38	12	17.4%	7.7%	46	13	38	12	17.4%	7.7%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02 / INC (2)	87.4	82.1	5.3	6.1%	87.8	82.4	5.4	6.2%	92	92	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W2/F02 / INC (2)	88.1	82.7	5.4	6.1%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
38 PIPER ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	28.6	26.4	2.2	7.7%	28.5	24.6	3.9	13.7%	99.7	93	0.8	6.7%	46	13	41	13	10.9%	0.0%	46	13	41	13	10.9%	0.0%
			LIVING ROOM		W2/F00	30.7	26.1	4.6	15.0%									43	13	39	13	9.3%	0.0%						
			LIVING ROOM		W3/F00	25.2	20.4	4.8	19.0%									19	1	14	1	26.3%	0.0%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	34.1	28	6.1	17.9%	34.1	28	6.1	17.9%	99	93.3	0.6	5.8%	46	14	40	14	13.0%	0.0%	46	14	40	14	13.0%	0.0%
32 PIPER ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	17.5	17.3	0.2	1.1%	26.6	22.9	3.7	13.9%	99.6	87.7	1.6	11.9%	41	12	39	12	4.9%	0.0%	43	12	39	12	9.3%	0.0%
			LIVING ROOM		W2/F00	31	26.3	4.7	15.2%									43	12	39	12	9.3%	0.0%						
			LIVING ROOM		W3/F00	17.5	14.4	3.1	17.7%									1	0	0	0	100.0%	0.0%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.4	26.8	6.6	19.8%	33.4	26.8	6.6	19.8%	99	94.7	0.5	4.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	BEDROOM		W1/F02 / INC (2)	86.8	80.9	5.9	6.8%	87.2	81.3	5.9	6.8%	77.4	77.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W2/F02 / INC (2)	87.6	81.7	5.9	6.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
34 PIPER ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	30.5	27	3.5	11.5%	30.2	26	4.2	13.9%	94.3	88.7	0.7	5.9%	40	11	38	11	5.0%	0.0%	44	12	40	12	9.1%	0.0%
			LIVING ROOM		W2/F00	31.1	27	4.1	13.2%									43	12	40	12	7.0%	0.0%						

(1) KITCHEN SMALLER THAN 13m2  
 (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)  
 (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)					
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
34 PIPER ROAD (CONTINUED)																													
			LIVING ROOM		W3/F00	30.8	26.1	4.7	15.3%									41	11	38	11	7.3%	0.0%						
			LIVING ROOM		W4/F00	28.5	23.8	4.7	16.5%									35	5	35	5	12.1%	0.0%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.2	26.9	6.3	19.0%	33.2	26.9	6.3	19.0%	98.4	94.6	0.4	3.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
30 PIPER ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	27.3	24.8	2.5	9.2%	28.7	24.3	4.4	15.3%	99.8	90.6	11	9.2%	43	11	39	11	9.3%	0.0%	46	12	40	12	13.0%	0.0%
			LIVING ROOM		W2/F00	30.7	25.9	4.8	15.6%									43	12	38	12	11.6%	0.0%						
			LIVING ROOM		W3/F00	26.7	21.1	5.6	21.0%									21	1	18	1	23.8%	0.0%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.3	26.4	6.9	20.7%	33.3	26.3	7	21.0%	99.3	88.5	1.2	10.9%	44	12	36	11	18.2%	8.3%	44	12	36	11	18.2%	8.3%
			BEDROOM		W2/F01	33.2	26.2	7	21.1%									44	12	36	11	18.2%	8.3%						
28 PIPER ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	26.8	24.1	2.7	10.1%	28.7	24.1	4.6	16.0%	99.8	90.2	11	9.6%	40	10	37	10	7.5%	0.0%	45	13	39	12	13.3%	7.7%
			LIVING ROOM		W2/F00	30.7	25.7	5	16.3%									43	13	38	12	11.6%	7.7%						
			LIVING ROOM		W3/F00	27.4	21.6	5.8	21.2%									22	2	18	1	27.3%	30.0%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.1	26.1	7	21.1%	33.1	26.1	7	21.1%	99.2	87.3	1.3	12.0%	43	11	35	10	18.6%	9.1%	44	12	35	10	20.5%	16.7%
			BEDROOM		W2/F01	33.1	26	7.1	21.5%									43	12	34	10	20.9%	16.7%						
22 PIPER ROAD																													
F00	R1	RESIDENTIAL	BEDROOM		W2/F00	26.7	23.9	2.8	10.5%	28.8	23.4	5.4	18.8%	99.4	95.1	0.5	4.4%	43	12	39	12	9.3%	0.0%	45	12	39	12	13.3%	0.0%
			BEDROOM		W3/F00	30	24.2	5.8	19.3%									41	12	37	12	9.8%	0.0%						
			BEDROOM		W4/F00	29	21.6	7.4	25.5%									20	1	15	1	25.0%	0.0%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.2	25.6	7.6	22.9%	33.2	25.6	7.6	22.9%	98.2	96.7	0.2	1.6%	40	11	32	9	20.0%	18.2%	45	13	37	11	17.8%	15.4%
			BEDROOM		W2/F01	33.2	25.5	7.7	23.2%									44	12	37	11	15.9%	8.3%						
24 PIPER ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	27.1	20.7	6.4	23.6%	28	23.1	4.9	17.5%	99.7	92.8	0.8	7.0%	21	2	17	2	19.0%	0.0%	42	11	37	11	11.9%	0.0%
			LIVING ROOM		W2/F00	30	24.6	5.4	18.0%									39	11	36	11	7.7%	0.0%						
			LIVING ROOM		W3/F00	25.8	23	2.8	10.9%									40	10	36	10	10.0%	0.0%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	32.2	24.7	7.5	23.3%	32.2	24.7	7.5	23.3%	99.4	93	0.7	6.4%	38	10	31	9	18.4%	10.0%	39	10	31	9	20.5%	10.0%
			BEDROOM		W2/F01	32.1	24.8	7.3	22.7%									39	10	31	9	20.5%	10.0%						

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	SQM	%	%	%	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL
<b>26 PIPER ROAD</b>																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	26.9	24.3	2.6	9.7%	28	23.3	4.7	16.8%	99.7	92.5	0.8	7.2%	41	11	37	11	9.8%	0.0%	44	12	38	12	13.6%	0.0%
			LIVING ROOM		W2/F00	30	24.8	5.2	17.3%									42	12	37	12	11.9%	0.0%						
			LIVING ROOM		W3/F00	25.9	19.8	6.1	23.6%									20		15		25.0%	0.0%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	32.3	25	7.3	22.6%	32.2	24.9	7.3	22.7%	99.4	93.8	0.6	5.7%	41	12	33	11	19.5%	8.3%	41	12	33	11	19.5%	8.3%
			BEDROOM		W2/F01	32.2	24.9	7.3	22.7%									39	10	31	9	20.5%	10.0%						
<b>5 PORTMAN ROAD</b>																													
F00	R1	RESIDENTIAL	DINING ROOM		W3/F00	10.7	8.7	2	18.7%	10.7	8.7	2	18.7%	81.9	77.9	0.4	4.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	KITCHEN (1)		W2/F00	13.9	13.8	0.1	0.7%	13.9	13.8	0.1	0.7%	71.5	71.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W2/F01	25.2	23.3	1.9	7.5%	25.2	23.3	1.9	7.5%	88.8	76.3	1.7	14.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W1/F01	28.9	25.2	3.7	12.8%	28.9	25.2	3.7	12.8%	94.9	78.1	0.9	17.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>7 PORTMAN ROAD</b>																													
F00	R1	RESIDENTIAL	KITCHEN (1)		W1/F00	24.7	21.1	3.6	14.6%	24.7	21.1	3.6	14.6%	91.3	71.2	1.2	22.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	DINING ROOM		W2/F00	14.5	12.5	2	13.8%	14.5	12.5	2	13.8%	80.3	49.5	3.2	38.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R2	RESIDENTIAL	BEDROOM		W2/F01	21.1	17.9	3.2	15.2%	21.1	17.9	3.2	15.2%	87.3	64.7	1.6	25.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>35 ROWLLS ROAD</b>																													
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00	24.2	17.2	7	28.9%	24.2	17.2	7	28.9%	92.6	45.5	5.0	50.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F00	27.1	18.1	9	33.2%	27.1	18.1	9	33.2%	92.1	31.8	6.4	65.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN-RESI		W3/F00	28.4	18.2	10.2	35.9%	28.4	18.2	10.2	35.9%	85.4	30.6	6.1	64.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN-RESI		W4/F00	29.7	18.6	11.1	37.4%	29.7	18.5	11.2	37.7%	94.1	35.9	6.5	61.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN-RESI		W5/F00	29.7	18.5	11.2	37.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	UNKNOWN-RESI		W6/F00	22.7	14.6	8.1	35.7%	22.7	14.6	8.1	35.7%	89.5	43.1	4.8	51.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	27.2	25.1	2.1	7.7%	27.2	25.1	2.1	7.7%	98.5	98.3	0.0	0.2%	57	16	48	14	15.8%	12.5%	57	16	48	14	15.8%	12.5%
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F01	26.5	18.7	7.8	29.4%	26.5	18.7	7.8	29.4%	94.4	61	3.4	35.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F02 / INC (2)	54	41.5	12.5	23.1%	54	41.5	12.5	23.1%	91.6	48.1	4.8	47.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F02 / INC (2)	53.7	51.5	2.2	4.1%	53.7	51.5	2.2	4.1%	79	78.9	0.0	0.1%	88	27	77	24	12.5%	11.1%	88	27	77	24	12.5%	11.1%
	R3	RESIDENTIAL	UNKNOWN-RESI		W3/F02 / INC (2)	79.2	74.5	4.7	5.9%	79.2	74.5	4.7	5.9%	29.1	29.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
1 SOMERSET ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W3/F00	30.9	17.6	13.3	43.0%	31.4	22	9.4	29.9%	100	100	0.0	0.0%	39	8	21	5	46.2%	37.5%	84	26	68	23	19.0%	11.5%
			UNKNOWN-RESI		W2/F00	32.1	28.4	3.7	11.5%									81	25	66	22	18.5%	12.0%						
			UNKNOWN-RESI		W1/F00	32.4	28.7	3.7	11.4%									81	25	67	23	17.3%	8.0%						
	R2	RESIDENTIAL	UNKNOWN-RESI		W4/F00	31.9	17.5	14.4	45.1%	42.7	28.5	14.2	33.3%	100	100	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN-RESI		W5/F00 / INC (2)	62.6	48.9	13.7	21.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	LIVING ROOM	PLANS	W8/F00	26.5	14.6	11.9	44.9%	26.4	21	5.4	20.5%	81	74.7	0.8	7.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W9/F00	27.5	22.4	5.1	18.5%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W10/F00	24.7	25.3	-0.6	-2.4%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R2	RESIDENTIAL	BEDROOM	PLANS	W2/F01	29.2	23.7	5.5	18.8%	29.2	23.7	5.5	18.8%	94.5	78.3	1.4	17.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
35 PORTMAN ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00	26.8	20	6.8	25.4%	26.8	20	6.8	25.4%	48	25.8	2.0	46.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F00	24.6	18.1	6.5	26.4%	40	35	5	12.5%	100	100	0.0	0.0%	35	5	25	5	34.3%	30.0%	57	6	51	8	10.5%	-33.3%
			UNKNOWN-RESI		W3/F00 / INC (2)	70.6	64.7	5.9	8.4%									32	5	45	7	13.5%	-40.0%						
			UNKNOWN-RESI		W4/F00 / INC (2)	59	55.8	3.2	5.4%									45	2	38	4	15.6%	-100.0%						
			UNKNOWN-RESI		W5/F00 / INC (2)	25.8	25.4	0.4	1.6%									28	0	23	1	17.9%	-						
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	31.6	23.2	8.4	26.6%	31.6	23.2	8.4	26.6%	98.9	55.9	4.4	43.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F01	18.7	13.2	5.5	29.4%	18.7	13.2	5.5	29.4%	99.5	44.7	3.2	55.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F02	34.2	24.8	9.4	27.5%	34.2	24.8	9.4	27.5%	96.7	39.1	6.0	59.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F02	26.7	20.1	6.6	24.7%	26.7	20.1	6.6	24.7%	99.2	44.2	3.3	55.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
37 PORTMAN ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00	13.5	10.1	3.4	25.2%	13.5	10.1	3.4	25.2%	69.7	34.4	3.8	50.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F00	24.3	18.4	5.9	24.3%	24.3	18.4	5.9	24.3%	64.1	27.9	3.5	56.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	20.7	15.4	5.3	25.6%	20.7	15.4	5.3	25.6%	99.4	43.6	3.1	56.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F01	30.9	23.2	7.7	24.9%	30.9	23.2	7.7	24.9%	98.4	53.3	4.6	45.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
21 PORTMAN ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00	15.8	12.5	3.3	20.9%	15.8	12.5	3.3	20.9%	93.1	49.6	4.6	46.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F00	27	19.2	7.8	28.9%	25.2	18.1	7.1	28.2%	74.2	35.3	3.7	52.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN-RESI		W3/F00	23.4	17	6.4	27.4%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2  
 (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)  
 (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)								
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %				
						%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER			
<b>21 PORTMAN ROAD (CONTINUED)</b>																																
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	30	23.9	6.1	20.3%	30	23.9	6.1	20.3%	98.3	56.2	2.6	42.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F01	31.8	23.9	7.9	24.8%	31.8	23.9	7.9	24.8%	94.4	40.3	5.2	57.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>23 PORTMAN ROAD</b>																																
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00	27.7	18.7	9	32.5%	58.3	51.3	7	12.0%	100	100	0.0	0.0%	33	7	22	5	33.3%	28.6%	67	14	58	13	13.4%	7.1%			
			UNKNOWN-RESI		W2/F00 / INC (2)	85.5	78.7	6.8	8.0%									8	4	3	3	13%	1%									
			UNKNOWN-RESI		W3/F00 / INC (2)	79.8	75.7	4.1	5.1%									63	10	54	9	14.3%	10.0%									
	R2	RESIDENTIAL	UNKNOWN-RESI		W4/F00	15.4	111	4.3	27.9%	15.4	111	4.3	27.9%	87.2	35.9	5.5	58.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	31.8	23.8	8	25.2%	31.8	23.8	8	25.2%	91.7	37.9	4.7	58.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F01	29.4	22.3	7.1	24.1%	29.4	22.3	7.1	24.1%	98.2	51.9	2.7	47.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>9 PORTMAN ROAD</b>																																
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00	16.8	15.5	1.3	7.7%	16.8	15.5	1.3	7.7%	79.8	62.3	1.9	21.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F00	27	21.1	5.9	21.9%	27.1	21.1	6	22.1%	96.4	33.6	5.0	61.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN-RESI		W3/F00	27.2	21.1	6.1	22.4%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	30.4	26.8	3.6	11.8%	30.4	26.8	3.6	11.8%	85.9	77.4	0.5	9.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F01	31.3	26.3	5	16.0%	31.3	26.3	5	16.0%	77.8	46.6	3.0	40.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>11 PORTMAN ROAD</b>																																
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00	21.4	16.1	5.3	24.8%	23.7	18	5.7	24.1%	92.2	37.7	5.0	59.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			UNKNOWN-RESI		W2/F00	26	19.8	6.2	23.8%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN-RESI		W3/F00	17.3	12.7	4.6	26.6%	17.3	12.7	4.6	26.6%	93.6	48.6	4.8	48.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	31.4	26	5.4	17.2%	31.4	26	5.4	17.2%	92.2	49.3	3.7	46.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F01	27.7	22.5	5.2	18.8%	27.7	22.5	5.2	18.8%	98.2	64.1	2.0	34.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>21 PIPER ROAD</b>																																
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00	33.6	16.1	17.5	52.1%	33.6	16.1	17.5	52.1%	100	52.1	9.0	47.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	36.7	19.8	16.9	46.0%	36.7	19.8	16.9	46.0%	96.3	44.9	9.9	53.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>19 PIPER ROAD</b>																																
F00	R2	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F00	28.8	14.6	14.2	49.3%	28.8	14.6	14.2	49.3%	95.4	45	8.4	52.8%	37	3	19	1	48.6%	66.7%	37	3	19	1	48.6%	66.7%			

(1) KITCHEN SMALLER THAN 13m2  
 (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)  
 (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS %	EX	PR	LOSS %	EX	PR	LOSS %			
						%	%	%	%	%	%	%	%	%	%	SQM	%	%	%	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL
19 PIPER ROAD (CONTINUED)																													
F01	R2	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F01	36.5	19.3	17.2	47.1%	36.5	19.2	17.3	47.4%	95.2	51.1	7.4	46.3%	48	14	29	11	39.6%	21.4%	49	14	29	11	40.8%	21.4%
			UNKNOWN		W2/F01	36.5	19.2	17.3	47.4%									49	14	29	11	40.8%	21.4%						
37 CAMBRIDGE ROAD																													
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	32.9	24.3	8.6	26.1%	32.8	24.2	8.6	26.2%	98.7	87.8	2.1	11.0%	79	24	67	14	15.2%	41.7%	80	25	68	15	15.0%	40.0%
			UNKNOWN-RESI		W2/F01	32.7	24.1	8.6	26.3%									80	25	66	14	17.5%	44.0%						
35 CAMBRIDGE ROAD																													
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	33.2	24.6	8.6	25.9%	33.2	24.6	8.6	25.9%	98.6	88.3	2.0	10.5%	80	25	66	13	17.5%	48.0%	80	25	67	14	16.3%	44.0%
			UNKNOWN-RESI		W2/F01	33.1	24.5	8.6	26.0%									80	25	67	14	16.3%	44.0%						
61 CAMBRIDGE GROVE ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00	34.9	14.4	20.5	58.7%	34.6	10.9	23.7	68.5%	100	87.2	2.1	12.8%	48	13	28	8	41.7%	38.5%	51	13	33	8	35.3%	38.5%
			UNKNOWN-RESI		W2/F00	35.2	11.1	24.1	68.5%									36	5	11	0	35.3%	30.0%						
			UNKNOWN-RESI		W3/F00	34.6	10.9	23.7	68.5%									30	5	14	0	53.3%	100.0%						
			UNKNOWN-RESI		W4/F00	34.1	7.3	26.8	78.6%									18	5	4	0	58.0%	50%						
	R2	RESIDENTIAL	UNKNOWN-RESI		W5/F00	34.1	7.4	26.7	78.3%	34.1	7.4	26.7	78.3%	98.7	11.8	6.7	88.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN-RESI		W6/F00	24.5	16	8.5	34.7%	24.5	16	8.5	34.7%	87.3	77.7	0.8	11.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN-RESI		W7/F00	19.8	5.6	14.2	71.7%	27.8	7.8	20	71.9%	98.2	25.3	8.9	74.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN-RESI		W8/F00	27.4	7.7	19.7	71.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN-RESI		W9/F00	31.3	8.7	22.6	72.2%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN-RESI		W10/F00	33.1	9.1	24	72.5%	31.1	11.6	19.5	62.7%	97.8	75.6	1.9	22.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN-RESI		W11/F00	33.7	9.3	24.4	72.4%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN-RESI		W12/F00	25.1	18.4	6.7	26.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	36.2	14.5	21.7	59.9%	36.2	14.5	21.7	59.9%	98	36.5	6.0	62.7%	45	14	24	8	46.7%	42.9%	45	14	24	8	46.7%	42.9%
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F01	36.2	14.9	21.3	58.8%	36.2	14.9	21.3	58.8%	97.9	47.3	6.5	51.7%	46	15	26	8	43.5%	46.7%	46	15	26	8	43.5%	46.7%
	R3	RESIDENTIAL	UNKNOWN-RESI		W3/F01	34.2	7.4	26.8	78.4%	34.2	7.4	26.8	78.4%	86.7	8.1	2.9	90.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN-RESI		W4/F01	33.4	25.4	8	24.0%	33.4	25.4	8	24.0%	95.8	79.6	1.8	16.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN-RESI		W5/F01	28.9	9.6	19.3	66.8%	28.9	9.6	19.3	66.8%	73	6.5	8.1	91.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN-RESI		W6/F01	31.2	24.3	6.9	22.1%	31.2	24.3	6.9	22.1%	42.8	27.9	1.2	34.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)							
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %			
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
<b>60 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	27	9.8	17.2	63.7%	28.9	12.1	16.8	58.1%	99.4	44	6.1	55.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W2/F00	29.6	11.7	17.9	60.5%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W3/F00	29.6	14.7	14.9	50.3%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W4/F00	29.8	12.3	17.5	58.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W5/F00	29.5	12	17.5	59.3%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	29.4	11.7	17.7	60.2%	29.4	11.7	17.7	60.2%	99.3	47.9	4.2	51.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>20 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	32.9	15.1	17.8	54.1%	32.9	15.1	17.8	54.1%	95.1	50.9	5.1	46.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	32.9	15.3	17.6	53.5%	32.9	15.3	17.6	53.5%	95.1	50.7	5.1	46.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>18 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	33.3	15.2	18.1	54.4%	33.3	15.2	18.1	54.4%	95.8	53.3	4.7	44.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.2	15.4	17.8	53.6%	33.2	15.4	17.8	53.6%	95.6	53.2	4.7	44.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>16 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	33.3	14.9	18.4	55.3%	33.3	14.9	18.4	55.3%	95.4	49.7	5.3	47.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.4	15.1	18.3	54.8%	33.4	15.1	18.3	54.8%	95.3	49	5.4	48.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>14 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	33.5	13.8	19.7	58.8%	33.5	13.8	19.7	58.8%	95.6	49.6	5.1	48.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.6	14.1	19.5	58.0%	33.6	14.1	19.5	58.0%	95.7	49.3	5.1	48.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>12 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	33.7	12	21.7	64.4%	33.7	12	21.7	64.4%	95.5	30.4	7.4	68.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.6	12.2	21.4	63.7%	33.6	12.2	21.4	63.7%	95.5	28.5	7.6	70.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>10 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	33.7	11.6	22.1	65.6%	33.7	11.6	22.1	65.6%	95.6	28.5	7.6	70.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.7	11.8	21.9	65.0%	33.7	11.8	21.9	65.0%	95.5	26.8	7.8	71.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)						
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	SQM	%	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
<b>8 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		WI/F00	33.9	11.1	22.8	67.3%	33.9	11.1	22.8	67.3%	95.3	26.2	8.0	72.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		WI/F01	33.9	11.3	22.6	66.7%	33.9	11.3	22.6	66.7%	95.3	26	8.0	72.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>6 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		WI/F00	34	10.8	23.2	68.2%	34	10.8	23.2	68.2%	95.6	24	8.0	74.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		WI/F01	34	11	23	67.6%	34	11	23	67.6%	95.7	24.1	8.0	74.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>4 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		WI/F00	34	10.4	23.6	69.4%	34	10.4	23.6	69.4%	94.9	21.2	8.6	77.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		WI/F01	34	10.6	23.4	68.8%	34	10.6	23.4	68.8%	95	21	8.6	77.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>2 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		WI/F00	34.1	10.3	23.8	69.8%	34.1	10.3	23.8	69.8%	95.6	19.3	8.4	79.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		WI/F01	34.1	10.4	23.7	69.5%	34.1	10.4	23.7	69.5%	95.7	19.3	8.4	79.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>22 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		WI/F00	32.1	13.8	18.3	57.0%	32.1	13.8	18.3	57.0%	99.4	60.1	5.1	39.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		WI/F01	33.6	15.5	18.1	53.9%	33.6	15.5	18.1	53.9%	96	43.4	6.9	54.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>24 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		WI/F00	31.5	12.9	18.6	59.0%	31.5	12.9	18.6	59.0%	99.5	49	6.4	50.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		WI/F01	33	14.5	18.5	56.1%	33	14.5	18.5	56.1%	96.4	42	6.9	56.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>26 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		WI/F00	30.5	12	18.5	60.7%	30.5	12	18.5	60.7%	91.2	27.6	8.3	69.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		WI/F01	32.1	13.6	18.5	57.6%	32.1	13.6	18.5	57.6%	95.7	32.8	8.2	65.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>28 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		WI/F00	30	11.6	18.4	61.3%	30	11.6	18.4	61.3%	99.5	26.9	9.4	72.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		WI/F01	31.8	13.2	18.6	58.5%	31.8	13.2	18.6	58.5%	95.3	28.1	8.7	70.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)						
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	SQM	%	%	%	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
<b>30 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	30.2	11.4	18.8	62.3%	30.2	11.4	18.8	62.3%	91.5	22	9.5	75.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	31.8	12.9	18.9	59.4%	31.8	12.9	18.9	59.4%	94.1	26	9.4	72.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>32 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	30.2	11.1	19.1	63.2%	30.2	11.1	19.1	63.2%	91.6	20.9	8.7	77.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	31.7	12.6	19.1	60.3%	31.7	12.6	19.1	60.3%	95	25.2	8.5	73.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>THE LODGE 42 CAMBRIDGE ROAD</b>																														
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	33.5	33.5	0	0.0%	32.3	31.4	0.9	2.8%	97.7	97.1	0.1	0.6%	17		17		1.0%	0.0%	59	15	46	8	22.0%	46.7%	
			UNKNOWN		W7/F00	31.5	28.8	2.7	8.6%									58	14	46	8	20.7%	42.9%							
			UNKNOWN		W8/F00	31.1	30.8	0.3	1.0%									39	7	38	6	2.6%	14.3%							
	R2	RESIDENTIAL	UNKNOWN		W2/F00	34.9	33.9	1	2.9%	32.2	27.9	4.3	13.4%	98.5	97.4	0.2	1.0%	38	1	35	5	17.5%	50.0%	61	15	45	8	26.2%	46.7%	
			UNKNOWN		W3/F00	29.1	20.9	8.2	28.2%									61	15	44	8	27.9%	46.7%							
	R3	RESIDENTIAL	UNKNOWN		W4/F00	28.9	20	8.9	30.8%	29.2	22.6	6.6	22.6%	99.4	99.4	0.0	0.0%	66	14	49	8	25.8%	42.9%	85	17	72	12	15.3%	29.4%	
			UNKNOWN		W5/F00	26.8	19.5	7.3	27.2%									64	15	47	6	26.6%	60.0%							
			UNKNOWN		W6/F00	31.1	28.1	3	9.6%									58	14	44	8	24.1%	42.9%							
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	37.5	36.5	1	2.7%	37.5	36.5	1	2.7%	98	96.7	0.2	1.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN		W2/F01	31.6	21.2	10.4	32.9%	31.6	21.2	10.4	32.9%	96.4	82.4	1.9	14.5%	71	18	53	8	25.4%	55.6%	71	18	53	8	25.4%	55.6%	
	R3	RESIDENTIAL	UNKNOWN		W3/F01	33.1	29.7	3.4	10.3%	33.1	29.7	3.4	10.3%	98.8	97.2	0.2	1.6%	65	20	49	9	24.6%	55.0%	65	20	49	9	24.6%	55.0%	
<b>CAMBRIDGE GARDENS</b>																														
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	27.3	26	1.3	4.8%	27.3	26	1.3	4.8%	92.2	92.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN		W2/F00	28.2	26.9	1.3	4.6%	28.2	26.9	1.3	4.6%	83.1	83.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3	RESIDENTIAL	UNKNOWN		W3/F00	29.2	27.9	1.3	4.5%	29.2	27.9	1.3	4.5%	95.8	95.7	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	UNKNOWN		W4/F00	12.2	10.9	1.3	10.7%	12.2	10.9	1.3	10.7%	97.8	97.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	UNKNOWN		W5/F00	25.9	24.5	1.4	5.4%	25.9	24.5	1.4	5.4%	98.9	98.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	LIVING ROOM		W6/F00	26.5	25.1	1.4	5.3%	26.5	25.1	1.4	5.3%	99.4	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R7	RESIDENTIAL	BEDROOM		W7/F00	12.8	11.5	1.3	10.2%	12.8	11.5	1.3	10.2%	92.7	92.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8	RESIDENTIAL	BEDROOM		W8/F00	17.3	15.9	1.4	8.1%	17.3	15.9	1.4	8.1%	90.5	90.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	BEDROOM		W9/F00	17.7	16.2	1.5	8.5%	17.7	16.2	1.5	8.5%	91.2	88.5	0.4	3.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10	RESIDENTIAL	BEDROOM		W10/F00	13.5	12.2	1.3	9.6%	13.5	12.2	1.3	9.6%	93	88.1	0.5	5.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

(1) KITCHEN SMALLER THAN 13m2  
 (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)  
 (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)									
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %					
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%			
CAMBRIDGE GARDENS (CONTINUED)																																	
	R11	RESIDENTIAL	LIVING ROOM		W11/F00	27.9	26.3	1.6	5.7%	27.9	26.3	1.6	5.7%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R12	RESIDENTIAL	UNKNOWN		W12/F00	27.9	26.4	1.5	5.4%	27.9	26.4	1.5	5.4%	97.8	97.1	0.1	0.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R13	RESIDENTIAL	UNKNOWN		W13/F00	15	13.4	1.6	10.7%	15	13.4	1.6	10.7%	98.1	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R14	RESIDENTIAL	UNKNOWN		W14/F00	33	31.4	1.6	4.8%	33	31.4	1.6	4.8%	99.4	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R15	RESIDENTIAL	UNKNOWN		W15/F00	34.7	33.1	1.6	4.6%	34.7	33.1	1.6	4.6%	97.4	97.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R16	RESIDENTIAL	UNKNOWN		W16/F00	34.6	33.1	1.5	4.3%	34.6	33.1	1.5	4.3%	97.9	97.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R17	RESIDENTIAL	UNKNOWN		W17/F00	12.1	4.6	7.5	62.0%	12.1	4.6	7.5	62.0%	85.3	41.3	2.6	51.6%	25	13	14	4	44.0%	69.2%	25	13	14	4	44.0%	69.2%	25	13	14	4
	R18	RESIDENTIAL	UNKNOWN		W18/F00	10.1	2.7	7.4	73.3%	10.1	2.7	7.4	73.3%	93	61.1	2.1	34.3%	16	14	7	5	56.3%	64.3%	16	14	7	5	56.3%	64.3%	16	14	7	5
	R20	RESIDENTIAL	UNKNOWN		W23/F00	3.9	3.9	0	0.0%	3.9	3.9	0	0.0%	61.9	61.9	0.0	0.0%	6	2	6	2	0.0%	0.0%	6	2	6	2	0.0%	0.0%	6	2	6	2
	R21	RESIDENTIAL	UNKNOWN		W24/F00	5.9	5.7	0.2	3.4%	5.9	5.7	0.2	3.4%	73.6	73.5	0.0	0.1%	8	4	8	4	0.0%	0.0%	8	4	8	4	0.0%	0.0%	8	4	8	4
	R22	RESIDENTIAL	UNKNOWN		W25/F00	8	7.5	0.5	6.2%	8	7.5	0.5	6.2%	83.9	82.1	0.2	2.1%	14	5	13	4	7.1%	20.0%	14	5	13	4	7.1%	20.0%	14	5	13	4
	R23	RESIDENTIAL	UNKNOWN		W26/F00	5.6	5.1	0.5	8.9%	5.6	5.1	0.5	8.9%	76.2	74	0.2	3.0%	9	5	8	4	11.1%	20.0%	9	5	8	4	11.1%	20.0%	9	5	8	4
	R24	RESIDENTIAL	UNKNOWN		W27/F00	5	4.5	0.5	10.0%	5	4.5	0.5	10.0%	56.3	56	0.0	0.5%	7	3	7	3	0.0%	0.0%	7	3	7	3	0.0%	0.0%	7	3	7	3
	R25	RESIDENTIAL	KITCHEN (1)		W28/F00	4.3	3.9	0.4	9.3%	4.3	3.9	0.4	9.3%	53.1	53	0.0	0.2%	5	3	5	3	0.0%	0.0%	5	3	5	3	0.0%	0.0%	5	3	5	3
	R28	RESIDENTIAL	UNKNOWN		W31/F00	14.6	10.3	4.3	29.5%	14.6	10.3	4.3	29.5%	77	40.6	4.4	47.3%	28	12	22	6	21.4%	50.0%	28	12	22	6	21.4%	50.0%	28	12	22	6
	R29	RESIDENTIAL	UNKNOWN		W32/F00	6	1.2	4.8	80.0%	6.1	1.2	4.9	80.3%	81.3	35.2	4.1	56.7%	10	10	2	2	80.0%	80.0%	10	10	2	2	80.0%	80.0%	10	10	2	2
			UNKNOWN		W33/F00	6.2	1.3	4.9	79.0%									10	10	1	1	90.0%	90.0%										
	R30	RESIDENTIAL	UNKNOWN		W34/F00	19.8	14.4	5.4	27.3%	19.8	14.4	5.4	27.3%	94.5	60.5	5.3	36.0%	43	15	33	5	23.3%	66.7%	43	15	33	5	23.3%	66.7%	43	15	33	5
	R31	RESIDENTIAL	UNKNOWN		W35/F00	18.6	12.5	6.1	32.8%	18.6	12.5	6.1	32.8%	94.8	63.7	5.1	32.8%	30	14	21	5	30.0%	64.3%	30	14	21	5	30.0%	64.3%	30	14	21	5
	R32	RESIDENTIAL	UNKNOWN		W36/F00	8.2	1.9	6.3	76.8%	7.6	1.6	6	78.9%	95.4	43.8	4.4	54.1%	12	12	3	3	75.0%	75.0%	12	12	3	3	75.0%	75.0%	12	12	3	3
			UNKNOWN		W37/F00	6.9	1.2	5.7	82.6%									9	9	2	2	77.8%	77.8%										
	R33	RESIDENTIAL	UNKNOWN		W38/F00	21.6	14.8	6.8	31.5%	21.6	14.8	6.8	31.5%	95.8	66.6	5.1	30.4%	43	16	33	6	23.3%	62.5%	43	16	33	6	23.3%	62.5%	43	16	33	6
	R34	RESIDENTIAL	UNKNOWN		W39/F00	21.4	14.5	6.9	32.2%	21.4	14.5	6.9	32.2%	96.1	60.7	6.2	36.8%	45	17	34	6	24.4%	64.7%	45	17	34	6	24.4%	64.7%	45	17	34	6
	R35	RESIDENTIAL	UNKNOWN		W40/F00	6.2	0.6	5.6	90.3%	7.3	1.1	6.2	84.9%	95.9	34.6	5.2	63.9%	9	9	1	1	88.9%	88.9%	12	12	3	3	75.0%	75.0%	12	12	3	3
			UNKNOWN		W41/F00	8.4	1.6	6.8	81.0%									12	12	3	3	75.0%	75.0%										
	R36	RESIDENTIAL	UNKNOWN		W42/F00	19	12.3	6.7	35.3%	19	12.3	6.7	35.3%	93.8	50.4	7.0	46.3%	35	12	26	3	25.7%	75.0%	35	12	26	3	25.7%	75.0%	35	12	26	3
	R37	RESIDENTIAL	UNKNOWN		W43/F00	20.4	14.3	6.1	29.9%	20.4	14.3	6.1	29.9%	92.3	55.2	6.0	40.1%	39	11	31	3	20.5%	72.7%	39	11	31	3	20.5%	72.7%	39	11	31	3
	R38	RESIDENTIAL	UNKNOWN		W44/F00	6.5	1.4	5.1	78.5%	6.4	1.4	5	78.1%	81	27.9	4.5	65.5%	10	9	4	3	60.0%	66.7%	10	9	4	3	60.0%	66.7%	10	9	4	3
			UNKNOWN		W45/F00	6.2	1.4	4.8	77.4%									8	7	4	3	50.0%	57.1%										
	R39	RESIDENTIAL	UNKNOWN		W46/F00	14.7	10.5	4.2	28.6%	14.7	10.5	4.2	28.6%	74.2	43.5	3.8	41.3%	27	7	23	3	14.8%	57.1%	27	7	23	3	14.8%	57.1%	27	7	23	3
	R42	RESIDENTIAL	KITCHEN (1)		W50/F00	4.3	3.2	1.1	25.6%	4.3	3.2	1.1	25.6%	53.2	53.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)								
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %				
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
CAMBRIDGE GARDENS (CONTINUED)																																
	R43	RESIDENTIAL	UNKNOWN		W51/F00	4.8	3.6	1.2	25.0%	4.8	3.6	1.2	25.0%	69.5	69.4	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R44	RESIDENTIAL	UNKNOWN		W52/F00	5.3	4	1.3	24.5%	5.3	4	1.3	24.5%	77.7	71.6	0.8	7.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R45	RESIDENTIAL	UNKNOWN		W53/F00	7.9	6.6	1.3	16.5%	7.9	6.6	1.3	16.5%	83.1	82.5	0.1	0.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R46	RESIDENTIAL	UNKNOWN		W54/F00	5	4.4	0.6	12.0%	5	4.4	0.6	12.0%	76.2	76.1	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R47	RESIDENTIAL	UNKNOWN		W55/F00	3.9	3.4	0.5	12.8%	3.9	3.4	0.5	12.8%	58.6	58.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R49	RESIDENTIAL	UNKNOWN		W60/F00	11.5	3.7	7.8	67.8%	11.5	3.7	7.8	67.8%	91.7	63.3	2.2	31.0%	21	15	9	4	57.1%	73.3%	21	15	9	4	57.1%	73.3%			
	R50	RESIDENTIAL	UNKNOWN		W63/F00	30.1	29.4	0.7	2.3%	30.1	29.4	0.7	2.3%	98.5	98.4	0.0	0.1%	48	14	44	10	8.3%	28.6%	48	14	44	10	8.3%	28.6%			
	R51	RESIDENTIAL	UNKNOWN		W65/F00	29.7	29	0.7	2.4%	29.7	29	0.7	2.4%	97.1	97.1	0.0	0.1%	48	14	45	11	6.3%	21.4%	48	14	45	11	6.3%	21.4%			
	R52	RESIDENTIAL	UNKNOWN		W67/F00	28.1	27.5	0.6	2.1%	28.1	27.5	0.6	2.1%	97.6	97.6	0.0	0.0%	48	14	45	11	6.3%	21.4%	48	14	45	11	6.3%	21.4%			
	R53	RESIDENTIAL	UNKNOWN		W69/F00	9.1	8.6	0.5	5.5%	9.1	8.6	0.5	5.5%	82.9	82.8	0.0	0.0%	18	10	18	10	0.0%	0.0%	18	10	18	10	0.0%	0.0%			
	R54	RESIDENTIAL	UNKNOWN		W71/F00	21.2	20.7	0.5	2.4%	21.2	20.7	0.5	2.4%	96.2	96.2	0.0	0.0%	20	6	20	6	0.0%	0.0%	20	6	20	6	0.0%	0.0%			
	R55	RESIDENTIAL	LIVING ROOM		W73/F00	21	20.5	0.5	2.4%	21	20.5	0.5	2.4%	74.9	74.9	0.0	0.0%	41	12	41	12	0.0%	0.0%	41	12	41	12	0.0%	0.0%			
	R56	RESIDENTIAL	BEDROOM		W75/F00	6.7	6.3	0.4	6.0%	6.7	6.3	0.4	6.0%	85.6	85.6	0.0	0.0%	14	6	14	6	0.0%	0.0%	14	6	14	6	0.0%	0.0%			
	R57	RESIDENTIAL	BEDROOM		W78/F00	9.8	9.5	0.3	3.1%	9.8	9.5	0.3	3.1%	50.9	50.9	0.0	0.0%	18	6	18	6	0.0%	0.0%	18	6	18	6	0.0%	0.0%			
	R58	RESIDENTIAL	BEDROOM		W81/F00	7.8	7.6	0.2	2.6%	7.8	7.6	0.2	2.6%	44.9	44.9	0.0	0.0%	17	5	17	5	0.0%	0.0%	17	5	17	5	0.0%	0.0%			
	R59	RESIDENTIAL	BEDROOM		W83/F00	4.7	4.4	0.3	6.4%	4.7	4.4	0.3	6.4%	63	63	0.0	0.0%	12	6	12	6	0.0%	0.0%	12	6	12	6	0.0%	0.0%			
	R60	RESIDENTIAL	LIVING ROOM		W85/F00	8	7.7	0.3	3.7%	8	7.7	0.3	3.7%	60.2	60.2	0.0	0.0%	14	6	14	6	0.0%	0.0%	14	6	14	6	0.0%	0.0%			
	R61	RESIDENTIAL	UNKNOWN		W86/F00	15	13.8	1.2	8.0%	15	13.8	1.2	8.0%	76.6	67.3	1.3	12.2%	33	14	32	13	3.0%	7.1%	33	14	32	13	3.0%	7.1%			
	R62	RESIDENTIAL	UNKNOWN		W87/F00	6	4.4	1.6	26.7%	6	4.4	1.6	26.7%	73.3	55.4	1.8	24.5%	9	9	7	7	22.2%	22.2%	9	9	7	7	22.2%	22.2%			
	R63	RESIDENTIAL	UNKNOWN		W88/F00	19.7	17.6	2.1	10.7%	19.7	17.6	2.1	10.7%	92	79.1	1.6	14.1%	44	16	42	14	4.5%	12.5%	44	16	42	14	4.5%	12.5%			
	R64	RESIDENTIAL	UNKNOWN		W89/F00	17.8	15.4	2.4	13.5%	17.8	15.4	2.4	13.5%	98.5	89.3	1.2	9.4%	30	13	28	11	6.7%	15.4%	30	13	28	11	6.7%	15.4%			
	R65	RESIDENTIAL	UNKNOWN		W90/F00	7.7	5	2.7	35.1%	7.7	5	2.7	35.1%	96.7	84.2	1.2	12.9%	10	10	8	8	20.0%	20.0%	10	10	8	8	20.0%	20.0%			
	R66	RESIDENTIAL	UNKNOWN		W91/F00	11.2	8.3	2.9	25.9%	11.2	8.3	2.9	25.9%	63.5	46.6	2.7	26.7%	17	13	15	11	11.8%	15.4%	17	13	15	11	11.8%	15.4%			
	R67	RESIDENTIAL	UNKNOWN		W92/F00	11.1	8.1	3	27.0%	11.1	8.1	3	27.0%	66.3	44	3.5	33.7%	21	16	17	12	19.0%	25.0%	21	16	17	12	19.0%	25.0%			
	R68	RESIDENTIAL	UNKNOWN		W93/F00	7.5	4.5	3	40.0%	7.5	4.5	3	40.0%	96.9	79.8	1.7	17.6%	12	12	9	9	25.0%	25.0%	12	12	9	9	25.0%	25.0%			
	R69	RESIDENTIAL	UNKNOWN		W94/F00	17.7	14.8	2.9	16.4%	17.7	14.8	2.9	16.4%	98.3	92.5	0.8	5.9%	35	14	31	10	11.4%	28.6%	35	14	31	10	11.4%	28.6%			
	R70	RESIDENTIAL	UNKNOWN		W95/F00	19.6	16.7	2.9	14.8%	19.6	16.7	2.9	14.8%	93.4	91.2	0.3	2.3%	39	11	35	7	10.3%	36.4%	39	11	35	7	10.3%	36.4%			
	R71	RESIDENTIAL	UNKNOWN		W96/F00	6.1	3.3	2.8	45.9%	6.1	3.3	2.8	45.9%	75.8	73.3	0.2	3.2%	11	10	7	6	36.4%	40.0%	11	10	7	6	36.4%	40.0%			
	R72	RESIDENTIAL	UNKNOWN		W97/F00	15.1	12.3	2.8	18.5%	15.1	12.3	2.8	18.5%	96	75.2	1.5	12.5%	27	8	23	4	14.8%	50.0%	27	8	23	4	14.8%	50.0%			
	R73	RESIDENTIAL	UNKNOWN		W98/F00	15.8	14.3	1.5	9.5%	15.8	14.3	1.5	9.5%	82.3	82.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R74	RESIDENTIAL	UNKNOWN		W99/F00	19.6	17.8	1.8	9.2%	19.6	17.8	1.8	9.2%	88.2	88.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)								
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
CAMBRIDGE GARDENS (CONTINUED)																														
	R75	RESIDENTIAL	UNKNOWN		W100/F00	21.2	19.5	1.7	8.0%	21.2	19.5	1.7	8.0%	96.5	96.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R76	RESIDENTIAL	UNKNOWN		W101/F00	6.1	4.5	1.6	26.2%	6.1	4.5	1.6	26.2%	66.8	66	0.1	1.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R77	RESIDENTIAL	UNKNOWN		W102/F00	20.2	18	2.2	10.9%	20.2	18	2.2	10.9%	94.5	94.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R78	RESIDENTIAL	UNKNOWN		W103/F00	20.2	18.1	2.1	10.4%	20.2	18.1	2.1	10.4%	96.7	96.1	0.1	0.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R79	RESIDENTIAL	UNKNOWN		W104/F00	7.4	5.5	1.9	25.7%	7.4	5.5	1.9	25.7%	83.2	79.2	0.5	4.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R80	RESIDENTIAL	UNKNOWN		W105/F00	11.6	9.5	2.1	18.1%	11.6	9.5	2.1	18.1%	71.7	64.4	1.0	10.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R81	RESIDENTIAL	UNKNOWN		W106/F00	12.8	9.9	2.9	22.7%	12.8	9.9	2.9	22.7%	73.4	66	11	10.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R82	RESIDENTIAL	UNKNOWN		W107/F00	9	6.5	2.5	27.8%	9	6.5	2.5	27.8%	86.9	85.3	0.2	1.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R83	RESIDENTIAL	UNKNOWN		W108/F00	23.1	19.4	3.7	16.0%	23.1	19.4	3.7	16.0%	98	98	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R84	RESIDENTIAL	UNKNOWN		W109/F00	24	20.7	3.3	13.8%	24	20.7	3.3	13.8%	98.6	98.4	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R85	RESIDENTIAL	UNKNOWN		W110/F00	10.7	7.1	3.6	33.6%	10.7	7.1	3.6	33.6%	94.1	85	11	9.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R86	RESIDENTIAL	UNKNOWN		W111/F00	29.2	24.6	4.6	15.8%	29.2	24.6	4.6	15.8%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R87	RESIDENTIAL	UNKNOWN		W112/F00	31.2	26.4	4.8	15.4%	31.2	26.4	4.8	15.4%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R88	RESIDENTIAL	UNKNOWN		W113/F00	31.5	26.3	5.2	16.5%	31.5	26.3	5.2	16.5%	98.6	98.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R89	RESIDENTIAL	UNKNOWN		W114/F00	13.9	7.7	6.2	44.6%	13.9	7.7	6.2	44.6%	83.4	78.9	0.2	5.4%	30	19	21	15	30.0%	21.1%	30	19	21	15	30.0%	21.1%	
	R90	RESIDENTIAL	UNKNOWN		W115/F00	12.1	7.4	4.7	38.8%	12.1	7.4	4.7	38.8%	95.9	92.1	0.4	4.0%	19	17	14	13	26.3%	23.5%	19	17	14	13	26.3%	23.5%	
	R95	RESIDENTIAL	UNKNOWN		W61/F00	13.4	4.9	8.5	63.4%	13.4	4.9	8.5	63.4%	81.8	10.6	3.6	87.1%	33	20	19	9	42.4%	55.0%	33	20	19	9	42.4%	55.0%	
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	31.7	30.4	1.3	4.1%	31.7	30.4	1.3	4.1%	99.1	99.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN		W2/F01	32.2	30.9	1.3	4.0%	32.2	30.9	1.3	4.0%	98.8	98.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3	RESIDENTIAL	UNKNOWN		W3/F01	32.4	31.1	1.3	4.0%	32.4	31.1	1.3	4.0%	99.2	99.1	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	UNKNOWN		W4/F01	14.4	13.1	1.3	9.0%	14.4	13.1	1.3	9.0%	97.9	97.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	UNKNOWN		W5/F01	25.6	24.2	1.4	5.5%	27.6	26.2	1.4	5.1%	98.7	98.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			UNKNOWN		W6/F01	29.4	28	1.4	4.8%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R6	RESIDENTIAL	LIVING ROOM		W7/F01	29.8	28.4	1.4	4.7%	28.1	26.7	1.4	5.0%	99.5	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W8/F01	26.3	24.8	1.5	5.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R7	RESIDENTIAL	BEDROOM		W9/F01	15.7	14.2	1.5	9.6%	15.7	14.2	1.5	9.6%	93.8	93.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8	RESIDENTIAL	BEDROOM		W10/F01	35.2	33.5	1.7	4.8%	35.2	33.5	1.7	4.8%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	UNKNOWN		W11/F01	36.2	34.6	1.6	4.4%	36.2	34.6	1.6	4.4%	99.8	99.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10	RESIDENTIAL	BEDROOM		W12/F01	35.4	33.9	1.5	4.2%	35.4	33.9	1.5	4.2%	99.4	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R11	RESIDENTIAL	BEDROOM		W13/F01	16.1	14.6	1.5	9.3%	16.1	14.6	1.5	9.3%	94	89.8	0.4	4.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R12	RESIDENTIAL	LIVING ROOM		W14/F01	27.1	25.4	1.7	6.3%	28.9	27.2	1.7	5.9%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	SQM	%	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL
CAMBRIDGE GARDENS (CONTINUED)																													
			UNKNOWN		W52/F01	17.6	12	5.6	31.8%									34	11	28	5	17.6%	54.5%						
R39	RESIDENTIAL		UNKNOWN		W53/F01	7	1.9	5.1	72.9%	6.8	1.9	4.9	72.1%	82.1	32.2	4.2	60.7%	10	9	5	4	50.0%	55.6%	10	9	5	4	50.0%	55.6%
			UNKNOWN		W54/F01	6.6	1.9	4.7	71.2%									9	8	5	4	44.4%	50.0%						
R40	RESIDENTIAL		UNKNOWN		W55/F01	15.7	11.6	4.1	26.1%	15.7	11.6	4.1	26.1%	76.1	48.4	3.5	36.4%	28	7	25	4	10.7%	42.9%	28	7	25	4	10.7%	42.9%
R43	RESIDENTIAL		KITCHEN (1)		W59/F01	5	4.1	0.9	18.0%	5	4.1	0.9	18.0%	54	54	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R44	RESIDENTIAL		UNKNOWN		W60/F01	5.7	4.5	1.2	21.1%	5.7	4.5	1.2	21.1%	79.9	79.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R45	RESIDENTIAL		UNKNOWN		W61/F01	6.3	4.9	1.4	22.2%	6.3	4.9	1.4	22.2%	83.8	79.7	0.5	4.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R46	RESIDENTIAL		UNKNOWN		W62/F01	9	7.7	1.3	14.4%	9	7.7	1.3	14.4%	91.2	90.9	0.0	0.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R47	RESIDENTIAL		UNKNOWN		W63/F01	6	5.3	0.7	11.7%	6	5.3	0.7	11.7%	84.2	84.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R48	RESIDENTIAL		UNKNOWN		W64/F01	4.7	4.2	0.5	10.6%	4.7	4.2	0.5	10.6%	63.2	63.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R50	RESIDENTIAL		UNKNOWN		W69/F01	12.2	3.9	8.3	68.0%	12.2	3.9	8.3	68.0%	91.7	63.6	2.2	30.6%	21	15	10	4	52.4%	73.3%	21	15	10	4	52.4%	73.3%
R51	RESIDENTIAL		UNKNOWN		W72/F01	31.7	31	0.7	2.2%	31.7	31	0.7	2.2%	98.6	98.4	0.0	0.2%	51	14	48	11	5.9%	21.4%	51	14	48	11	5.9%	21.4%
R52	RESIDENTIAL		UNKNOWN		W74/F01	31.4	30.7	0.7	2.2%	31.4	30.7	0.7	2.2%	99.5	99.5	0.0	0.1%	52	15	48	11	7.7%	26.7%	52	15	48	11	7.7%	26.7%
R53	RESIDENTIAL		UNKNOWN		W76/F01	29.7	29.1	0.6	2.0%	29.7	29.1	0.6	2.0%	99.2	99.2	0.0	0.0%	52	15	48	11	7.7%	26.7%	52	15	48	11	7.7%	26.7%
R54	RESIDENTIAL		UNKNOWN		W78/F01	10.7	10.2	0.5	4.7%	10.7	10.2	0.5	4.7%	97.5	97.5	0.0	0.0%	21	10	21	10	0.0%	0.0%	21	10	21	10	0.0%	0.0%
R55	RESIDENTIAL		UNKNOWN		W80/F01	21.4	20.9	0.5	2.3%	23.2	22.7	0.5	2.2%	99.4	99.4	0.0	0.0%	32	10	31	9	3.1%	10.0%	33	10	32	9	3.0%	10.0%
			UNKNOWN		W81/F01	24.8	24.3	0.5	2.0%									27	6	27	6	0.0%	0.0%						
R56	RESIDENTIAL		LIVING ROOM		W84/F01	24.5	24.1	0.4	1.6%	22.6	22.2	0.4	1.8%	92.1	92.1	0.0	0.0%	44	12	44	12	0.0%	0.0%	44	12	44	12	0.0%	0.0%
			LIVING ROOM		W85/F01	20.6	20.1	0.5	2.4%									43	12	43	12	0.0%	0.0%						
R57	RESIDENTIAL		BEDROOM		W88/F01	9.2	8.8	0.4	4.3%	9.2	8.8	0.4	4.3%	97.7	97.7	0.0	0.0%	17	6	17	6	0.0%	0.0%	17	6	17	6	0.0%	0.0%
R58	RESIDENTIAL		BEDROOM		W90/F01	27.3	26.9	0.4	1.5%	27.3	26.9	0.4	1.5%	97.3	97.3	0.0	0.0%	39	9	39	9	0.0%	0.0%	39	9	39	9	0.0%	0.0%
R59	RESIDENTIAL		BEDROOM		W94/F01	24.7	24.3	0.4	1.6%	24.7	24.3	0.4	1.6%	97.2	97.2	0.0	0.0%	46	14	46	14	0.0%	0.0%	46	14	46	14	0.0%	0.0%
R60	RESIDENTIAL		BEDROOM		W96/F01	7.4	7.1	0.3	4.1%	7.4	7.1	0.3	4.1%	75.1	75.1	0.0	0.0%	18	11	18	11	0.0%	0.0%	18	11	18	11	0.0%	0.0%
R61	RESIDENTIAL		LIVING ROOM		W98/F01	10.6	10.3	0.3	2.8%	10.2	9.9	0.3	2.9%	81.7	81.7	0.0	0.0%	23	10	23	10	0.0%	0.0%	24	10	24	10	0.0%	0.0%
			LIVING ROOM		W99/F01	9.8	9.5	0.3	3.1%									17	6	17	6	0.0%	0.0%						
R62	RESIDENTIAL		UNKNOWN		W101/F01	15.7	14.6	1.1	7.0%	15.7	14.6	1.1	7.0%	77.2	69.4	1.1	10.2%	33	14	32	13	3.0%	7.1%	33	14	32	13	3.0%	7.1%
R63	RESIDENTIAL		UNKNOWN		W102/F01	6.6	5	1.6	24.2%	6.6	5	1.6	24.2%	74	57.2	1.7	22.6%	10	10	8	8	20.0%	20.0%	10	10	8	8	20.0%	20.0%
R64	RESIDENTIAL		UNKNOWN		W103/F01	16.9	15	1.9	11.2%	19.7	17.7	2	10.2%	95.8	83.6	1.5	12.7%	42	18	40	16	4.8%	11.1%	51	18	49	16	3.9%	11.1%
			UNKNOWN		W104/F01	22.4	20.3	2.1	9.4%									49	18	47	16	4.1%	11.1%						
R65	RESIDENTIAL		UNKNOWN		W105/F01	21.1	18.7	2.4	11.4%	19.6	17.1	2.5	12.8%	98.9	93	0.8	6.0%	36	16	34	14	5.6%	12.5%	40	18	38	16	5.0%	11.1%
			UNKNOWN		W106/F01	18	15.4	2.6	14.4%									32	17	30	15	6.3%	11.8%						

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)								
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL
CAMBRIDGE GARDENS (CONTINUED)																														
	R66	RESIDENTIAL	UNKNOWN		W107/F01	9.8	7	2.8	28.6%	9.8	7	2.8	28.6%	98.1	86.9	11	11.4%	15	12	13	10	13.3%	16.7%	15	12	13	10	13.3%	16.7%	
	R67	RESIDENTIAL	UNKNOWN		W108/F01	28.1	25.2	2.9	10.3%	28.1	25.2	2.9	10.3%	98.7	92.9	0.9	5.9%	59	15	57	13	3.4%	13.3%	59	15	57	13	3.4%	13.3%	
	R68	RESIDENTIAL	UNKNOWN		W109/F01	28.6	25.7	2.9	10.1%	28.6	25.7	2.9	10.1%	99.5	93.4	0.8	6.1%	57	16	53	12	7.0%	25.0%	57	16	53	12	7.0%	25.0%	
	R69	RESIDENTIAL	UNKNOWN		W110/F01	28	25	3	10.7%	28	25	3	10.7%	98.8	90.9	1.2	7.9%	59	17	55	13	6.8%	23.5%	59	17	55	13	6.8%	23.5%	
	R70	RESIDENTIAL	UNKNOWN		W111/F01	9.5	6.6	2.9	30.5%	9.5	6.6	2.9	30.5%	98.2	86.8	11	11.6%	18	14	14	10	22.2%	28.6%	18	14	14	10	22.2%	28.6%	
	R71	RESIDENTIAL	UNKNOWN		W112/F01	17.8	14.9	2.9	16.3%	19.5	16.6	2.9	14.9%	98.8	94.3	0.6	4.6%	38	15	34	11	10.5%	26.7%	47	15	43	11	8.5%	26.7%	
			UNKNOWN		W113/F01	21	18.1	2.9	13.8%									42	15	38	11	9.5%	26.7%							
	R72	RESIDENTIAL	UNKNOWN		W114/F01	22.4	19.6	2.8	12.5%	19.7	16.9	2.8	14.2%	97.4	97.3	0.0	0.0%	42	12	38	8	9.5%	33.3%	43	12	39	8	9.3%	33.3%	
			UNKNOWN		W115/F01	16.9	14	2.9	17.2%									34	11	30	7	11.8%	36.4%							
	R73	RESIDENTIAL	UNKNOWN		W116/F01	6.7	4	2.7	40.3%	6.7	4	2.7	40.3%	77.6	76	0.2	2.1%	11	10	7	6	36.4%	40.0%	11	10	7	6	36.4%	40.0%	
	R74	RESIDENTIAL	UNKNOWN		W117/F01	16	13.3	2.7	16.9%	16	13.3	2.7	16.9%	88	79.3	1.2	9.9%	29	8	25	4	13.8%	50.0%	29	8	25	4	13.8%	50.0%	
	R75	RESIDENTIAL	UNKNOWN		W118/F01	17	15.4	1.6	9.4%	17	15.4	1.6	9.4%	86.8	86.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R76	RESIDENTIAL	UNKNOWN		W119/F01	21.6	19.9	1.7	7.9%	21.6	19.9	1.7	7.9%	97.1	97.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R77	RESIDENTIAL	UNKNOWN		W120/F01	23.6	21.9	1.7	7.2%	23.6	21.9	1.7	7.2%	99.3	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R78	RESIDENTIAL	UNKNOWN		W121/F01	7.5	5.9	1.6	21.3%	7.5	5.9	1.6	21.3%	89.2	88.4	0.1	0.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R79	RESIDENTIAL	UNKNOWN		W122/F01	19.2	17.2	2	10.4%	21.5	19.4	2.1	9.8%	97.6	97.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W123/F01	23.6	21.5	2.1	8.9%									N/A	N/A	N/A	N/A	N/A	N/A							
	R80	RESIDENTIAL	UNKNOWN		W124/F01	23.9	21.8	2.1	8.8%	22.3	20	2.3	10.3%	99	98.5	0.1	0.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W125/F01	20.5	18.1	2.4	11.7%									N/A	N/A	N/A	N/A	N/A	N/A							
	R81	RESIDENTIAL	UNKNOWN		W126/F01	10.3	7.8	2.5	24.3%	10.3	7.8	2.5	24.3%	96.7	95.5	0.2	1.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R82	RESIDENTIAL	UNKNOWN		W127/F01	29.8	27.1	2.7	9.1%	29.8	27.1	2.7	9.1%	99.4	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R83	RESIDENTIAL	UNKNOWN		W128/F01	30.9	28	2.9	9.4%	30.9	28	2.9	9.4%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R84	RESIDENTIAL	UNKNOWN		W129/F01	30.6	27.5	3.1	10.1%	30.6	27.5	3.1	10.1%	99.4	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R85	RESIDENTIAL	UNKNOWN		W130/F01	11.8	9.2	2.6	22.0%	11.8	9.2	2.6	22.0%	96.8	95.7	0.1	1.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R86	RESIDENTIAL	UNKNOWN		W131/F01	22.7	19.1	3.6	15.9%	24.5	20.9	3.6	14.7%	99	99	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W132/F01	26.2	22.5	3.7	14.1%									N/A	N/A	N/A	N/A	N/A	N/A							
	R87	RESIDENTIAL	UNKNOWN		W133/F01	26.9	23.5	3.4	12.6%	25.2	21.5	3.7	14.7%	98.6	98.4	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W134/F01	23.3	19.4	3.9	16.7%									N/A	N/A	N/A	N/A	N/A	N/A							
	R88	RESIDENTIAL	UNKNOWN		W135/F01	12	8.2	3.8	31.7%	12	8.2	3.8	31.7%	96.3	87.5	1.0	9.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R89	RESIDENTIAL	UNKNOWN		W136/F01	30.4	25.9	4.5	14.8%	30.4	25.9	4.5	14.8%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R90	RESIDENTIAL	UNKNOWN		W137/F01	32.4	27.6	4.8	14.8%	32.4	27.6	4.8	14.8%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)								
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %				
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
CAMBRIDGE GARDENS (CONTINUED)																																
	R91	RESIDENTIAL	UNKNOWN		W138/F01	32.6	27.5	5.1	15.6%	32.6	27.5	5.1	15.6%	98.6	98.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R92	RESIDENTIAL	UNKNOWN		W139/F01	24.1	17.2	6.9	28.6%	24.1	17.2	6.9	28.6%	98.9	97.3	0.1	1.6%	56	26	45	21	19.6%	19.2%	56	26	45	21	19.6%	19.2%			
	R93	RESIDENTIAL	UNKNOWN		W140/F01	13	8	5	38.5%	13	8	5	38.5%	95.9	93.6	0.2	2.5%	22	20	15	14	31.8%	30.0%	22	20	15	14	31.8%	30.0%			
	R95	RESIDENTIAL	UNKNOWN		W70/F01	24.2	12.7	11.5	47.5%	24.2	12.7	11.5	47.5%	97.8	38.3	3.0	60.8%	61	21	42	9	31.1%	57.1%	61	21	42	9	31.1%	57.1%			
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	36.3	35	1.3	3.6%	36.3	35	1.3	3.6%	99.1	99.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F02	36.3	35	1.3	3.6%	36.3	35	1.3	3.6%	99.2	99.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W3/F02	35.4	34.1	1.3	3.7%	35.4	34.1	1.3	3.7%	99.2	99.1	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W4/F02	16.5	15.1	1.4	8.5%	16.5	15.1	1.4	8.5%	97.9	97.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W5/F02	27.4	26.1	1.3	4.7%	29.3	28	1.3	4.4%	98.7	98.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W6/F02	31.1	29.7	1.4	4.5%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	LIVING ROOM		W7/F02	31.3	29.8	1.5	4.8%	29.6	28	1.6	5.4%	99.5	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W8/F02	27.7	26.1	1.6	5.8%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R7	RESIDENTIAL	BEDROOM		W9/F02	16.9	15.4	1.5	8.9%	16.9	15.4	1.5	8.9%	93.8	93.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM		W10/F02	36.3	34.7	1.6	4.4%	36.3	34.7	1.6	4.4%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/F02	37.3	35.6	1.7	4.6%	37.3	35.6	1.7	4.6%	99.8	99.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W12/F02	36.4	34.8	1.6	4.4%	36.4	34.8	1.6	4.4%	99.5	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W13/F02	17	15.3	1.7	10.0%	17	15.3	1.7	10.0%	94.1	90.5	0.4	3.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	LIVING ROOM		W14/F02	27.9	26.2	1.7	6.1%	29.7	28	1.7	5.7%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W15/F02	31.4	29.7	1.7	5.4%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R13	RESIDENTIAL	UNKNOWN		W16/F02	31.3	29.6	1.7	5.4%	29.6	27.8	1.8	6.1%	98.6	97.7	0.1	0.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W17/F02	27.7	25.8	1.9	6.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R14	RESIDENTIAL	UNKNOWN		W18/F02	16.7	14.9	1.8	10.8%	16.7	14.9	1.8	10.8%	98.2	98.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	UNKNOWN		W19/F02	34.9	32.9	2	5.7%	34.9	32.9	2	5.7%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	UNKNOWN		W20/F02	36.7	34.7	2	5.4%	36.7	34.7	2	5.4%	97.5	97.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	UNKNOWN		W21/F02	36.7	34.7	2	5.4%	36.7	34.7	2	5.4%	97.9	97.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	UNKNOWN		W22/F02	24.7	14.7	10	40.5%	24.7	14.7	10	40.5%	98.2	80.2	11	18.3%	57	24	42	12	26.3%	50.0%	57	24	42	12	26.3%	50.0%			
	R19	RESIDENTIAL	UNKNOWN		W23/F02	12.9	4.1	8.8	68.2%	12.9	4.1	8.8	68.2%	93	78	10	16.1%	20	18	10	8	50.0%	55.6%	20	18	10	8	50.0%	55.6%			
	R21	RESIDENTIAL	UNKNOWN		W28/F02	5.6	5.6	0	0.0%	5.6	5.6	0	0.0%	70.1	70.1	0.0	0.0%	10	3	10	3	0.0%	0.0%	10	3	10	3	0.0%	0.0%			
	R22	RESIDENTIAL	UNKNOWN		W29/F02	7.7	7.5	0.2	2.6%	7.7	7.5	0.2	2.6%	73.9	73.9	0.0	0.0%	12	6	12	6	0.0%	0.0%	12	6	12	6	0.0%	0.0%			
	R23	RESIDENTIAL	UNKNOWN		W30/F02	10	9.6	0.4	4.0%	10	9.6	0.4	4.0%	92.3	91	0.2	1.4%	15	4	15	4	0.0%	0.0%	15	4	15	4	0.0%	0.0%			
	R24	RESIDENTIAL	UNKNOWN		W31/F02	7.3	6.8	0.5	6.8%	7.3	6.8	0.5	6.8%	83.7	81.8	0.2	2.3%	11	6	10	5	9.1%	16.7%	11	6	10	5	9.1%	16.7%			

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)								
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
CAMBRIDGE GARDENS (CONTINUED)																														
	R25	RESIDENTIAL	UNKNOWN		W32/F02	6.7	6.1	0.6	9.0%	6.7	6.1	0.6	9.0%	66.1	65.9	0.0	0.3%	9	4	9	4	0.0%	0.0%	9	4	9	4	0.0%	0.0%	
	R26	RESIDENTIAL	KITCHEN (1)		W33/F02	5.9	5.4	0.5	8.5%	5.9	5.4	0.5	8.5%	55.4	55.3	0.0	0.1%	9	4	9	4	0.0%	0.0%	9	4	9	4	0.0%	0.0%	
	R29	RESIDENTIAL	UNKNOWN		W36/F02	17	12.9	4.1	24.1%	17	12.9	4.1	24.1%	83.3	57.9	3.0	30.5%	28	12	23	7	17.9%	41.7%	28	12	23	7	17.9%	41.7%	
	R30	RESIDENTIAL	UNKNOWN		W37/F02	7.3	2.8	4.5	61.6%	7.4	2.8	4.6	62.2%	86.2	50.4	3.2	41.5%	12	12	5	5	58.3%	58.3%	12	12	5	5	58.3%	58.3%	
			UNKNOWN		W38/F02	7.6	2.9	4.7	61.8%									12	12	4	4	66.7%	66.7%							
	R31	RESIDENTIAL	UNKNOWN		W39/F02	18.6	13.6	5	26.9%	21.3	16.2	5.1	23.9%	97.7	73.9	3.7	24.3%	46	19	38	11	17.4%	42.1%	54	19	46	11	14.8%	42.1%	
			UNKNOWN		W40/F02	23.8	18.7	5.1	21.4%									51	19	43	11	15.7%	42.1%							
	R32	RESIDENTIAL	UNKNOWN		W41/F02	23.7	18	5.7	24.1%	22.2	16.5	5.7	25.7%	98.7	78.4	3.4	20.5%	41	16	34	9	17.1%	43.8%	46	20	38	12	17.4%	40.0%	
			UNKNOWN		W42/F02	20.7	14.8	5.9	28.5%									38	19	30	11	21.1%	42.1%							
	R33	RESIDENTIAL	UNKNOWN		W43/F02	10.5	4.4	6.1	58.1%	11.3	5.2	6.1	54.0%	96.9	60.8	3.1	37.2%	18	16	10	8	44.4%	50.0%	23	18	15	10	34.8%	44.4%	
			UNKNOWN		W44/F02	12.1	6	6.1	50.4%									20	17	12	9	40.0%	47.1%							
	R34	RESIDENTIAL	UNKNOWN		W45/F02	30.8	24.3	6.5	21.1%	30.8	24.3	6.5	21.1%	98.7	80	3.3	18.9%	68	21	59	12	13.2%	42.9%	68	21	59	12	13.2%	42.9%	
	R35	RESIDENTIAL	UNKNOWN		W46/F02	31.5	24.9	6.6	21.0%	31.5	24.9	6.6	21.0%	99.2	78.4	3.1	21.0%	67	20	58	11	13.4%	45.0%	67	20	58	11	13.4%	45.0%	
	R36	RESIDENTIAL	UNKNOWN		W47/F02	30.6	24	6.6	21.6%	30.6	24	6.6	21.6%	98.8	76.1	4.0	22.9%	62	18	54	10	12.9%	44.4%	62	18	54	10	12.9%	44.4%	
	R37	RESIDENTIAL	UNKNOWN		W48/F02	12.2	5.7	6.5	53.3%	11.4	5	6.4	56.1%	97	51.8	3.8	46.5%	20	13	13	6	35.0%	53.8%	22	13	15	6	31.8%	53.8%	
			UNKNOWN		W49/F02	10.7	4.2	6.5	60.7%									16	13	9	6	43.8%	53.8%							
	R38	RESIDENTIAL	UNKNOWN		W50/F02	21	14.5	6.5	31.0%	22.7	16.2	6.5	28.6%	98.8	67.9	5.0	31.2%	48	17	41	10	14.6%	41.2%	56	17	49	10	12.5%	41.2%	
			UNKNOWN		W51/F02	24.2	17.7	6.5	26.9%									48	17	41	10	14.6%	41.2%							
	R39	RESIDENTIAL	UNKNOWN		W52/F02	24.4	18.5	5.9	24.2%	21.8	16.1	5.7	26.1%	96.7	67.7	4.7	30.0%	44	14	37	7	15.9%	50.0%	46	15	39	8	15.2%	46.7%	
			UNKNOWN		W53/F02	19	13.5	5.5	28.9%									38	14	32	8	15.8%	42.9%							
	R40	RESIDENTIAL	UNKNOWN		W54/F02	7.9	2.8	5.1	64.6%	7.7	2.8	4.9	63.6%	85.2	37.9	4.0	55.5%	12	11	6	5	50.0%	54.5%	13	12	7	6	46.2%	50.0%	
			UNKNOWN		W55/F02	7.5	2.7	4.8	64.0%									11	10	7	6	36.4%	40.0%							
	R41	RESIDENTIAL	UNKNOWN		W56/F02	17	12.9	4.1	24.1%	17	12.9	4.1	24.1%	80.1	53.4	3.3	33.3%	32	10	28	6	12.5%	40.0%	32	10	28	6	12.5%	40.0%	
	R44	RESIDENTIAL	KITCHEN (1)		W60/F02	6	4.9	1.1	18.3%	6	4.9	1.1	18.3%	55.4	55.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R45	RESIDENTIAL	UNKNOWN		W61/F02	6.7	5.5	1.2	17.9%	6.7	5.5	1.2	17.9%	82.8	82.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R46	RESIDENTIAL	UNKNOWN		W62/F02	7.4	5.9	1.5	20.3%	7.4	5.9	1.5	20.3%	83.9	81.1	0.4	3.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R47	RESIDENTIAL	UNKNOWN		W63/F02	10.2	8.9	1.3	12.7%	10.2	8.9	1.3	12.7%	92.4	92.2	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R48	RESIDENTIAL	UNKNOWN		W64/F02	7.1	6.4	0.7	9.9%	7.1	6.4	0.7	9.9%	84.4	84.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R49	RESIDENTIAL	UNKNOWN		W65/F02	5.6	5.1	0.5	8.9%	5.6	5.1	0.5	8.9%	69.8	69.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R51	RESIDENTIAL	UNKNOWN		W70/F02	13	4.2	8.8	67.7%	13	4.2	8.8	67.7%	91.7	63.8	2.1	30.4%	24	18	10	4	58.3%	77.8%	24	18	10	4	58.3%	77.8%	
	R52	RESIDENTIAL	UNKNOWN		W72/F02	33.3	32.6	0.7	2.1%	33.3	32.6	0.7	2.1%	98.6	98.5	0.0	0.1%	54	16	50	12	7.4%	25.0%	54	16	50	12	7.4%	25.0%	

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)								
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
CAMBRIDGE GARDENS (CONTINUED)																														
	R53	RESIDENTIAL	UNKNOWN		W75/F02	33	32.3	0.7	2.1%	33	32.3	0.7	2.1%	99.5	99.5	0.0	0.0%	54	16	50	12	7.4%	25.0%	54	16	50	12	7.4%	25.0%	
	R54	RESIDENTIAL	UNKNOWN		W77/F02	31.4	30.8	0.6	1.9%	31.4	30.8	0.6	1.9%	99.2	99.2	0.0	0.0%	54	16	51	13	5.6%	18.8%	54	16	51	13	5.6%	18.8%	
	R55	RESIDENTIAL	UNKNOWN		W79/F02	12.4	11.9	0.5	4.0%	12.4	11.9	0.5	4.0%	97.7	97.7	0.0	0.0%	23	11	23	11	0.0%	0.0%	23	11	23	11	0.0%	0.0%	
	R56	RESIDENTIAL	UNKNOWN		W81/F02	23.2	22.8	0.4	1.7%	25	24.6	0.4	1.6%	99.4	99.4	0.0	0.0%	33	10	32	9	3.0%	10.0%	35	11	34	10	2.9%	9.1%	
			UNKNOWN		W82/F02	26.7	26.2	0.5	1.9%									29	7	29	7	0.0%	0.0%							
	R57	RESIDENTIAL	LIVING ROOM		W85/F02	26.4	25.9	0.5	1.9%	24.5	24.1	0.4	1.6%	98.7	98.7	0.0	0.0%	46	13	46	13	0.0%	0.0%	46	13	46	13	0.0%	0.0%	
			LIVING ROOM		W86/F02	22.5	22.2	0.3	1.3%									44	12	44	12	0.0%	0.0%							
	R58	RESIDENTIAL	BEDROOM		W89/F02	11.4	11	0.4	3.5%	11.4	11	0.4	3.5%	97.7	97.7	0.0	0.0%	19	7	19	7	0.0%	0.0%	19	7	19	7	0.0%	0.0%	
	R59	RESIDENTIAL	BEDROOM		W91/F02	29.8	29.4	0.4	1.3%	29.8	29.4	0.4	1.3%	99.8	99.8	0.0	0.0%	43	10	43	10	0.0%	0.0%	43	10	43	10	0.0%	0.0%	
	R60	RESIDENTIAL	BEDROOM		W95/F02	27.6	27.3	0.3	1.1%	27.6	27.3	0.3	1.1%	99.8	99.8	0.0	0.0%	49	15	49	15	0.0%	0.0%	49	15	49	15	0.0%	0.0%	
	R61	RESIDENTIAL	BEDROOM		W97/F02	8.7	8.4	0.3	3.4%	8.7	8.4	0.3	3.4%	78.8	78.8	0.0	0.0%	21	12	21	12	0.0%	0.0%	21	12	21	12	0.0%	0.0%	
	R62	RESIDENTIAL	LIVING ROOM		W99/F02	11.7	11.4	0.3	2.6%	11.3	11	0.3	2.7%	94.1	94.1	0.0	0.0%	26	11	26	11	0.0%	0.0%	27	11	27	11	0.0%	0.0%	
			LIVING ROOM		W100/F02	10.9	10.6	0.3	2.8%									18	7	18	7	0.0%	0.0%							
	R63	RESIDENTIAL	UNKNOWN		W102/F02	16.6	15.4	1.2	7.2%	16.6	15.4	1.2	7.2%	79.3	72.4	0.9	8.8%	33	14	33	14	0.0%	0.0%	33	14	33	14	0.0%	0.0%	
	R64	RESIDENTIAL	UNKNOWN		W103/F02	7.4	5.8	1.6	21.6%	7.4	5.8	1.6	21.6%	76	60.5	1.6	20.3%	12	12	11	11	8.3%	8.3%	12	12	11	11	8.3%	8.3%	
	R65	RESIDENTIAL	UNKNOWN		W104/F02	18.3	16.3	2	10.9%	21	19	2	9.5%	97.7	87.8	1.3	10.1%	44	18	43	17	2.3%	5.6%	52	18	51	17	1.9%	5.6%	
			UNKNOWN		W105/F02	23.6	21.5	2.1	8.9%									50	18	49	17	2.0%	5.6%							
	R66	RESIDENTIAL	UNKNOWN		W106/F02	23.1	20.6	2.5	10.8%	21.6	19.1	2.5	11.6%	99.1	94.3	0.6	4.9%	40	17	39	16	2.5%	5.9%	44	19	43	18	2.3%	5.3%	
			UNKNOWN		W107/F02	20	17.4	2.6	13.0%									37	19	36	18	2.7%	5.3%							
	R67	RESIDENTIAL	UNKNOWN		W108/F02	11	8.2	2.8	25.5%	11	8.2	2.8	25.5%	98.1	88.6	0.9	9.8%	20	17	18	15	10.0%	11.8%	20	17	18	15	10.0%	11.8%	
	R68	RESIDENTIAL	UNKNOWN		W109/F02	29.9	27	2.9	9.7%	29.9	27	2.9	9.7%	98.9	94.3	0.7	4.7%	68	21	65	18	4.4%	14.3%	68	21	65	18	4.4%	14.3%	
	R69	RESIDENTIAL	UNKNOWN		W110/F02	30.6	27.6	3	9.8%	30.6	27.6	3	9.8%	99.5	94.9	0.6	4.6%	64	18	61	15	4.7%	16.7%	64	18	61	15	4.7%	16.7%	
	R70	RESIDENTIAL	UNKNOWN		W111/F02	29.8	26.8	3	10.1%	29.8	26.8	3	10.1%	99	93.5	0.9	5.6%	60	17	56	13	6.7%	23.5%	60	17	56	13	6.7%	23.5%	
	R71	RESIDENTIAL	UNKNOWN		W112/F02	10.8	7.9	2.9	26.9%	10.8	7.9	2.9	26.9%	98.3	88.6	1.0	9.8%	19	14	15	10	21.1%	28.6%	19	14	15	10	21.1%	28.6%	
	R72	RESIDENTIAL	UNKNOWN		W113/F02	19.8	16.9	2.9	14.6%	21.5	18.6	2.9	13.5%	98.9	95.5	0.4	3.4%	46	16	42	12	8.7%	25.0%	54	16	50	12	7.4%	25.0%	
			UNKNOWN		W114/F02	23	20.1	2.9	12.6%									45	15	41	11	8.9%	26.7%							
	R73	RESIDENTIAL	UNKNOWN		W115/F02	23.6	20.8	2.8	11.9%	21	18.2	2.8	13.3%	98	98	0.0	0.0%	44	14	40	10	9.1%	28.6%	45	14	41	10	8.9%	28.6%	
			UNKNOWN		W116/F02	18.3	15.5	2.8	15.3%									36	12	32	8	11.1%	33.3%							
	R74	RESIDENTIAL	UNKNOWN		W117/F02	7.5	4.8	2.7	36.0%	7.5	4.8	2.7	36.0%	81.2	80.8	0.0	0.5%	12	11	8	7	33.3%	36.4%	12	11	8	7	33.3%	36.4%	
	R75	RESIDENTIAL	UNKNOWN		W118/F02	17.2	14.6	2.6	15.1%	17.2	14.6	2.6	15.1%	90.5	84.2	0.9	7.0%	31	10	28	7	9.7%	30.0%	31	10	28	7	9.7%	30.0%	
	R76	RESIDENTIAL	UNKNOWN		W119/F02	18.5	17	1.5	8.1%	18.5	17	1.5	8.1%	90.2	90.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)										
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %				
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
CAMBRIDGE GARDENS (CONTINUED)																																
	R77	RESIDENTIAL	UNKNOWN		W120/F02	24.4	22.7	1.7	7.0%	24.4	22.7	1.7	7.0%	98.8	98.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R78	RESIDENTIAL	UNKNOWN		W121/F02	26.5	24.9	1.6	6.0%	26.5	24.9	1.6	6.0%	99.5	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R79	RESIDENTIAL	UNKNOWN		W122/F02	9.6	8	1.6	16.7%	9.6	8	1.6	16.7%	94.4	93.6	0.1	0.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R80	RESIDENTIAL	UNKNOWN		W123/F02	21.3	19.3	2	9.4%	23.5	21.4	2.1	8.9%	98.1	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		UNKNOWN		W124/F02	25.5	23.4	2.1	8.2%										N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R81	RESIDENTIAL	UNKNOWN		W125/F02	25.9	23.9	2	7.7%	24.3	22.1	2.2	9.1%	99	98.6	0.0	0.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		UNKNOWN		W126/F02	22.5	20.2	2.3	10.2%											N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R82	RESIDENTIAL	UNKNOWN		W127/F02	11.9	9.5	2.4	20.2%	11.9	9.5	2.4	20.2%	97.6	97.5	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R83	RESIDENTIAL	UNKNOWN		W128/F02	31.4	28.8	2.6	8.3%	31.4	28.8	2.6	8.3%	99.4	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R84	RESIDENTIAL	UNKNOWN		W129/F02	32.5	29.7	2.8	8.6%	32.5	29.7	2.8	8.6%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R85	RESIDENTIAL	UNKNOWN		W130/F02	32.2	29.1	3.1	9.6%	32.2	29.1	3.1	9.6%	99.4	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R86	RESIDENTIAL	UNKNOWN		W131/F02	13.2	10.5	2.7	20.5%	13.2	10.5	2.7	20.5%	96.8	95.8	0.1	1.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R87	RESIDENTIAL	UNKNOWN		W132/F02	24.1	20.5	3.6	14.9%	25.9	22.3	3.6	13.9%	99.2	99.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		UNKNOWN		W133/F02	27.6	23.9	3.7	13.4%											N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R88	RESIDENTIAL	UNKNOWN		W134/F02	28.1	24.7	3.4	12.1%	26.4	22.8	3.6	13.6%	98.6	98.4	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		UNKNOWN		W135/F02	24.5	20.7	3.8	15.5%											N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R89	RESIDENTIAL	UNKNOWN		W136/F02	13.2	9.3	3.9	29.5%	13.2	9.3	3.9	29.5%	96.8	88.4	1.0	8.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R90	RESIDENTIAL	UNKNOWN		W137/F02	31.6	27.1	4.5	14.2%	31.6	27.1	4.5	14.2%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R91	RESIDENTIAL	UNKNOWN		W138/F02	33.5	28.8	4.7	14.0%	33.5	28.8	4.7	14.0%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R92	RESIDENTIAL	UNKNOWN		W139/F02	33.8	28.7	5.1	15.1%	33.8	28.7	5.1	15.1%	98.6	98.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R93	RESIDENTIAL	UNKNOWN		W140/F02	24.9	18.1	6.8	27.3%	24.9	18.1	6.8	27.3%	98.9	98.5	0.0	0.3%	57	26	46	21	19.3%	19.2%	57	26	46	21	19.3%	19.2%			
	R94	RESIDENTIAL	UNKNOWN		W141/F02	13.5	8.6	4.9	36.3%	13.5	8.6	4.9	36.3%	95.9	95.7	0.0	0.2%	22	20	15	14	31.8%	30.0%	22	20	15	14	31.8%	30.0%			
	R95	RESIDENTIAL	UNKNOWN		W71/F02	25	13.7	11.3	45.2%	25	13.7	11.3	45.2%	97.8	40.5	2.9	58.6%	64	24	45	11	29.7%	54.2%	64	24	45	11	29.7%	54.2%			
F03	R1	RESIDENTIAL	UNKNOWN		W1/F03	38.9	37.7	1.2	3.1%	38.9	37.7	1.2	3.1%	99.1	99.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F03	38.7	37.5	1.2	3.1%	38.7	37.5	1.2	3.1%	99.2	99.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W3/F03	37.2	35.9	1.3	3.5%	37.2	35.9	1.3	3.5%	99.2	99.1	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W4/F03	18	16.6	1.4	7.8%	18	16.6	1.4	7.8%	97.9	97.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W5/F03	28.9	27.6	1.3	4.5%	30.8	29.5	1.3	4.2%	98.7	98.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		UNKNOWN		W6/F03	32.6	31.2	1.4	4.3%											N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	LIVING ROOM		W7/F03	32.5	31.1	1.4	4.3%	30.7	29.3	1.4	4.6%	99.5	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		LIVING ROOM		W8/F03	28.8	27.3	1.5	5.2%											N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)								
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %				
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
CAMBRIDGE GARDENS (CONTINUED)																																
	R7	RESIDENTIAL	BEDROOM		W9/F03	18	16.5	1.5	8.3%	18	16.5	1.5	8.3%	93.8	93.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM		W10/F03	37.3	35.7	1.6	4.3%	37.3	35.7	1.6	4.3%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/F03	38.2	36.5	1.7	4.5%	38.2	36.5	1.7	4.5%	99.8	99.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W12/F03	37.2	35.6	1.6	4.3%	37.2	35.6	1.6	4.3%	99.5	99.4	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W13/F03	17.7	16	1.7	9.6%	17.7	16	1.7	9.6%	94.2	91.9	0.2	2.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	LIVING ROOM		W14/F03	28.6	26.9	1.7	5.9%	30.5	28.7	1.8	5.9%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W15/F03	32.2	30.4	1.8	5.6%									N/A	N/A	N/A	N/A	N/A	N/A									
	R13	RESIDENTIAL	UNKNOWN		W16/F03	32.1	30.3	1.8	5.6%	30.2	28.4	1.8	6.0%	98.8	97.8	0.1	1.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W17/F03	28.2	26.3	1.9	6.7%									N/A	N/A	N/A	N/A	N/A	N/A									
	R14	RESIDENTIAL	UNKNOWN		W18/F03	17.5	15.5	2	11.4%	17.5	15.5	2	11.4%	98.2	98.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	UNKNOWN		W19/F03	35.7	33.6	2.1	5.9%	35.7	33.6	2.1	5.9%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	UNKNOWN		W20/F03	37.5	35.4	2.1	5.6%	37.5	35.4	2.1	5.6%	97.5	97.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	UNKNOWN		W21/F03	37.6	35.4	2.2	5.9%	37.6	35.4	2.2	5.9%	97.9	97.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	UNKNOWN		W22/F03	26.1	15.8	10.3	39.5%	26.1	15.8	10.3	39.5%	98.2	85.1	0.8	13.3%	59	26	45	13	23.7%	50.0%	59	26	45	13	23.7%	50.0%			
	R19	RESIDENTIAL	UNKNOWN		W23/F03	14.1	4.8	9.3	66.0%	14.1	4.8	9.3	66.0%	93	84.6	0.6	9.1%	22	20	10	8	54.5%	60.0%	22	20	10	8	54.5%	60.0%			
	R21	RESIDENTIAL	UNKNOWN		W28/F03	6.6	6.6	0	0.0%	6.6	6.6	0	0.0%	71.3	71.3	0.0	0.0%	11	3	11	3	0.0%	0.0%	11	3	11	3	0.0%	0.0%			
	R22	RESIDENTIAL	UNKNOWN		W29/F03	8.7	8.5	0.2	2.3%	8.7	8.5	0.2	2.3%	73.9	73.9	0.0	0.0%	13	6	13	6	0.0%	0.0%	13	6	13	6	0.0%	0.0%			
	R23	RESIDENTIAL	UNKNOWN		W30/F03	11.3	10.8	0.5	4.4%	11.3	10.8	0.5	4.4%	93.4	92.3	0.1	1.1%	18	5	18	5	0.0%	0.0%	18	5	18	5	0.0%	0.0%			
	R24	RESIDENTIAL	UNKNOWN		W31/F03	8.4	7.8	0.6	7.1%	8.4	7.8	0.6	7.1%	83.9	82.3	0.2	1.9%	11	6	10	5	9.1%	16.7%	11	6	10	5	9.1%	16.7%			
	R25	RESIDENTIAL	UNKNOWN		W32/F03	7.7	7.1	0.6	7.8%	7.7	7.1	0.6	7.8%	69.9	69.8	0.0	0.2%	9	4	9	4	0.0%	0.0%	9	4	9	4	0.0%	0.0%			
	R26	RESIDENTIAL	KITCHEN (1)		W33/F03	6.8	6.2	0.6	8.8%	6.8	6.2	0.6	8.8%	57.4	57.4	0.0	0.1%	10	5	9	4	10.0%	20.0%	10	5	9	4	10.0%	20.0%			
	R29	RESIDENTIAL	UNKNOWN		W36/F03	19.2	15.2	4	20.8%	19.2	15.2	4	20.8%	95.2	79.8	1.8	16.2%	33	14	28	9	15.2%	35.7%	33	14	28	9	15.2%	35.7%			
	R30	RESIDENTIAL	UNKNOWN		W37/F03	8.5	4.1	4.4	51.8%	8.6	4.1	4.5	52.3%	93.6	68.2	2.3	27.1%	12	12	6	6	50.0%	50.0%	12	12	7	7	41.7%	41.7%			
			UNKNOWN		W38/F03	8.7	4.2	4.5	51.7%									12	12	6	6	50.0%	50.0%									
	R31	RESIDENTIAL	UNKNOWN		W39/F03	20.4	15.7	4.7	23.0%	22.9	18.1	4.8	21.0%	98	81.9	2.5	16.4%	47	19	39	11	17.0%	42.1%	56	19	50	13	10.7%	31.6%			
			UNKNOWN		W40/F03	25.3	20.4	4.9	19.4%									52	19	46	13	11.5%	31.6%									
	R32	RESIDENTIAL	UNKNOWN		W41/F03	26	20.4	5.6	21.5%	24.5	18.9	5.6	22.9%	98.9	85.3	2.3	13.8%	46	18	41	13	10.9%	27.8%	51	22	45	16	11.8%	27.3%			
			UNKNOWN		W42/F03	22.8	17.2	5.6	24.6%									44	22	38	16	13.6%	27.3%									
	R33	RESIDENTIAL	UNKNOWN		W43/F03	12	6.1	5.9	49.2%	12.7	6.8	5.9	46.5%	97	68.1	2.5	29.8%	19	17	13	11	31.6%	35.3%	24	19	18	13	25.0%	31.6%			
			UNKNOWN		W44/F03	13.4	7.4	6	44.8%									21	18	15	12	28.6%	33.3%									
	R34	RESIDENTIAL	UNKNOWN		W45/F03	32.5	26.2	6.3	19.4%	32.5	26.2	6.3	19.4%	98.8	84.3	2.6	14.7%	70	22	63	15	10.0%	31.8%	70	22	63	15	10.0%	31.8%			

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)						
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
CAMBRIDGE GARDENS (CONTINUED)																														
	R35	RESIDENTIAL	UNKNOWN		W46/F03	33.4	26.9	6.5	19.5%	33.4	26.9	6.5	19.5%	99.3	83.2	2.4	16.2%	71	23	64	16	9.9%	30.4%	71	23	64	16	9.9%	30.4%	
	R36	RESIDENTIAL	UNKNOWN		W47/F03	32.4	25.9	6.5	20.1%	32.4	25.9	6.5	20.1%	98.8	83.2	2.7	15.8%	66	21	58	13	12.1%	38.1%	66	21	58	13	12.1%	38.1%	
	R37	RESIDENTIAL	UNKNOWN		W48/F03	13.5	7.1	6.4	47.4%	12.8	6.4	6.4	50.0%	97.1	57.8	3.3	40.4%	22	15	14	7	36.4%	53.3%	25	16	16	7	36.0%	56.3%	
			UNKNOWN		W49/F03	12.1	5.7	6.4	52.9%									19	16	10	7	47.4%	56.3%							
	R38	RESIDENTIAL	UNKNOWN		W50/F03	23.1	16.7	6.4	27.7%	24.8	18.4	6.4	25.8%	98.9	78.2	3.4	21.0%	53	19	44	10	17.0%	47.4%	62	20	53	11	14.5%	45.0%	
			UNKNOWN		W51/F03	26.4	19.9	6.5	24.6%									53	20	44	11	17.0%	45.0%							
	R39	RESIDENTIAL	UNKNOWN		W52/F03	25.9	19.9	6	23.2%	23.4	17.6	5.8	24.8%	97.6	72.2	4.1	26.0%	47	17	40	10	14.9%	41.2%	50	18	42	10	16.0%	44.4%	
			UNKNOWN		W53/F03	20.8	15.2	5.6	26.9%									40	15	33	8	17.5%	46.7%							
	R40	RESIDENTIAL	UNKNOWN		W54/F03	9	3.8	5.2	57.8%	8.8	3.8	5	56.8%	92.3	45.4	4.0	50.8%	13	12	7	6	46.2%	50.0%	14	13	9	8	35.7%	38.5%	
			UNKNOWN		W55/F03	8.7	3.7	5	57.5%									12	11	8	7	33.3%	36.4%							
	R41	RESIDENTIAL	UNKNOWN		W56/F03	19.2	14.9	4.3	22.4%	19.2	14.9	4.3	22.4%	90.6	61.2	3.7	32.5%	36	12	32	8	11.1%	33.3%	36	12	32	8	11.1%	33.3%	
	R44	RESIDENTIAL	KITCHEN (1)		W60/F03	6.9	5.8	11	15.9%	6.9	5.8	11	15.9%	57.7	57.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R45	RESIDENTIAL	UNKNOWN		W61/F03	7.8	6.6	12	15.4%	7.8	6.6	12	15.4%	84.3	84.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R46	RESIDENTIAL	UNKNOWN		W62/F03	8.6	7.1	1.5	17.4%	8.6	7.1	1.5	17.4%	84	81.8	0.3	2.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R47	RESIDENTIAL	UNKNOWN		W63/F03	11.6	10.2	1.4	12.1%	11.6	10.2	1.4	12.1%	93.4	93.2	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R48	RESIDENTIAL	UNKNOWN		W64/F03	8.2	7.5	0.7	8.5%	8.2	7.5	0.7	8.5%	84.5	84.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R49	RESIDENTIAL	UNKNOWN		W65/F03	6.6	6.1	0.5	7.6%	6.6	6.1	0.5	7.6%	72.9	72.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R51	RESIDENTIAL	UNKNOWN		W70/F03	13.8	4.5	9.3	67.4%	13.8	4.5	9.3	67.4%	91.7	64.7	2.1	29.4%	24	18	10	4	58.3%	77.8%	24	18	10	4	58.3%	77.8%	
	R52	RESIDENTIAL	UNKNOWN		W73/F03	34.9	34.2	0.7	2.0%	34.9	34.2	0.7	2.0%	98.7	98.5	0.0	0.1%	56	16	52	12	7.1%	25.0%	56	16	52	12	7.1%	25.0%	
	R53	RESIDENTIAL	UNKNOWN		W75/F03	34.6	34	0.6	1.7%	34.6	34	0.6	1.7%	99.5	99.5	0.0	0.0%	55	16	52	13	5.5%	18.8%	55	16	52	13	5.5%	18.8%	
	R54	RESIDENTIAL	UNKNOWN		W77/F03	33.1	32.5	0.6	1.8%	33.1	32.5	0.6	1.8%	99.4	99.4	0.0	0.0%	55	16	52	13	5.5%	18.8%	55	16	52	13	5.5%	18.8%	
	R55	RESIDENTIAL	UNKNOWN		W79/F03	14.1	13.6	0.5	3.5%	14.1	13.6	0.5	3.5%	97.7	97.7	0.0	0.0%	24	11	24	11	0.0%	0.0%	24	11	24	11	0.0%	0.0%	
	R56	RESIDENTIAL	UNKNOWN		W81/F03	25.1	24.6	0.5	2.0%	26.9	26.4	0.5	1.9%	99.4	99.4	0.0	0.0%	35	11	34	10	2.9%	9.1%	36	11	35	10	2.8%	9.1%	
			UNKNOWN		W82/F03	28.5	28.1	0.4	1.4%									30	7	30	7	0.0%	0.0%							
	R57	RESIDENTIAL	LIVING ROOM		W85/F03	28.3	27.8	0.5	1.8%	26.5	26.1	0.4	1.5%	99.2	99.2	0.0	0.0%	47	13	47	13	0.0%	0.0%	48	13	48	13	0.0%	0.0%	
			LIVING ROOM		W86/F03	24.6	24.3	0.3	1.2%									47	13	47	13	0.0%	0.0%							
	R58	RESIDENTIAL	BEDROOM		W89/F03	13.5	13.1	0.4	3.0%	13.5	13.1	0.4	3.0%	97.7	97.7	0.0	0.0%	20	7	20	7	0.0%	0.0%	20	7	20	7	0.0%	0.0%	
	R59	RESIDENTIAL	BEDROOM		W91/F03	32.3	32	0.3	0.9%	32.3	32	0.3	0.9%	99.8	99.8	0.0	0.0%	43	10	43	10	0.0%	0.0%	43	10	43	10	0.0%	0.0%	
	R60	RESIDENTIAL	BEDROOM		W95/F03	30.8	30.4	0.4	1.3%	30.8	30.4	0.4	1.3%	99.8	99.8	0.0	0.0%	52	15	52	15	0.0%	0.0%	52	15	52	15	0.0%	0.0%	
	R61	RESIDENTIAL	BEDROOM		W97/F03	10.5	10.2	0.3	2.9%	10.5	10.2	0.3	2.9%	87.3	87.3	0.0	0.0%	21	12	21	12	0.0%	0.0%	21	12	21	12	0.0%	0.0%	
	R62	RESIDENTIAL	LIVING ROOM		W99/F03	13.3	13	0.3	2.3%	13.1	12.8	0.3	2.3%	97.5	97.5	0.0	0.0%	28	11	28	11	0.0%	0.0%	29	11	29	11	0.0%	0.0%	

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)								
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
CAMBRIDGE GARDENS (CONTINUED)																														
			LIVING ROOM		W100/F03	12.9	12.6	0.3	2.3%										18	7	18	7	0.0%	0.0%						
R63	RESIDENTIAL		UNKNOWN		W102/F03	17.7	16.6	11	6.2%	17.7	16.6	11	6.2%	81.9	76.7	0.7	6.3%	33	14	33	14	0.0%	0.0%	33	14	33	14	0.0%	0.0%	
R64	RESIDENTIAL		UNKNOWN		W103/F03	8.4	6.8	1.6	19.0%	8.4	6.8	1.6	19.0%	81.8	66.4	1.6	18.7%	12	12	11	11	8.3%	8.3%	12	12	11	11	8.3%	8.3%	
R65	RESIDENTIAL		UNKNOWN		W104/F03	20	18	2	10.0%	22.7	20.6	2.1	9.3%	97.7	90.6	0.9	7.2%	47	18	46	17	2.1%	5.6%	55	18	54	17	18%	5.6%	
			UNKNOWN		W105/F03	25.2	23	2.2	8.7%									50	18	49	17	2.0%	5.6%							
R66	RESIDENTIAL		UNKNOWN		W106/F03	25.4	22.7	2.7	10.6%	23.8	21.1	2.7	11.3%	99.3	95.5	0.5	3.8%	43	18	42	17	2.3%	5.6%	48	21	46	19	4.2%	9.5%	
			UNKNOWN		W107/F03	22.1	19.4	2.7	12.2%									41	21	39	19	4.9%	9.5%							
R67	RESIDENTIAL		UNKNOWN		W108/F03	12.5	9.5	3	24.0%	12.5	9.5	3	24.0%	98.2	90.6	0.7	7.6%	22	19	18	15	18.2%	21.1%	22	19	18	15	18.2%	21.1%	
R68	RESIDENTIAL		UNKNOWN		W109/F03	31.9	28.9	3	9.4%	31.9	28.9	3	9.4%	98.9	96	0.5	2.9%	72	23	68	19	5.6%	17.4%	72	23	68	19	5.6%	17.4%	
R69	RESIDENTIAL		UNKNOWN		W110/F03	32.7	29.7	3	9.2%	32.7	29.7	3	9.2%	99.7	96.6	0.4	3.1%	74	22	71	19	4.1%	13.6%	74	22	71	19	4.1%	13.6%	
R70	RESIDENTIAL		UNKNOWN		W111/F03	31.8	28.8	3	9.4%	31.8	28.8	3	9.4%	99	95.2	0.6	3.9%	67	22	63	18	6.0%	18.2%	67	22	63	18	6.0%	18.2%	
R71	RESIDENTIAL		UNKNOWN		W112/F03	12.2	9.3	2.9	23.8%	12.2	9.3	2.9	23.8%	98.3	91	0.7	7.4%	20	15	16	11	20.0%	26.7%	20	15	16	11	20.0%	26.7%	
R72	RESIDENTIAL		UNKNOWN		W113/F03	22	19.2	2.8	12.7%	23.8	20.9	2.9	12.2%	99.1	97.1	0.3	2.0%	53	19	49	15	7.5%	21.1%	61	19	57	15	6.6%	21.1%	
			UNKNOWN		W114/F03	25.4	22.5	2.9	11.4%									52	19	48	15	7.7%	21.1%							
R73	RESIDENTIAL		UNKNOWN		W115/F03	25.2	22.4	2.8	11.1%	22.6	19.9	2.7	11.9%	98	98	0.0	0.0%	46	16	43	13	6.5%	18.8%	47	16	44	13	6.4%	18.8%	
			UNKNOWN		W116/F03	19.9	17.3	2.6	13.1%									39	15	35	11	10.3%	26.7%							
R74	RESIDENTIAL		UNKNOWN		W117/F03	8.4	5.8	2.6	31.0%	8.4	5.8	2.6	31.0%	86.1	86	0.0	0.1%	14	13	11	10	21.4%	23.1%	14	13	11	10	21.4%	23.1%	
R75	RESIDENTIAL		UNKNOWN		W118/F03	18.9	16.3	2.6	13.8%	18.9	16.3	2.6	13.8%	94.3	90.2	0.6	4.4%	35	11	33	9	5.7%	18.2%	35	11	33	9	5.7%	18.2%	
R76	RESIDENTIAL		UNKNOWN		W119/F03	21.2	19.7	1.5	7.1%	21.2	19.7	1.5	7.1%	96.8	96.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R77	RESIDENTIAL		UNKNOWN		W120/F03	28.4	26.8	1.6	5.6%	28.4	26.8	1.6	5.6%	99.2	99.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R78	RESIDENTIAL		UNKNOWN		W121/F03	29.9	28.2	1.7	5.7%	29.9	28.2	1.7	5.7%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R79	RESIDENTIAL		UNKNOWN		W122/F03	12.3	10.6	1.7	13.8%	12.3	10.6	1.7	13.8%	97.5	96.8	0.1	0.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R80	RESIDENTIAL		UNKNOWN		W123/F03	23.6	21.7	1.9	8.1%	25.6	23.7	1.9	7.4%	98.8	98.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W124/F03	27.5	25.5	2	7.3%									N/A	N/A	N/A	N/A	N/A	N/A							
R81	RESIDENTIAL		UNKNOWN		W125/F03	27.9	25.9	2	7.2%	26.3	24.2	2.1	8.0%	99	98.6	0.0	0.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W126/F03	24.5	22.3	2.2	9.0%									N/A	N/A	N/A	N/A	N/A	N/A							
R82	RESIDENTIAL		UNKNOWN		W127/F03	13.6	11.3	2.3	16.9%	13.6	11.3	2.3	16.9%	97.7	97.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R83	RESIDENTIAL		UNKNOWN		W128/F03	33.1	30.6	2.5	7.6%	33.1	30.6	2.5	7.6%	99.4	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R84	RESIDENTIAL		UNKNOWN		W129/F03	34.2	31.5	2.7	7.9%	34.2	31.5	2.7	7.9%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R85	RESIDENTIAL		UNKNOWN		W130/F03	33.7	30.7	3	8.9%	33.7	30.7	3	8.9%	99.4	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R86	RESIDENTIAL		UNKNOWN		W131/F03	14.5	11.7	2.8	19.3%	14.5	11.7	2.8	19.3%	96.8	96.1	0.1	0.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)												
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %								
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%							
CAMBRIDGE GARDENS (CONTINUED)																																				
	R87	RESIDENTIAL	UNKNOWN		W132/F03	25.5	22	3.5	13.7%	27.3	23.8	3.5	12.8%	99.3	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
			UNKNOWN		W133/F03	28.9	25.4	3.5	12.1%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
	R88	RESIDENTIAL	UNKNOWN		W134/F03	29.3	25.9	3.4	11.6%	27.6	24	3.6	13.0%	98.7	98.4	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
			UNKNOWN		W135/F03	25.8	22	3.8	14.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	R89	RESIDENTIAL	UNKNOWN		W136/F03	14.4	10.4	4	27.8%	14.4	10.4	4	27.8%	97.2	90.1	0.8	7.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R90	RESIDENTIAL	UNKNOWN		W137/F03	32.8	28.4	4.4	13.4%	32.8	28.4	4.4	13.4%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R91	RESIDENTIAL	UNKNOWN		W138/F03	34.7	30.1	4.6	13.3%	34.7	30.1	4.6	13.3%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R92	RESIDENTIAL	UNKNOWN		W139/F03	34.9	29.9	5	14.3%	34.9	29.9	5	14.3%	98.6	98.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R93	RESIDENTIAL	UNKNOWN		W140/F03	25.6	19	6.6	25.8%	25.6	19	6.6	25.8%	98.9	98.9	0.0	0.0%	58	26	49	22	15.5%	15.4%	58	26	49	22	15.5%	15.4%							
	R94	RESIDENTIAL	UNKNOWN		W141/F03	14	9.1	4.9	35.0%	14	9.1	4.9	35.0%	95.9	95.9	0.0	0.0%	22	20	16	15	27.3%	25.0%	22	20	16	15	27.3%	25.0%							
	R95	RESIDENTIAL	UNKNOWN		W71/F03	25.8	14.7	11.1	43.0%	25.8	14.7	11.1	43.0%	97.9	42.9	2.7	56.2%	65	25	47	11	27.7%	56.0%	65	25	47	11	27.7%	56.0%							
F04	R1	RESIDENTIAL	UNKNOWN		W1/F04	39.3	38.1	1.2	3.1%	39.3	38.1	1.2	3.1%	99.1	99.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R2	RESIDENTIAL	UNKNOWN		W2/F04	39.1	37.9	1.2	3.1%	39.1	37.9	1.2	3.1%	99.2	99.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3	RESIDENTIAL	UNKNOWN		W3/F04	37.7	36.5	1.2	3.2%	37.7	36.5	1.2	3.2%	99.2	99.2	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	UNKNOWN		W4/F04	18.5	17.2	1.3	7.0%	18.5	17.2	1.3	7.0%	97.9	97.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	UNKNOWN		W5/F04	29.3	28.1	1.2	4.1%	31.3	30.1	1.2	3.8%	98.7	98.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			UNKNOWN		W6/F04	33.2	31.9	1.3	3.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R6	RESIDENTIAL	LIVING ROOM		W7/F04	33.2	31.8	1.4	4.2%	31.2	29.8	1.4	4.5%	99.5	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W8/F04	29.1	27.7	1.4	4.8%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R7	RESIDENTIAL	BEDROOM		W9/F04	18.4	16.9	1.5	8.2%	18.4	16.9	1.5	8.2%	93.8	93.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8	RESIDENTIAL	BEDROOM		W10/F04	37.9	36.3	1.6	4.2%	37.9	36.3	1.6	4.2%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/F04	38.8	37.2	1.6	4.1%	38.8	37.2	1.6	4.1%	99.8	99.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W12/F04	37.8	36.2	1.6	4.2%	37.8	36.2	1.6	4.2%	99.6	99.4	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W13/F04	18.1	16.4	1.7	9.4%	18.1	16.4	1.7	9.4%	94.2	93.2	0.1	1.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	LIVING ROOM		W14/F04	29.1	27.3	1.8	6.2%	31	29.2	1.8	5.8%	99.5	99.5	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W15/F04	32.8	31	1.8	5.5%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R13	RESIDENTIAL	UNKNOWN		W16/F04	32.8	30.9	1.9	5.8%	30.8	28.9	1.9	6.2%	98.8	98	0.1	0.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W17/F04	28.7	26.7	2	7.0%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R14	RESIDENTIAL	UNKNOWN		W18/F04	17.9	16	1.9	10.6%	17.9	16	1.9	10.6%	98.2	98.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	UNKNOWN		W19/F04	36.4	34.2	2.2	6.0%	36.4	34.2	2.2	6.0%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	UNKNOWN		W20/F04	38.2	36	2.2	5.8%	38.2	36	2.2	5.8%	97.5	97.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)						
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
CAMBRIDGE GARDENS (CONTINUED)																														
	R17	RESIDENTIAL	UNKNOWN		W21/F04	38.3	36	2.3	6.0%	38.3	36	2.3	6.0%	97.9	97.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	UNKNOWN		W22/F04	27.2	16.9	10.3	37.9%	27.2	16.9	10.3	37.9%	98.2	92.1	0.4	6.2%	61	28	45	13	26.2%	53.6%	61	28	45	13	26.2%	53.6%	
	R19	RESIDENTIAL	UNKNOWN		W23/F04	15	5.5	9.5	63.3%	15	5.5	9.5	63.3%	93	89.3	0.2	4.0%	24	22	11	9	54.2%	59.1%	24	22	11	9	54.2%	59.1%	
	R21	RESIDENTIAL	UNKNOWN		W28/F04	7.7	7.7	0	0.0%	7.7	7.7	0	0.0%	71.4	71.4	0.0	0.0%	12	3	12	3	0.0%	0.0%	12	3	12	3	0.0%	0.0%	
	R22	RESIDENTIAL	UNKNOWN		W29/F04	9.8	9.6	0.2	2.0%	9.8	9.6	0.2	2.0%	73.9	73.9	0.0	0.0%	15	6	15	6	0.0%	0.0%	15	6	15	6	0.0%	0.0%	
	R23	RESIDENTIAL	UNKNOWN		W30/F04	12.7	12.2	0.5	3.9%	12.7	12.2	0.5	3.9%	94	93.2	0.1	0.9%	21	6	21	6	0.0%	0.0%	21	6	21	6	0.0%	0.0%	
	R24	RESIDENTIAL	UNKNOWN		W31/F04	9.6	9	0.6	6.2%	9.6	9	0.6	6.2%	84	82.9	0.1	1.3%	14	7	13	6	7.1%	14.3%	14	7	13	6	7.1%	14.3%	
	R25	RESIDENTIAL	UNKNOWN		W32/F04	9	8.2	0.8	8.9%	9	8.2	0.8	8.9%	76.1	76	0.0	0.1%	10	5	10	5	0.0%	0.0%	10	5	10	5	0.0%	0.0%	
	R26	RESIDENTIAL	KITCHEN (1)		W33/F04	7.9	7.2	0.7	8.9%	7.9	7.2	0.7	8.9%	61	61	0.0	0.1%	12	7	11	6	8.3%	14.3%	12	7	11	6	8.3%	14.3%	
	R29	RESIDENTIAL	UNKNOWN		W36/F04	23.3	19.2	4.1	17.6%	23.3	19.2	4.1	17.6%	98.5	91.7	0.8	6.9%	42	19	36	13	14.3%	31.6%	42	19	36	13	14.3%	31.6%	
	R30	RESIDENTIAL	UNKNOWN		W37/F04	11	6.4	4.6	41.8%	10.6	6.1	4.5	42.5%	96.2	79.5	1.5	17.4%	16	13	10	7	37.5%	46.2%	17	14	11	8	35.3%	42.9%	
			UNKNOWN		W38/F04	10.3	5.7	4.6	44.7%									14	14	8	8	42.9%	42.9%							
	R31	RESIDENTIAL	UNKNOWN		W39/F04	22.8	18.1	4.7	20.6%	25.2	20.3	4.9	19.4%	98.3	90	1.3	8.4%	51	21	45	15	11.8%	28.6%	61	22	54	15	11.5%	31.8%	
			UNKNOWN		W40/F04	27.4	22.4	5	18.2%									56	22	49	15	12.5%	31.8%							
	R32	RESIDENTIAL	UNKNOWN		W41/F04	28.3	22.7	5.6	19.8%	26.7	21.1	5.6	21.0%	98.9	90.7	1.4	8.3%	50	20	44	14	12.0%	30.0%	56	24	49	17	12.5%	29.2%	
			UNKNOWN		W42/F04	24.9	19.4	5.5	22.1%									48	23	41	16	14.6%	30.4%							
	R33	RESIDENTIAL	UNKNOWN		W43/F04	13.6	7.6	6	44.1%	14.2	8.2	6	42.3%	97.1	74.8	1.9	22.9%	21	18	15	12	28.6%	33.3%	26	20	21	15	19.2%	25.0%	
			UNKNOWN		W44/F04	14.9	8.9	6	40.3%									23	19	18	14	21.7%	26.3%							
	R34	RESIDENTIAL	UNKNOWN		W45/F04	34.2	28	6.2	18.1%	34.2	28	6.2	18.1%	98.8	88.7	1.8	10.2%	74	24	68	18	8.1%	25.0%	74	24	68	18	8.1%	25.0%	
	R35	RESIDENTIAL	UNKNOWN		W46/F04	35.2	28.9	6.3	17.9%	35.2	28.9	6.3	17.9%	99.3	88.2	1.7	11.1%	73	25	66	18	9.6%	28.0%	73	25	66	18	9.6%	28.0%	
	R36	RESIDENTIAL	UNKNOWN		W47/F04	34.1	27.8	6.3	18.5%	34.1	27.8	6.3	18.5%	98.8	88.6	1.8	10.4%	71	25	64	18	9.9%	28.0%	71	25	64	18	9.9%	28.0%	
	R37	RESIDENTIAL	UNKNOWN		W48/F04	14.8	8.6	6.2	41.9%	14.2	8	6.2	43.7%	97.1	63.1	2.9	35.0%	26	19	19	12	26.9%	36.8%	28	19	21	12	25.0%	36.8%	
			UNKNOWN		W49/F04	13.6	7.4	6.2	45.6%									22	19	15	12	31.8%	36.8%							
	R38	RESIDENTIAL	UNKNOWN		W50/F04	25.1	19	6.1	24.3%	26.9	20.7	6.2	23.0%	99	85.9	2.1	13.2%	60	24	52	16	13.3%	33.3%	69	24	62	17	10.1%	29.2%	
			UNKNOWN		W51/F04	28.5	22.3	6.2	21.8%									59	24	52	17	11.9%	29.2%							
	R39	RESIDENTIAL	UNKNOWN		W52/F04	27.7	21.7	6	21.7%	25.4	19.6	5.8	22.8%	98	82.8	2.5	15.5%	50	19	42	11	16.0%	42.1%	53	20	45	12	15.1%	40.0%	
			UNKNOWN		W53/F04	22.9	17.4	5.5	24.0%									46	20	38	12	17.4%	40.0%							
	R40	RESIDENTIAL	UNKNOWN		W54/F04	10.4	5	5.4	51.9%	10.6	5.2	5.4	50.9%	96	52.9	3.7	44.9%	17	16	9	8	47.1%	50.0%	20	17	12	9	40.0%	47.1%	
			UNKNOWN		W55/F04	10.8	5.5	5.3	49.1%									19	16	11	8	42.1%	50.0%							
	R41	RESIDENTIAL	UNKNOWN		W56/F04	23.3	18.6	4.7	20.2%	23.3	18.6	4.7	20.2%	98	71	3.4	27.5%	44	14	38	8	13.6%	42.9%	44	14	38	8	13.6%	42.9%	
	R44	RESIDENTIAL	KITCHEN (1)		W60/F04	8	6.8	1.2	15.0%	8	6.8	1.2	15.0%	61	61	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)								
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %				
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
CAMBRIDGE GARDENS (CONTINUED)																																
	R45	RESIDENTIAL	UNKNOWN		W61/F04	9.1	7.7	1.4	15.4%	9.1	7.7	1.4	15.4%	85	85	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R46	RESIDENTIAL	UNKNOWN		W62/F04	9.9	8.4	1.5	15.2%	9.9	8.4	1.5	15.2%	84.1	82.1	0.2	2.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R47	RESIDENTIAL	UNKNOWN		W63/F04	13	11.7	1.3	10.0%	13	11.7	1.3	10.0%	94.2	94	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R48	RESIDENTIAL	UNKNOWN		W64/F04	9.4	8.7	0.7	7.4%	9.4	8.7	0.7	7.4%	84.5	84.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R49	RESIDENTIAL	UNKNOWN		W65/F04	7.7	7.2	0.5	6.5%	7.7	7.2	0.5	6.5%	73.4	73.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R51	RESIDENTIAL	UNKNOWN		W70/F04	14.5	4.8	9.7	66.9%	14.5	4.8	9.7	66.9%	91.7	65	2.0	29.1%	24	18	10	4	58.3%	77.8%	24	18	10	4	58.3%	77.8%			
	R52	RESIDENTIAL	UNKNOWN		W73/F04	36.4	35.8	0.6	1.6%	36.4	35.8	0.6	1.6%	98.7	98.6	0.0	0.1%	57	17	54	14	5.3%	17.6%	57	17	54	14	5.3%	17.6%			
	R53	RESIDENTIAL	UNKNOWN		W75/F04	36.3	35.6	0.7	1.9%	36.3	35.6	0.7	1.9%	99.5	99.5	0.0	0.0%	57	17	54	14	5.3%	17.6%	57	17	54	14	5.3%	17.6%			
	R54	RESIDENTIAL	UNKNOWN		W77/F04	34.8	34.3	0.5	1.4%	34.8	34.3	0.5	1.4%	99.4	99.4	0.0	0.0%	57	17	55	15	3.5%	11.8%	57	17	55	15	3.5%	11.8%			
	R55	RESIDENTIAL	UNKNOWN		W79/F04	15.7	15.3	0.4	2.5%	15.7	15.3	0.4	2.5%	97.7	97.7	0.0	0.0%	26	12	26	12	0.0%	0.0%	26	12	26	12	0.0%	0.0%			
	R56	RESIDENTIAL	UNKNOWN		W81/F04	26.9	26.5	0.4	1.5%	28.7	28.3	0.4	1.4%	99.4	99.4	0.0	0.0%	37	12	36	11	2.7%	8.3%	38	12	37	11	2.6%	8.3%			
			UNKNOWN		W82/F04	30.4	30	0.4	1.3%									32	8	32	8	0.0%	0.0%									
	R57	RESIDENTIAL	LIVING ROOM		W85/F04	30.3	30	0.3	1.0%	28.6	28.3	0.3	1.0%	99.3	99.3	0.0	0.0%	51	14	51	14	0.0%	0.0%	52	14	52	14	0.0%	0.0%			
			LIVING ROOM		W86/F04	26.7	26.4	0.3	1.1%									50	13	50	13	0.0%	0.0%									
	R58	RESIDENTIAL	BEDROOM		W89/F04	15.5	15.1	0.4	2.6%	15.5	15.1	0.4	2.6%	97.7	97.7	0.0	0.0%	21	8	21	8	0.0%	0.0%	21	8	21	8	0.0%	0.0%			
	R59	RESIDENTIAL	BEDROOM		W91/F04	34.9	34.5	0.4	1.1%	34.9	34.5	0.4	1.1%	99.8	99.8	0.0	0.0%	46	11	46	11	0.0%	0.0%	46	11	46	11	0.0%	0.0%			
	R60	RESIDENTIAL	BEDROOM		W95/F04	34	33.7	0.3	0.9%	34	33.7	0.3	0.9%	99.8	99.8	0.0	0.0%	55	16	55	16	0.0%	0.0%	55	16	55	16	0.0%	0.0%			
	R61	RESIDENTIAL	BEDROOM		W97/F04	13.3	13	0.3	2.3%	13.3	13	0.3	2.3%	95.1	95.1	0.0	0.0%	25	13	25	13	0.0%	0.0%	25	13	25	13	0.0%	0.0%			
	R62	RESIDENTIAL	LIVING ROOM		W99/F04	19	18.7	0.3	1.6%	18.7	18.4	0.3	1.6%	99.2	99.2	0.0	0.0%	32	12	32	12	0.0%	0.0%	33	12	33	12	0.0%	0.0%			
			LIVING ROOM		W100/F04	18.4	18.1	0.3	1.6%									26	8	26	8	0.0%	0.0%									
	R63	RESIDENTIAL	UNKNOWN		W102/F04	20.9	19.6	1.3	6.2%	20.9	19.6	1.3	6.2%	87.2	83.6	0.5	4.1%	45	16	45	16	0.0%	0.0%	45	16	45	16	0.0%	0.0%			
	R64	RESIDENTIAL	UNKNOWN		W103/F04	9.7	7.8	1.9	19.6%	9.7	7.8	1.9	19.6%	88.6	73.3	1.6	17.3%	12	12	11	11	8.3%	8.3%	12	12	11	11	8.3%	8.3%			
	R65	RESIDENTIAL	UNKNOWN		W104/F04	22.2	20.1	2.1	9.5%	25.7	23.3	2.4	9.3%	99.1	95.7	0.4	3.5%	53	19	52	18	1.9%	5.3%	65	21	63	19	3.1%	9.5%			
			UNKNOWN		W105/F04	28.9	26.3	2.6	9.0%									62	21	60	19	3.2%	9.5%									
	R66	RESIDENTIAL	UNKNOWN		W106/F04	29.4	26.5	2.9	9.9%	26.9	24	2.9	10.8%	99.5	97.3	0.3	2.2%	54	21	51	18	5.6%	14.3%	59	24	56	21	5.1%	12.5%			
			UNKNOWN		W107/F04	24.2	21.4	2.8	11.6%									47	23	45	21	4.3%	8.7%									
	R67	RESIDENTIAL	UNKNOWN		W108/F04	13.9	10.8	3.1	22.3%	13.9	10.8	3.1	22.3%	97.3	92.2	0.5	5.2%	22	19	19	16	13.6%	15.8%	22	19	19	16	13.6%	15.8%			
	R68	RESIDENTIAL	UNKNOWN		W109/F04	34.4	31.3	3.1	9.0%	34.4	31.3	3.1	9.0%	99.2	98	0.2	1.2%	77	24	74	21	3.9%	12.5%	77	24	74	21	3.9%	12.5%			
	R69	RESIDENTIAL	UNKNOWN		W110/F04	34.7	31.6	3.1	8.9%	34.7	31.6	3.1	8.9%	99.7	98.5	0.2	1.2%	81	25	78	22	3.7%	12.0%	81	25	78	22	3.7%	12.0%			
	R70	RESIDENTIAL	UNKNOWN		W111/F04	34.4	31.3	3.1	9.0%	34.4	31.3	3.1	9.0%	99.2	97.4	0.3	1.9%	80	25	77	22	3.8%	12.0%	80	25	77	22	3.8%	12.0%			
	R71	RESIDENTIAL	UNKNOWN		W112/F04	13.8	10.8	3	21.7%	13.8	10.8	3	21.7%	97.8	93.3	0.5	4.7%	25	20	21	16	16.0%	20.0%	25	20	21	16	16.0%	20.0%			

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)								
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
CAMBRIDGE GARDENS (CONTINUED)																														
	R72	RESIDENTIAL	UNKNOWN		W113/F04	24.4	21.6	2.8	11.5%	27.1	24.2	2.9	10.7%	99.4	99	0.1	0.5%	63	23	59	19	6.3%	17.4%	72	23	68	19	5.6%	17.4%	
			UNKNOWN		W114/F04	29.6	26.7	2.9	9.8%									65	23	61	19	6.2%	17.4%							
	R73	RESIDENTIAL	UNKNOWN		W115/F04	29	26.2	2.8	9.7%	25.7	23.1	2.6	10.1%	99.1	99.1	0.0	0.0%	56	19	52	15	7.1%	21.1%	58	20	54	16	6.9%	20.0%	
			UNKNOWN		W116/F04	22.2	19.7	2.5	11.3%									47	20	43	16	8.5%	20.0%							
	R74	RESIDENTIAL	UNKNOWN		W117/F04	9.7	7.1	2.6	26.8%	9.7	7.1	2.6	26.8%	91.5	91.5	0.0	0.0%	16	15	13	12	18.8%	20.0%	16	15	13	12	18.8%	20.0%	
	R75	RESIDENTIAL	UNKNOWN		W118/F04	23	20.5	2.5	10.9%	23	20.5	2.5	10.9%	97.1	95.6	0.2	1.6%	39	12	37	10	5.1%	16.7%	39	12	37	10	5.1%	16.7%	
	R76	RESIDENTIAL	UNKNOWN		W119/F04	27.5	26	1.5	5.5%	27.5	26	1.5	5.5%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R77	RESIDENTIAL	UNKNOWN		W120/F04	33.4	31.8	1.6	4.8%	33.4	31.8	1.6	4.8%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R78	RESIDENTIAL	UNKNOWN		W121/F04	33.5	31.8	1.7	5.1%	33.5	31.8	1.7	5.1%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R79	RESIDENTIAL	UNKNOWN		W122/F04	14.8	13.2	1.6	10.8%	14.8	13.2	1.6	10.8%	97.6	97.2	0.0	0.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R80	RESIDENTIAL	UNKNOWN		W123/F04	26	24.3	1.7	6.5%	28	26.2	1.8	6.4%	99.3	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W124/F04	29.8	27.9	1.9	6.4%									N/A	N/A	N/A	N/A	N/A	N/A							
	R81	RESIDENTIAL	UNKNOWN		W125/F04	30	28.1	1.9	6.3%	28.3	26.3	2	7.1%	99.1	98.8	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W126/F04	26.5	24.4	2.1	7.9%									N/A	N/A	N/A	N/A	N/A	N/A							
	R82	RESIDENTIAL	UNKNOWN		W127/F04	15.4	13.2	2.2	14.3%	15.4	13.2	2.2	14.3%	97.7	97.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R83	RESIDENTIAL	UNKNOWN		W128/F04	34.9	32.5	2.4	6.9%	34.9	32.5	2.4	6.9%	99.5	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R84	RESIDENTIAL	UNKNOWN		W129/F04	35.9	33.2	2.7	7.5%	35.9	33.2	2.7	7.5%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R85	RESIDENTIAL	UNKNOWN		W130/F04	35.3	32.4	2.9	8.2%	35.3	32.4	2.9	8.2%	99.4	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R86	RESIDENTIAL	UNKNOWN		W131/F04	15.8	12.9	2.9	18.4%	15.8	12.9	2.9	18.4%	96.9	96.3	0.1	0.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R87	RESIDENTIAL	UNKNOWN		W132/F04	26.7	23.5	3.2	12.0%	28.6	25.3	3.3	11.5%	99.3	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W133/F04	30.4	26.9	3.5	11.5%									N/A	N/A	N/A	N/A	N/A	N/A							
	R88	RESIDENTIAL	UNKNOWN		W134/F04	30.6	27.2	3.4	11.1%	28.8	25.3	3.5	12.2%	98.8	98.4	0.0	0.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W135/F04	26.9	23.2	3.7	13.8%									N/A	N/A	N/A	N/A	N/A	N/A							
	R89	RESIDENTIAL	UNKNOWN		W136/F04	15.5	11.7	3.8	24.5%	15.5	11.7	3.8	24.5%	97.6	92.1	0.7	5.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R90	RESIDENTIAL	UNKNOWN		W137/F04	34	29.8	4.2	12.4%	34	29.8	4.2	12.4%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R91	RESIDENTIAL	UNKNOWN		W138/F04	35.9	31.4	4.5	12.5%	35.9	31.4	4.5	12.5%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R92	RESIDENTIAL	UNKNOWN		W139/F04	36	31.1	4.9	13.6%	36	31.1	4.9	13.6%	98.6	98.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R93	RESIDENTIAL	UNKNOWN		W140/F04	26.4	19.9	6.5	24.6%	26.4	19.9	6.5	24.6%	98.9	98.9	0.0	0.0%	58	26	51	23	12.1%	11.5%	58	26	51	23	12.1%	11.5%	
	R94	RESIDENTIAL	UNKNOWN		W141/F04	14.5	9.6	4.9	33.8%	14.5	9.6	4.9	33.8%	95.9	95.9	0.0	0.0%	22	20	18	17	18.2%	15.0%	22	20	18	17	18.2%	15.0%	
	R95	RESIDENTIAL	UNKNOWN		W71/F04	26.6	15.8	10.8	40.6%	26.6	15.8	10.8	40.6%	98.9	47.2	2.6	52.3%	66	26	50	12	24.2%	53.8%	66	26	50	12	24.2%	53.8%	
F05	R1	RESIDENTIAL	UNKNOWN		W1/F05	39.4	38.3	1.1	2.8%	39.4	38.3	1.1	2.8%	99.1	99.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)								
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %				
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
CAMBRIDGE GARDENS (CONTINUED)																																
R2	RESIDENTIAL		UNKNOWN		W2/F05	39.4	38.3	11	2.8%	39.4	38.3	11	2.8%	99.2	99.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R3	RESIDENTIAL		UNKNOWN		W3/F05	38.9	37.7	12	3.1%	38.9	37.7	12	3.1%	99.4	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R4	RESIDENTIAL		UNKNOWN		W4/F05	18.6	17.3	13	7.0%	18.6	17.3	13	7.0%	97.9	97.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R5	RESIDENTIAL		UNKNOWN		W5/F05	29.5	28.5	1	3.4%	32.5	31.3	12	3.7%	98.8	98.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W6/F05	35.3	34	13	3.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
R6	RESIDENTIAL		LIVING ROOM		W7/F05	35.3	33.9	14	4.0%	32.4	31.1	13	4.0%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W8/F05	29.4	28.1	13	4.4%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
R7	RESIDENTIAL		BEDROOM		W9/F05	18.5	17.2	13	7.0%	18.5	17.2	13	7.0%	93.8	93.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R8	RESIDENTIAL		BEDROOM		W10/F05	39	37.4	16	4.1%	39	37.4	16	4.1%	99.7	99.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R9	RESIDENTIAL		UNKNOWN		W11/F05	39.2	37.6	16	4.1%	39.2	37.6	16	4.1%	99.9	99.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R10	RESIDENTIAL		BEDROOM		W12/F05	38.9	37.2	17	4.4%	38.9	37.2	17	4.4%	99.7	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R11	RESIDENTIAL		BEDROOM		W13/F05	18.4	16.7	17	9.2%	18.4	16.7	17	9.2%	94.2	93.8	0.0	0.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R12	RESIDENTIAL		LIVING ROOM		W14/F05	29.4	27.8	16	5.4%	32.3	30.6	17	5.3%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W15/F05	35.1	33.3	18	5.1%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
R13	RESIDENTIAL		UNKNOWN		W16/F05	35.1	33.2	19	5.4%	32.2	30.3	19	5.9%	98.9	98.3	0.1	0.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W17/F05	29.1	27.2	19	6.5%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
R14	RESIDENTIAL		UNKNOWN		W18/F05	18.3	16.3	2	10.9%	18.3	16.3	2	10.9%	98.2	98.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R15	RESIDENTIAL		UNKNOWN		W19/F05	38.1	35.9	2.2	5.8%	38.1	35.9	2.2	5.8%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R16	RESIDENTIAL		UNKNOWN		W20/F05	38.9	36.6	2.3	5.9%	38.9	36.6	2.3	5.9%	97.6	97.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R17	RESIDENTIAL		UNKNOWN		W21/F05	38.9	36.4	2.5	6.4%	38.9	36.4	2.5	6.4%	97.9	97.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R18	RESIDENTIAL		UNKNOWN		W22/F05	28.1	18	10.1	35.9%	28.1	18	10.1	35.9%	98.2	98.1	0.0	0.1%	62	29	49	17	21.0%	41.4%	62	29	49	17	21.0%	41.4%			
R19	RESIDENTIAL		UNKNOWN		W23/F05	15.8	6.2	9.6	60.8%	15.8	6.2	9.6	60.8%	93	92.8	0.0	0.2%	25	23	13	11	48.0%	52.2%	25	23	13	11	48.0%	52.2%			
R20	RESIDENTIAL		UNKNOWN		W24/F05	26.9	26.9	0	0.0%	26.9	26.9	0	0.0%	86.2	86.2	0.0	0.0%	30	3	30	3	0.0%	0.0%	30	3	30	3	0.0%	0.0%			
R21	RESIDENTIAL		UNKNOWN		W25/F05	32.8	32.6	0.2	0.6%	32.8	32.6	0.2	0.6%	93.8	93.8	0.0	0.0%	45	8	44	7	2.2%	12.5%	45	8	44	7	2.2%	12.5%			
R22	RESIDENTIAL		UNKNOWN		W26/F05	34.5	33.7	0.8	2.3%	34.5	33.7	0.8	2.3%	98.6	98.5	0.0	0.1%	55	16	51	12	7.3%	25.0%	55	16	51	12	7.3%	25.0%			
R23	RESIDENTIAL		UNKNOWN		W27/F05	34.8	33.4	1.4	4.0%	34.8	33.4	1.4	4.0%	95.7	95.7	0.0	0.0%	59	20	52	13	11.9%	35.0%	59	20	52	13	11.9%	35.0%			
R24	RESIDENTIAL		UNKNOWN		W28/F05	33.6	32.1	1.5	4.5%	33.6	32.1	1.5	4.5%	96	96	0.0	0.0%	58	20	51	13	12.1%	35.0%	58	20	51	13	12.1%	35.0%			
R25	RESIDENTIAL		KITCHEN (1)		W29/F05	30.6	29.2	1.4	4.6%	30.6	29.2	1.4	4.6%	90.6	90.6	0.0	0.0%	55	20	49	14	10.9%	30.0%	55	20	49	14	10.9%	30.0%			
R28	RESIDENTIAL		UNKNOWN		W32/F05	29.5	25.1	4.4	14.9%	29.5	25.1	4.4	14.9%	99	93.7	0.6	5.3%	55	23	50	18	9.1%	21.7%	55	23	50	18	9.1%	21.7%			
R29	RESIDENTIAL		UNKNOWN		W33/F05	14.8	9.8	5	33.8%	14.2	9.1	5.1	35.9%	97	89.1	0.7	8.1%	25	18	20	13	20.0%	27.8%	27	18	22	13	18.5%	27.8%			
			UNKNOWN		W34/F05	13.5	8.4	5.1	37.8%									20	17	15	12	25.0%	29.4%									

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)					
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
CAMBRIDGE GARDENS (CONTINUED)																													
	R30	RESIDENTIAL	UNKNOWN		W35/F05	25.9	20.9	5	19.3%	28	22.8	5.2	18.6%	98.9	94.6	0.7	4.3%	61	25	56	20	8.2%	20.0%	70	26	65	21	7.1%	19.2%
			UNKNOWN		W36/F05	30	24.6	5.4	18.0%									60	25	55	20	8.3%	20.0%						
	R31	RESIDENTIAL	UNKNOWN		W37/F05	30.5	24.8	5.7	18.7%	28.8	23.2	5.6	19.4%	98.9	91.8	1.2	7.2%	55	25	48	18	12.7%	28.0%	61	28	54	21	11.5%	25.0%
			UNKNOWN		W38/F05	26.9	21.5	5.4	20.1%									53	27	47	21	11.3%	22.2%						
	R32	RESIDENTIAL	UNKNOWN		W39/F05	14.9	9	5.9	39.6%	15.6	9.6	6	38.5%	97.1	82.4	1.3	15.2%	24	21	18	15	25.0%	28.6%	30	23	24	17	20.0%	26.1%
			UNKNOWN		W40/F05	16.3	10.3	6	36.8%									26	21	20	15	23.1%	28.6%						
	R33	RESIDENTIAL	UNKNOWN		W41/F05	35.8	29.7	6.1	17.0%	35.8	29.7	6.1	17.0%	98.8	90.9	1.4	8.0%	80	29	71	20	11.3%	31.0%	80	29	71	20	11.3%	31.0%
	R34	RESIDENTIAL	UNKNOWN		W42/F05	36.7	30.6	6.1	16.6%	36.7	30.6	6.1	16.6%	99.3	90.4	1.3	8.9%	79	27	71	19	10.1%	29.6%	79	27	71	19	10.1%	29.6%
	R35	RESIDENTIAL	UNKNOWN		W43/F05	35.7	29.6	6.1	17.1%	35.7	29.6	6.1	17.1%	98.9	90.9	1.4	8.1%	73	26	66	19	9.6%	26.9%	73	26	66	19	9.6%	26.9%
	R36	RESIDENTIAL	UNKNOWN		W44/F05	16.2	10.3	5.9	36.4%	15.6	9.6	6	38.5%	97.1	69	2.4	28.9%	27	20	20	13	25.9%	35.0%	30	20	23	13	23.3%	35.0%
			UNKNOWN		W45/F05	14.9	8.8	6.1	40.9%									24	20	17	13	29.2%	35.0%						
	R37	RESIDENTIAL	UNKNOWN		W46/F05	27	21.2	5.8	21.5%	28.9	23	5.9	20.4%	99	91	1.3	8.0%	63	25	56	18	11.1%	28.0%	72	26	65	19	9.7%	26.9%
			UNKNOWN		W47/F05	30.6	24.6	6	19.6%									61	26	54	19	11.5%	26.9%						
	R38	RESIDENTIAL	UNKNOWN		W48/F05	30	24.3	5.7	19.0%	27.9	22.4	5.5	19.7%	98.8	90	1.4	8.9%	55	24	48	17	12.7%	29.2%	60	27	53	20	11.7%	25.9%
			UNKNOWN		W49/F05	25.7	20.4	5.3	20.6%									53	27	46	20	13.2%	25.9%						
	R39	RESIDENTIAL	UNKNOWN		W50/F05	13.2	7.9	5.3	40.2%	13.6	8.2	5.4	39.7%	96.8	63.5	2.8	34.4%	24	22	18	16	25.0%	27.3%	28	24	22	18	21.4%	25.0%
			UNKNOWN		W51/F05	13.9	8.5	5.4	38.8%									25	22	19	16	24.0%	27.3%						
	R40	RESIDENTIAL	UNKNOWN		W52/F05	29.2	24.1	5.1	17.5%	29.2	24.1	5.1	17.5%	98.9	79.9	2.4	19.3%	66	21	60	15	9.1%	28.6%	66	21	60	15	9.1%	28.6%
	R43	RESIDENTIAL	KITCHEN (1)		W56/F05	30.8	28.8	2	6.5%	30.8	28.8	2	6.5%	91	91	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R44	RESIDENTIAL	UNKNOWN		W57/F05	33.9	31.7	2.2	6.5%	33.9	31.7	2.2	6.5%	96.6	96.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R45	RESIDENTIAL	UNKNOWN		W58/F05	35.2	32.9	2.3	6.5%	35.2	32.9	2.3	6.5%	93.4	92.2	0.2	1.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R46	RESIDENTIAL	UNKNOWN		W59/F05	35	33.2	1.8	5.1%	35	33.2	1.8	5.1%	98.5	98.4	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R47	RESIDENTIAL	UNKNOWN		W60/F05	32.5	31.7	0.8	2.5%	32.5	31.7	0.8	2.5%	95.5	95.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R48	RESIDENTIAL	UNKNOWN		W61/F05	26.9	26.5	0.4	1.5%	26.9	26.5	0.4	1.5%	94.3	94.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R49	RESIDENTIAL	UNKNOWN		W62/F05	15	5.2	9.8	65.3%	15	5.2	9.8	65.3%	91.7	66.9	1.9	27.1%	24	18	11	5	54.2%	72.2%	24	18	11	5	54.2%	72.2%
	R50	RESIDENTIAL	UNKNOWN		W65/F05	37.8	37.2	0.6	1.6%	37.8	37.2	0.6	1.6%	98.7	98.6	0.0	0.1%	58	18	55	15	5.2%	16.7%	58	18	55	15	5.2%	16.7%
	R51	RESIDENTIAL	UNKNOWN		W67/F05	37.8	37.2	0.6	1.6%	37.8	37.2	0.6	1.6%	99.5	99.5	0.0	0.0%	58	18	56	16	3.4%	11.1%	58	18	56	16	3.4%	11.1%
	R52	RESIDENTIAL	UNKNOWN		W69/F05	37.3	36.8	0.5	1.3%	37.3	36.8	0.5	1.3%	99.6	99.6	0.0	0.0%	58	18	56	16	3.4%	11.1%	58	18	56	16	3.4%	11.1%
	R53	RESIDENTIAL	UNKNOWN		W71/F05	16.9	16.5	0.4	2.4%	16.9	16.5	0.4	2.4%	97.1	97.1	0.0	0.0%	27	13	27	13	0.0%	0.0%	27	13	27	13	0.0%	0.0%
	R54	RESIDENTIAL	UNKNOWN		W73/F05	28.4	28	0.4	1.4%	31.3	30.9	0.4	1.3%	99.5	99.5	0.0	0.0%	39	14	37	12	5.1%	14.3%	44	14	42	12	4.5%	14.3%
			UNKNOWN		W74/F05	34	33.6	0.4	1.2%									37	9	37	9	0.0%	0.0%						

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)					
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
CAMBRIDGE GARDENS (CONTINUED)																													
	R55	RESIDENTIAL	LIVING ROOM		W77/F05	33.9	33.5	0.4	1.2%	31.3	31	0.3	1.0%	99.3	99.3	0.0	0.0%	58	18	57	17	1.7%	5.6%	58	18	57	17	1.7%	5.6%
			LIVING ROOM		W78/F05	28.5	28.3	0.2	0.7%									57	18	56	17	1.8%	5.6%						
	R56	RESIDENTIAL	BEDROOM		W81/F05	16.9	16.6	0.3	1.8%	16.9	16.6	0.3	1.8%	96.9	96.9	0.0	0.0%	23	9	23	9	0.0%	0.0%	23	9	23	9	0.0%	0.0%
	R57	RESIDENTIAL	BEDROOM		W83/F05	37.7	37.4	0.3	0.8%	37.7	37.4	0.3	0.8%	99.9	99.9	0.0	0.0%	56	16	56	16	0.0%	0.0%	56	16	56	16	0.0%	0.0%
	R58	RESIDENTIAL	BEDROOM		W87/F05	37.7	37.3	0.4	1.1%	37.7	37.3	0.4	1.1%	99.9	99.9	0.0	0.0%	59	19	58	18	1.7%	5.3%	59	19	58	18	1.7%	5.3%
	R59	RESIDENTIAL	BEDROOM		W89/F05	16.9	16.6	0.3	1.8%	16.9	16.6	0.3	1.8%	96.8	96.8	0.0	0.0%	27	13	27	13	0.0%	0.0%	27	13	27	13	0.0%	0.0%
	R60	RESIDENTIAL	LIVING ROOM		W91/F05	28.3	28.1	0.2	0.7%	31.3	31	0.3	1.0%	99.2	99.2	0.0	0.0%	40	15	38	13	5.0%	13.3%	45	15	43	13	4.4%	13.3%
			LIVING ROOM		W92/F05	34.1	33.8	0.3	0.9%									37	9	37	9	0.0%	0.0%						
	R61	RESIDENTIAL	UNKNOWN		W94/F05	37.7	36.1	1.6	4.2%	37.7	36.1	1.6	4.2%	99.8	99.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R62	RESIDENTIAL	UNKNOWN		W95/F05	37.7	36.1	1.6	4.2%	37.7	36.1	1.6	4.2%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R63	RESIDENTIAL	UNKNOWN		W96/F05	37.2	35.6	1.6	4.3%	37.2	35.6	1.6	4.3%	99.8	99.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R64	RESIDENTIAL	UNKNOWN		W97/F05	16.9	15.2	1.7	10.1%	16.9	15.2	1.7	10.1%	97.6	97.5	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R65	RESIDENTIAL	UNKNOWN		W98/F05	28.2	26.5	1.7	6.0%	31	29.2	1.8	5.8%	99.4	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W99/F05	33.6	31.7	1.9	5.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R66	RESIDENTIAL	UNKNOWN		W100/F05	33.7	31.7	2	5.9%	31	29	2	6.5%	99.2	99.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W101/F05	28.1	26.1	2	7.1%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R67	RESIDENTIAL	UNKNOWN		W102/F05	16.9	14.7	2.2	13.0%	16.9	14.7	2.2	13.0%	97.7	97.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R68	RESIDENTIAL	UNKNOWN		W103/F05	37.2	34.8	2.4	6.5%	37.2	34.8	2.4	6.5%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R69	RESIDENTIAL	UNKNOWN		W104/F05	37.5	34.9	2.6	6.9%	37.5	34.9	2.6	6.9%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R70	RESIDENTIAL	UNKNOWN		W105/F05	37.3	34.5	2.8	7.5%	37.3	34.5	2.8	7.5%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R71	RESIDENTIAL	UNKNOWN		W106/F05	16.8	14.1	2.7	16.1%	16.8	14.1	2.7	16.1%	97	96.4	0.1	0.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R72	RESIDENTIAL	UNKNOWN		W107/F05	28	25	3	10.7%	30.8	27.6	3.2	10.4%	99.3	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W108/F05	33.4	30.1	3.3	9.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R73	RESIDENTIAL	UNKNOWN		W109/F05	33.5	30.3	3.2	9.6%	30.7	27.4	3.3	10.7%	99.4	99.3	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W110/F05	27.8	24.4	3.4	12.2%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R74	RESIDENTIAL	UNKNOWN		W111/F05	16.5	12.8	3.7	22.4%	16.5	12.8	3.7	22.4%	97.6	94.7	0.3	3.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R75	RESIDENTIAL	UNKNOWN		W112/F05	36.3	32.3	4	11.0%	36.3	32.3	4	11.0%	99.7	99.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R76	RESIDENTIAL	UNKNOWN		W113/F05	37	32.7	4.3	11.6%	37	32.7	4.3	11.6%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R77	RESIDENTIAL	UNKNOWN		W114/F05	36.9	32.3	4.6	12.5%	36.9	32.3	4.6	12.5%	98.6	98.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R78	RESIDENTIAL	UNKNOWN		W115/F05	26.8	20.9	5.9	22.0%	26.8	20.9	5.9	22.0%	98.9	98.9	0.0	0.0%	59	26	53	23	10.2%	11.5%	59	26	53	23	10.2%	11.5%
	R79	RESIDENTIAL	UNKNOWN		W116/F05	14.7	10.1	4.6	31.3%	14.7	10.1	4.6	31.3%	95.9	95.9	0.0	0.0%	22	20	18	17	18.2%	15.0%	22	20	18	17	18.2%	15.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

CAMBRIDGE GARDENS (CONTINUED)

	R95	RESIDENTIAL	UNKNOWN		W63/F05	27.2	16.9	10.3	37.9%	27.2	16.9	10.3	37.9%	99.3	52.7	2.3	47.0%	66	26	53	14	19.7%	46.2%	66	26	53	14	19.7%	46.2%
F06	R1	RESIDENTIAL	UNKNOWN		W1/F06	36.5	30.8	5.7	15.6%	36.5	30.8	5.7	15.6%	99.1	95.3	0.5	3.8%	77	27	71	21	7.8%	22.2%	77	27	71	21	7.8%	22.2%
	R2	RESIDENTIAL	UNKNOWN		W2/F06	16.9	11.4	5.5	32.5%	16.4	10.8	5.6	34.1%	97	91.5	0.5	5.6%	27	20	21	14	22.2%	30.0%	30	20	24	14	20.0%	30.0%
			UNKNOWN		W3/F06	16	10.2	5.8	36.3%									23	19	17	13	26.1%	31.6%						
	R3	RESIDENTIAL	UNKNOWN		W4/F06	28.2	22.8	5.4	19.1%	31.1	25.5	5.6	18.0%	99.1	96.3	0.4	2.8%	69	28	62	21	10.1%	25.0%	79	28	72	21	8.9%	25.0%
			UNKNOWN		W5/F06	33.9	28	5.9	17.4%									71	27	64	20	9.9%	25.9%						
	R4	RESIDENTIAL	UNKNOWN		W6/F06	33.9	28	5.9	17.4%	31.2	25.5	5.7	18.3%	99	93.1	1.0	5.9%	64	26	56	18	12.5%	30.8%	69	29	61	21	11.6%	27.6%
			UNKNOWN		W7/F06	28.3	22.9	5.4	19.1%									58	29	50	21	13.8%	27.6%						
	R5	RESIDENTIAL	UNKNOWN		W8/F06	15.8	10	5.8	36.7%	16.6	10.7	5.9	35.5%	97.1	86	0.9	11.4%	26	23	19	16	26.9%	30.4%	32	25	25	18	21.9%	28.0%
			UNKNOWN		W9/F06	17.3	11.4	5.9	34.1%									28	23	21	16	25.0%	30.4%						
	R6	RESIDENTIAL	UNKNOWN		W10/F06	37.7	31.7	6	15.9%	37.7	31.7	6	15.9%	98.9	93.1	1.0	5.8%	84	30	76	22	9.5%	26.7%	84	30	76	22	9.5%	26.7%
	R7	RESIDENTIAL	UNKNOWN		W11/F06	37.9	32	5.9	15.6%	37.9	32	5.9	15.6%	99.3	92.7	1.0	6.6%	85	28	79	22	7.1%	21.4%	85	28	79	22	7.1%	21.4%
	R8	RESIDENTIAL	UNKNOWN		W12/F06	37.6	31.7	5.9	15.7%	37.6	31.7	5.9	15.7%	98.9	93.2	1.0	5.8%	83	27	78	22	6.0%	18.5%	83	27	78	22	6.0%	18.5%
	R9	RESIDENTIAL	UNKNOWN		W13/F06	17.2	11.5	5.7	33.1%	16.4	10.7	5.7	34.8%	97.1	74.8	1.9	23.0%	29	22	23	16	20.7%	27.3%	32	22	26	16	18.8%	27.3%
			UNKNOWN		W14/F06	15.7	9.9	5.8	36.9%									25	21	19	15	24.0%	28.6%						
	R10	RESIDENTIAL	UNKNOWN		W15/F06	28.2	22.7	5.5	19.5%	31.1	25.4	5.7	18.3%	99	93.7	0.8	5.3%	69	28	64	23	7.2%	17.9%	80	29	74	23	7.5%	20.7%
			UNKNOWN		W16/F06	33.8	28	5.8	17.2%									72	28	66	22	8.3%	21.4%						
	R11	RESIDENTIAL	UNKNOWN		W17/F06	33.8	28	5.8	17.2%	31	25.5	5.5	17.7%	99	91.9	1.1	7.2%	64	26	59	21	7.8%	19.2%	70	30	65	25	7.1%	16.7%
			UNKNOWN		W18/F06	28.1	22.9	5.2	18.5%									59	30	54	25	8.5%	16.7%						
	R12	RESIDENTIAL	UNKNOWN		W19/F06	15.8	10.2	5.6	35.4%	15.8	10.2	5.6	35.4%	96.8	68.8	2.4	29.0%	26	24	21	19	19.2%	20.8%	30	26	25	21	16.7%	19.2%
			UNKNOWN		W20/F06	15.9	10.2	5.7	35.8%									25	22	20	17	20.0%	22.7%						
	R13	RESIDENTIAL	UNKNOWN		W21/F06	36.3	30.7	5.6	15.4%	36.3	30.7	5.6	15.4%	98.9	85.9	1.6	13.1%	80	30	75	25	6.3%	16.7%	80	30	75	25	6.3%	16.7%

136 GLOUCESTER ROAD

F00	R1	RESIDENTIAL	RECEPTION ROOM		W1/F00	27.7	25.8	1.9	6.9%	29.2	25.5	3.7	12.7%	99.7	99.7	0.0	0.0%	29	8	18	0	30.4%	100.0%	42	8	35	6	16.7%	25.0%
			RECEPTION ROOM		W2/F00	31.8	27.4	4.4	13.8%									41	7	34	5	17.1%	28.6%						
			RECEPTION ROOM		W3/F00	24.2	20.1	4.1	16.9%									42	8	35	6	16.7%	25.0%						
	R3	RESIDENTIAL	KITCHEN (1)		W6/F00	19.8	15.9	3.9	19.7%	21.9	19.9	2	9.1%	100	100	0.0	0.0%	39	6	30	4	23.1%	33.3%	69	12	59	9	14.5%	25.0%
			KITCHEN (1)		W7/F00	23.1	21.1	2	8.7%									62	12	56	9	9.7%	25.0%						
			KITCHEN (1)		W8/F00	23.2	23.2	0	0.0%									18	18	18	18	100%	100%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	33.5	28.5	5	14.9%	33.5	28.5	5	14.9%	99.5	99.5	0.0	0.0%	42	8	33	4	21.4%	50.0%	42	8	33	4	21.4%	50.0%

(1) KITCHEN SMALLER THAN 13m2  
 (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)  
 (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS %	LOSS %	EX	PR	LOSS %	LOSS %	EX	PR	LOSS %	LOSS %
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL

136 GLOUCESTER ROAD (CONTINUED)																													
	R2	RESIDENTIAL	BEDROOM		W2/F01	28.4	23.5	4.9	17.3%	25	21	4	16.0%	98	96.6	0.1	1.4%	32	6	24	3	25.0%	50.0%	55	14	46	10	16.4%	28.6%
			BEDROOM		W3/F01	19.5	16.9	2.6	13.3%									44	13	38	9	13.6%	30.8%						
	R3	RESIDENTIAL	BEDROOM		W4/F01	23.3	18.7	4.6	19.7%	26.6	24.3	2.3	8.6%	100	100	0.0	0.0%	30	5	22	2	26.7%	60.0%	62	9	54	6	12.9%	33.3%
			BEDROOM		W5/F01	29.9	29.9	0	0.0%									22	4	22	4	0.0%	0.0%						

134 GLOUCESTER ROAD																													
F00	R1	RESIDENTIAL	KITCHEN (1)		W1/F00	29.7	29.4	0.3	1.0%	26.1	25.4	0.7	2.7%	100	100	0.0	0.0%	7	0	4	0	42.9%	0.0%	32	0	29	0	9.4%	0.0%
			KITCHEN (1)		W2/F00	22.4	20.3	2.1	9.4%									10	0	7	0	30.0%	0.0%						
			KITCHEN (1)		W12/F00	21.3	21.3	0	0.0%									22	0	22	0	0.0%	0.0%						
	R2	RESIDENTIAL	PORCH		W3/F00	32	31.7	0.3	0.9%	28	25	3	10.7%	100	100	0.0	0.0%	2	0	3	0	10.0%	0.0%	43	9	34	5	20.9%	44.4%
			PORCH		W4/F00	32	27.5	4.5	14.1%									41	8	34	5	17.1%	37.5%						
			PORCH		W5/F00	32.3	27.7	4.6	14.2%									41	9	33	5	19.5%	44.4%						
			PORCH		W6/F00	31.9	27.5	4.4	13.8%									42	8	34	5	19.0%	37.5%						
			PORCH		W7/F00	32	27.5	4.5	14.1%									42	8	34	5	19.0%	37.5%						
			PORCH		W8/F00	14	11.8	2.2	15.7%									35	8	31	5	11.4%	37.5%						
	R3	RESIDENTIAL	RECEPTION ROOM		W9/F00	4	3	1	25.0%	24.2	20.5	3.7	15.3%	99.6	99.6	0.0	0.0%	11	0	10	0	28.0%	100.0%	43	8	35	5	18.6%	37.5%
			RECEPTION ROOM		W10/F00	31.1	26.7	4.4	14.1%									41	8	34	5	17.1%	37.5%						
			RECEPTION ROOM		W11/F00	24.4	20.1	4.3	17.6%									41	6	34	4	17.1%	33.3%						
F01	R2	RESIDENTIAL	BEDROOM		W3/F01	22.4	22.1	0.3	1.3%	26.8	23.5	3.3	12.3%	99.2	99.2	0.0	0.0%	4	0	3	0	75.0%	0.0%	35	8	26	4	25.7%	50.0%
			BEDROOM		W4/F01	29.4	24.4	5	17.0%									35	8	26	4	25.7%	50.0%						
	R3	RESIDENTIAL	BEDROOM		W5/F01	33.8	28.8	5	14.8%	33.8	28.8	5	14.8%	99.7	99.7	0.0	0.0%	42	8	33	4	21.4%	50.0%	42	8	33	4	21.4%	50.0%

59 CAMBRIDGE ROAD																													
F00	R1	RESIDENTIAL	RECEPTION ROOM		W1/F00	28.4	25.1	3.3	11.6%	28.4	25.1	3.3	11.6%	94.4	89.5	0.3	5.2%	57	17	49	14	14.0%	17.6%	57	17	49	14	14.0%	17.6%
	R3	RESIDENTIAL	RECEPTION ROOM		W3/F00	29.5	26.6	2.9	9.8%	25.4	23.1	2.3	9.1%	89.6	81.4	1.0	9.2%	65	20	57	17	12.3%	15.0%	66	20	59	18	10.6%	10.0%
			RECEPTION ROOM		W4/F00	14.1	13.6	0.5	3.5%									27	11	25	9	7.4%	18.2%						
	R4	RESIDENTIAL	UNKNOWN		W5/F00	14.5	14	0.5	3.4%	25.7	25.5	0.2	0.8%	97.9	97.9	0.0	0.0%	27	7	25	5	7.4%	28.6%	44	9	42	7	4.5%	22.2%
			UNKNOWN		W6/F00	36.6	36.6	0	0.0%									22	2	22	2	0.0%	0.0%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	28.8	25.1	3.7	12.8%	28.8	25.1	3.7	12.8%	97.7	96.4	0.1	1.4%	59	18	51	15	13.6%	16.7%	59	18	51	15	13.6%	16.7%
	R2	RESIDENTIAL	BEDROOM		W2/F01	22.3	18.9	3.4	15.2%	22.3	18.9	3.4	15.2%	92.7	92.6	0.0	0.1%	42	9	35	6	16.7%	33.3%	42	9	35	6	16.7%	33.3%
	R3	RESIDENTIAL	BEDROOM		W3/F01	31.3	28.1	3.2	10.2%	31.3	28.1	3.2	10.2%	86.8	78.4	1.1	9.6%	66	20	60	18	9.1%	10.0%	66	20	60	18	9.1%	10.0%

(1) KITCHEN SMALLER THAN 13m2  
 (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)  
 (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)					
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

57 CAMBRIDGE ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	26	25.2	0.8	3.1%	30.4	30.1	0.3	1.0%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/F00	34.1	34.1	0	0.0%									N/A	N/A	N/A	N/A	N/A	N/A						
	R2	RESIDENTIAL	RECEPTION ROOM		W2/F00	27.3	25.6	1.7	6.2%	28.5	25.5	3	10.5%	97.6	88.5	1.0	9.3%	22		18	0	27.3%	100.0%	65	18	56	14	13.8%	22.2%
			RECEPTION ROOM		W3/F00	29.1	25.5	3.6	12.4%									64	17	55	14	14.1%	17.6%						
	R4	RESIDENTIAL	RECEPTION ROOM		W8/F00	26.6	23.5	3.1	11.7%	26.6	23.5	3.1	11.7%	94.3	84.9	0.7	9.9%	54	16	49	14	9.3%	12.5%	54	16	49	14	9.3%	12.5%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	31.3	27.1	4.2	13.4%	31.3	27.1	4.2	13.4%	91.2	69.4	2.5	23.9%	66	18	58	16	12.1%	11.1%	66	18	58	16	12.1%	11.1%
	R2	RESIDENTIAL	BEDROOM		W2/F01	22.6	19.6	3	13.3%	22.6	19.6	3	13.3%	93.3	91.5	0.1	1.9%	48	19	42	16	12.5%	15.8%	48	19	42	16	12.5%	15.8%
	R3	RESIDENTIAL	BEDROOM		W3/F01	28.9	25	3.9	13.5%	28.9	25	3.9	13.5%	97.7	93.9	0.3	3.9%	59	19	52	17	11.9%	10.5%	59	19	52	17	11.9%	10.5%

63 CAMBRIDGE ROAD																													
F00	R1	RESIDENTIAL	RECEPTION ROOM		W1/F00	30.3	28	2.3	7.6%	30.3	28	2.3	7.6%	95	93.4	0.2	1.7%	64	18	61	18	4.7%	0.0%	64	18	61	18	4.7%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W5/F00	8.5	8.3	0.2	2.4%	8.5	8.3	0.2	2.4%	39.2	39.1	0.0	0.4%	20	9	18	7	10.0%	22.2%	20	9	18	7	10.0%	22.2%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	31.3	28.9	2.4	7.7%	31.3	28.9	2.4	7.7%	93.6	88.2	0.7	5.7%	63	19	61	19	3.2%	0.0%	63	19	61	19	3.2%	0.0%
	R2	RESIDENTIAL	BEDROOM		W2/F01	31.6	29.2	2.4	7.6%	31.6	29.2	2.4	7.6%	91.6	90.8	0.1	0.8%	64	20	61	19	4.7%	5.0%	64	20	61	19	4.7%	5.0%
	R3	RESIDENTIAL	UNKNOWN		W3/F01	23.3	23	0.3	1.3%	23.3	23	0.3	1.3%	74.5	74.5	0.0	0.0%	47	15	45	13	4.3%	13.3%	47	15	45	13	4.3%	13.3%

61 CAMBRIDGE ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	17.6	17.6	0	0.0%	27	27	0	0.0%	99.3	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W6/F00	36.4	36.4	0	0.0%									N/A	N/A	N/A	N/A	N/A	N/A						
	R4	RESIDENTIAL	RECEPTION ROOM		W5/F00	29.9	27.4	2.5	8.4%	29.9	27.4	2.5	8.4%	89.2	84.2	0.6	5.6%	65	20	61	19	6.2%	5.0%	65	20	61	19	6.2%	5.0%
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	26.8	26.1	0.7	2.6%	26.8	26.1	0.7	2.6%	97.4	97.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F01	31	28.3	2.7	8.7%	31	28.3	2.7	8.7%	90.5	89.6	0.1	1.0%	64	19	60	18	6.3%	5.3%	64	19	60	18	6.3%	5.3%
	R3	RESIDENTIAL	BEDROOM		W3/F01	31.1	28.5	2.6	8.4%	31.1	28.5	2.6	8.4%	87	78.7	1.0	9.5%	65	20	61	19	6.2%	5.0%	65	20	61	19	6.2%	5.0%

49 VINCENT ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	29	8.9	20.1	69.3%	23.6	10	13.6	57.6%	100	99.9	0.0	0.1%	12	0	9	0	25.0%	0.0%	12	0	9	0	25.0%	0.0%
			LIVING ROOM		W2/F00	29	8.9	20.1	69.3%									12	0	9	0	25.0%	0.0%						
			LIVING ROOM		W3/F00	17.8	11.2	6.6	37.1%									6	0	5	0	16.7%	0.0%						
	R2	RESIDENTIAL	LIVING ROOM		W4/F00	24.2	7.7	16.5	68.2%	24.2	7.7	16.5	68.2%	86.7	18.3	7.7	78.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	29.9	10.3	19.6	65.6%	29.9	10.3	19.6	65.6%	87	20.2	7.5	76.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

- (1) KITCHEN SMALLER THAN 13m2
- (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)
- (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %			
						%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER		
<b>34 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	30.2	11	19.2	63.6%	30.3	11	19.3	63.7%	98.3	25.2	8.8	74.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W2/F00	30.3	10.9	19.4	64.0%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W3/F00	30.6	11.2	19.4	63.4%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	31.3	12.1	19.2	61.3%	31.3	12.1	19.2	61.3%	95.4	26.8	8.2	72.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>52 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	22.5	7.7	14.8	65.8%	22.5	7.7	14.8	65.8%	86.1	17.3	8.1	80.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	LIVING ROOM		W2/F00	28.4	8.8	19.6	69.0%	28.6	9	19.6	68.5%	100	47.1	0.6	52.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W3/F00	28.7	9.1	19.6	68.3%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	29.5	10.4	19.1	64.7%	29.5	10.4	19.1	64.7%	87.5	20.2	8.0	76.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>50 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	27.3	7.9	19.4	71.1%	26.3	7.7	18.6	70.7%	100	23.3	9.3	76.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W2/F00	21.5	6.7	14.8	68.8%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W3/F00	25.3	8	17.3	68.4%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	29.7	10.2	19.5	65.7%	29.7	10.2	19.5	65.7%	88.1	21.4	8.1	75.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>46 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	23.6	7.8	15.8	66.9%	23.6	7.8	15.8	66.9%	85.1	18.5	8.7	78.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	LIVING ROOM		W2/F00	18.5	10.6	7.9	42.7%	23.9	9.7	14.2	59.4%	100	99.8	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W3/F00	29	8.9	20.1	69.3%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W4/F00	29	8.9	20.1	69.3%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	30	10.4	19.6	65.3%	30	10.4	19.6	65.3%	87.2	22.2	8.4	74.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>44 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	24	7.9	16.1	67.1%	28.1	9.3	18.8	66.9%	98.8	21.2	8.4	78.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W2/F00	28	9.6	18.4	65.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W3/F00	28.7	9.5	19.2	66.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	30.1	10.5	19.6	65.1%	30.1	10.5	19.6	65.1%	84.2	20.8	6.8	75.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2  
 (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)  
 (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)						
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	
<b>42 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	29.2	9.1	20.1	68.8%	22.5	10.3	12.2	54.2%	100	99.6	0.0	0.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W2/F00	18.5	11	7.5	40.5%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	LIVING ROOM		W3/F00	27.1	9	18.1	66.8%	27.1	9	18.1	66.8%	98.6	25.4	9.6	74.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	30.3	10.8	19.5	64.4%	30.3	10.8	19.5	64.4%	96.5	23.5	8.3	72.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>40 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	29.7	10.1	19.6	66.0%	29.8	10.2	19.6	65.8%	98.6	22.5	8.5	77.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W2/F00	29.8	10.3	19.5	65.4%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W3/F00	30.1	10.6	19.5	64.8%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	30.5	11.1	19.4	63.6%	30.5	11.1	19.4	63.6%	84.6	23.1	6.8	72.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>39 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	29.9	10.5	19.4	64.9%	29.9	10.5	19.4	64.9%	98.3	24.6	8.7	75.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W2/F00	29.9	10.5	19.4	64.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W3/F00	30.2	10.7	19.5	64.6%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	30.8	11.5	19.3	62.7%	30.8	11.5	19.3	62.7%	94.8	26.3	8.0	72.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>36 VINCENT ROAD</b>																														
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	30.1	10.7	19.4	64.5%	30.2	10.8	19.4	64.2%	98.4	23.5	8.9	76.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W2/F00	30.2	10.9	19.3	63.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W3/F00	30.5	11.1	19.4	63.6%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	31	11.7	19.3	62.3%	31	11.7	19.3	62.3%	87.5	24.3	7.5	72.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>33 CAMBRIDGE ROAD</b>																														
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	34	25.5	8.5	25.0%	34	25.4	8.6	25.3%	98.2	98.2	0.0	0.0%	79	24	65	12	17.7%	50.0%	80	25	67	13	16.3%	48.0%	
			UNKNOWN		W2/F01	33.9	25.3	8.6	25.4%									80	25	66	12	17.5%	52.0%							
<b>31 CAMBRIDGE ROAD</b>																														
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	34.1	25.8	8.3	24.3%	34.1	25.8	8.3	24.3%	98.7	98.7	0.0	0.0%	81	26	69	15	14.8%	42.3%	81	26	69	15	14.8%	42.3%	
			UNKNOWN		W2/F01	34.1	25.7	8.4	24.6%									80	25	68	14	15.0%	44.0%							
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02 / INC (2)	85.2	78.3	6.9	8.1%	84.2	77.4	6.8	8.1%	90	90	0.0	0.0%	90	26	80	16	11.1%	38.5%	90	26	80	16	11.1%	38.5%	

(1) KITCHEN SMALLER THAN 13m2  
 (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)  
 (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
31 CAMBRIDGE ROAD (CONTINUED)																													
			UNKNOWN		W2/F02 / INC (2)	83.3	76.5	6.8	8.2%										94	24	73	13	13.1%	45.8%					
29 CAMBRIDGE ROAD																													
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	34.1	26.1	8	23.5%	34.1	26	8.1	23.8%	98.1	98.1	0.0	0.0%	81	26	67	14	17.3%	46.2%	81	26	68	15	16.0%	42.3%
			UNKNOWN		W2/F01	34.1	26	8.1	23.8%									81	26	68	15	16.0%	42.3%						
27 CAMBRIDGE ROAD																													
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	34	26.2	7.8	22.9%	34	26.2	7.8	22.9%	98.6	98.6	0.0	0.0%	81	25	69	13	14.8%	48.0%	81	25	70	14	13.6%	44.0%
			UNKNOWN		W2/F01	34	26.2	7.8	22.9%									90	25	67	13	16.3%	48.0%						
VIBE STUDENT LIVING 66-70 CAMBRIDGE ROAD																													
F01	R1	RESIDENTIAL	STUDENT ACCOMMODATION		W1/F01	9.1	2	7.1	78.0%	9.1	2	7.1	78.0%	33.1	7.1	6.3	78.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDENT ACCOMMODATION		W2/F01	27.2	9.3	17.9	65.8%	27.2	9.3	17.9	65.8%	97.6	31.2	7.6	68.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDENT ACCOMMODATION		W3/F01	32.7	15.1	17.6	53.8%	32.7	15.1	17.6	53.8%	98.5	35.9	6.9	63.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDENT ACCOMMODATION		W4/F01	33.3	15.8	17.5	52.6%	33.3	15.8	17.5	52.6%	97.8	39.1	6.5	60.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	STUDENT ACCOMMODATION		W5/F01	23.1	9.7	13.4	58.0%	23.1	9.7	13.4	58.0%	70	14.8	7.4	78.8%	52	13	21	0	59.6%	100.0%	52	13	21	0	59.6%	100.0%
	R6	RESIDENTIAL	STUDENT ACCOMMODATION		W6/F01	23	8.8	14.2	61.7%	23	8.8	14.2	61.7%	67	26.2	5.4	60.9%	54	15	19	0	64.8%	100.0%	54	15	19	0	64.8%	100.0%
	R7	RESIDENTIAL	STUDENT ACCOMMODATION		W7/F01	22.9	7.7	15.2	66.4%	22.8	7.4	15.4	67.5%	98.5	47.4	10.2	51.9%	53	14	17	0	67.9%	100.0%	55	15	17	0	69.1%	100.0%
			STUDENT ACCOMMODATION		W8/F01	22.7	7.1	15.6	68.7%									54	15	14	0	74.1%	100.0%						
	R8	RESIDENTIAL	STUDENT ACCOMMODATION		W9/F01	15	2	13	86.7%	15	2	13	86.7%	83.6	5.9	8.2	93.0%	40	11	4	0	90.0%	100.0%	40	11	4	0	90.0%	100.0%
	R9	RESIDENTIAL	STUDENT ACCOMMODATION		W10/F01	6	4.2	1.8	30.0%	6	4.2	1.8	30.0%	20	13.8	0.8	31.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDENT ACCOMMODATION		W12/F01	9.8	7	2.8	28.6%	9.8	7	2.8	28.6%	14.3	14.3	0.0	0.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	STUDENT ACCOMMODATION		W13/F01	26.7	3.8	22.9	85.8%	26.7	3.8	22.9	85.8%	98.7	5.7	11.5	94.2%	63	21	2	0	96.8%	100.0%	63	21	2	0	96.8%	100.0%
	R12	RESIDENTIAL	STUDENT ACCOMMODATION		W14/F01	27.5	3.5	24	87.3%	27.5	3.5	24	87.3%	99.4	7.3	10.1	92.7%	65	21	3	0	95.4%	100.0%	65	21	3	0	95.4%	100.0%
	R13	RESIDENTIAL	STUDENT ACCOMMODATION		W15/F01	27.7	3.3	24.4	88.1%	27.7	3.3	24.4	88.1%	99.4	6.7	10.1	93.3%	65	19	2	0	96.9%	100.0%	65	19	2	0	96.9%	100.0%
	R14	RESIDENTIAL	STUDENT ACCOMMODATION		W16/F01	26.7	3.1	23.6	88.4%	26.7	3.1	23.6	88.4%	99.5	6.5	10.3	93.4%	63	16	1	0	98.4%	100.0%	63	16	1	0	98.4%	100.0%
	R15	RESIDENTIAL	STUDENT ACCOMMODATION		W17/F01	26.4	2.9	23.5	89.0%	26.4	2.9	23.5	89.0%	99	6.8	11.6	93.1%	64	15	1	0	98.4%	100.0%	64	15	1	0	98.4%	100.0%
	R16	RESIDENTIAL	STUDENT ACCOMMODATION		W18/F01	24	1.4	22.6	94.2%	24	1.4	22.6	94.2%	95.2	3.2	12.3	96.6%	57	17	0	0	100.0%	100.0%	57	17	0	0	100.0%	100.0%
	R17 (3)	RESIDENTIAL	STUDENT ACCOMMODATION		W19/F01	27.1	2	25.1	92.6%	27.1	2	25.1	92.6%	96.6	3.7	14.9	96.2%	63	18	0	0	100.0%	100.0%	63	18	0	0	100.0%	100.0%
	R18	RESIDENTIAL	STUDENT ACCOMMODATION		W20/F01	29.3	8.4	20.9	71.3%	29.3	8.4	20.9	71.3%	92.6	22	9.0	76.3%	58	17	3	0	94.8%	100.0%	58	17	3	0	94.8%	100.0%
	R19	RESIDENTIAL	STUDENT ACCOMMODATION		W21/F01	29.5	9.5	20	67.8%	29.5	9.5	20	67.8%	91.2	30.2	6.9	66.9%	57	17	5	0	91.2%	100.0%	57	17	5	0	91.2%	100.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)						
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
VIBE STUDENT LIVING 66-70 CAMBRIDGE ROAD (CONTINUED)																														
	R20	RESIDENTIAL	STUDENT ACCOMMODATION		W22/F01	29.6	10.3	19.3	65.2%	29.6	10.3	19.3	65.2%	92.1	19.4	8.7	78.9%	57	17	8	0	86.0%	100.0%	57	17	8	0	86.0%	100.0%	
	R21	RESIDENTIAL	STUDENT ACCOMMODATION		W23/F01	30	11.8	18.2	60.7%	30	11.8	18.2	60.7%	89.4	36.6	5.8	59.0%	59	17	10	0	83.1%	100.0%	59	17	10	0	83.1%	100.0%	
	R22	RESIDENTIAL	STUDENT ACCOMMODATION		W24/F01	30.2	13	17.2	57.0%	30.2	13	17.2	57.0%	90.9	26.2	7.9	71.1%	59	17	13	0	78.0%	100.0%	59	17	13	0	78.0%	100.0%	
	R23	RESIDENTIAL	STUDENT ACCOMMODATION		W25/F01	29	15.4	13.6	46.9%	29	15.4	13.6	46.9%	94.9	85.7	1.0	9.7%	43	10	17	0	60.5%	100.0%	43	10	17	0	60.5%	100.0%	
	R24 (3)	RESIDENTIAL	STUDENT ACCOMMODATION		W26/F01	29.6	16.6	13	43.9%	29.6	16.6	13	43.9%	88.4	61	6.1	31.1%	52	14	22	1	57.7%	92.9%	52	14	22	1	57.7%	92.9%	
	R25	RESIDENTIAL	STUDENT ACCOMMODATION		W11/F01	8.6	6.1	2.5	29.1%	8.6	6.1	2.5	29.1%	33.7	30.2	0.4	10.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	STUDENT ACCOMMODATION		W1/F02	33.2	23.5	9.7	29.2%	33.2	23.5	9.7	29.2%	81.6	76.5	0.7	6.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDENT ACCOMMODATION		W2/F02	20.7	9.2	11.5	55.6%	19.7	8.8	10.9	55.3%	72.4	55.7	3.3	23.1%	36	7	13	2	63.9%	71.4%	36	7	16	2	55.6%	71.4%	
			STUDENT ACCOMMODATION		W3/F02	18.7	8.3	10.4	55.6%									31	6	13	2	58.1%	66.7%							
	R3	RESIDENTIAL	STUDENT ACCOMMODATION		W4/F02	10.9	3.2	7.7	70.6%	10.9	3.2	7.7	70.6%	33.1	27	0.9	18.3%	18	2	1	0	94.4%	100.0%	18	2	1	0	94.4%	100.0%	
	R4	RESIDENTIAL	STUDENT ACCOMMODATION		W5/F02	9.6	2.4	7.2	75.0%	13.3	4.3	9	67.7%	95.1	36.2	14.3	61.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			STUDENT ACCOMMODATION		W6/F02	17.5	6.5	11	62.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	STUDENT ACCOMMODATION		W7/F02	31.9	14.6	17.3	54.2%	31.9	14.6	17.3	54.2%	97.9	35.3	7.2	64.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDENT ACCOMMODATION		W8/F02	33.5	15.4	18.1	54.0%	33.5	15.4	18.1	54.0%	95.3	52.2	5.0	45.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDENT ACCOMMODATION		W9/F02	28.5	10.1	18.4	64.6%	28.5	10.1	18.4	64.6%	97.6	32.1	7.5	67.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDENT ACCOMMODATION		W10/F02	34.3	16	18.3	53.4%	34.3	16	18.3	53.4%	98.5	36.4	6.8	63.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDENT ACCOMMODATION		W11/F02	34.9	16.8	18.1	51.9%	34.9	16.8	18.1	51.9%	98.1	39.8	6.4	59.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDENT ACCOMMODATION		W12/F02	24.3	10.4	13.9	57.2%	24.3	10.4	13.9	57.2%	70	15.4	7.3	78.0%	56	15	22	0	60.7%	100.0%	56	15	22	0	60.7%	100.0%	
	R11	RESIDENTIAL	STUDENT ACCOMMODATION		W13/F02	24.3	9.4	14.9	61.3%	24.3	9.4	14.9	61.3%	67	27	5.3	59.7%	57	17	20	0	64.9%	100.0%	57	17	20	0	64.9%	100.0%	
	R12	RESIDENTIAL	STUDENT ACCOMMODATION		W14/F02	24.6	8.3	16.3	66.3%	24.8	8	16.8	67.7%	98.5	50.9	9.5	48.3%	56	17	17	0	69.6%	100.0%	58	18	17	0	70.7%	100.0%	
			STUDENT ACCOMMODATION		W15/F02	24.9	7.6	17.3	69.5%									57	18	15	0	73.7%	100.0%							
	R13	RESIDENTIAL	STUDENT ACCOMMODATION		W16/F02	19.5	2.3	17.2	88.2%	19.5	2.3	17.2	88.2%	84	6	8.2	92.9%	47	18	5	0	89.4%	100.0%	47	18	5	0	89.4%	100.0%	
	R14	RESIDENTIAL	STUDENT ACCOMMODATION		W17/F02	12	5.8	6.2	51.7%	12	5.8	6.2	51.7%	24	10.7	2.4	55.6%	31	14	4	0	87.1%	100.0%	31	14	4	0	87.1%	100.0%	
	R15	RESIDENTIAL	STUDENT ACCOMMODATION		W18/F02	6.3	2.9	3.4	54.0%	6.3	2.9	3.4	54.0%	35.4	9.2	3.9	73.9%	14	3	9	0	35.7%	100.0%	14	3	9	0	35.7%	100.0%	
	R16	RESIDENTIAL	STUDENT ACCOMMODATION		W19/F02	13.8	4.2	9.6	69.6%	14.2	4.4	9.8	69.0%	94.2	18	12.7	80.9%	24	9	8	0	66.7%	100.0%	27	10	8	0	70.4%	100.0%	
			STUDENT ACCOMMODATION		W20/F02	14.6	4.7	9.9	67.8%									23	9	5	0	78.3%	100.0%							
	R17	RESIDENTIAL	STUDENT ACCOMMODATION		W21/F02	14.3	5	9.3	65.0%	14.3	5	9.3	65.0%	71.1	10.3	8.6	85.6%	22	8	2	0	90.9%	100.0%	22	8	2	0	90.9%	100.0%	
	R18	RESIDENTIAL	STUDENT ACCOMMODATION		W22/F02	13.3	4.8	8.5	63.9%	13.3	4.8	8.5	63.9%	78.7	13.9	7.5	82.3%	18	5	1	0	94.4%	100.0%	18	5	1	0	94.4%	100.0%	
	R19	RESIDENTIAL	STUDENT ACCOMMODATION		W23/F02	8.8	2.6	6.2	70.5%	8.8	2.6	6.2	70.5%	92.9	16.2	7.2	82.6%	11	2	0	0	100.0%	100.0%	11	2	0	0	100.0%	100.0%	
	R20	RESIDENTIAL	STUDENT ACCOMMODATION		W24/F02	7.2	5.5	1.7	23.6%	7.2	5.5	1.7	23.6%	25.1	21.4	0.5	14.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R21	RESIDENTIAL	STUDENT ACCOMMODATION		W25/F02	9.4	7.1	2.3	24.5%	10.2	7.8	2.4	23.5%	52.7	50.9	0.3	3.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)					
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
VIBE STUDENT LIVING 66-70 CAMBRIDGE ROAD (CONTINUED)																													
			STUDENT ACCOMMODATION		W26/F02	11	8.4	2.6	23.6%																				
R22	RESIDENTIAL		STUDENT ACCOMMODATION		W27/F02	131	9.8	3.3	25.2%	131	9.8	3.3	25.2%	36.5	34.5	0.3	5.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
R23	RESIDENTIAL		STUDENT ACCOMMODATION		W28/F02	29	4.2	24.8	85.5%	29	4.2	24.8	85.5%	98.7	6.5	11.5	93.4%	68	23	4	0	94.1%	100.0%	68	23	4	0	94.1%	100.0%
R24	RESIDENTIAL		STUDENT ACCOMMODATION		W29/F02	29.5	3.9	25.6	86.8%	29.5	3.9	25.6	86.8%	99.4	7.9	10.1	92.1%	69	23	3	0	95.7%	100.0%	69	23	3	0	95.7%	100.0%
R25	RESIDENTIAL		STUDENT ACCOMMODATION		W30/F02	29.8	3.7	26.1	87.6%	29.8	3.7	26.1	87.6%	99.4	7.4	10.1	92.6%	70	24	3	0	95.7%	100.0%	70	24	3	0	95.7%	100.0%
R26	RESIDENTIAL		STUDENT ACCOMMODATION		W31/F02	30.1	3.5	26.6	88.4%	30.1	3.5	26.6	88.4%	99.5	7.2	10.2	92.8%	70	22	1	0	98.6%	100.0%	70	22	1	0	98.6%	100.0%
R27	RESIDENTIAL		STUDENT ACCOMMODATION		W32/F02	30.4	3.3	27.1	89.1%	30.4	3.3	27.1	89.1%	99	7.5	11.6	92.5%	71	22	1	0	98.6%	100.0%	71	22	1	0	98.6%	100.0%
R28	RESIDENTIAL		STUDENT ACCOMMODATION		W33/F02	25.8	1.6	24.2	93.8%	25.8	1.6	24.2	93.8%	95.2	4.6	12.2	95.1%	61	21	0	0	100.0%	100.0%	61	21	0	0	100.0%	100.0%
R29	RESIDENTIAL		STUDENT ACCOMMODATION		W34/F02	29.2	2.3	26.9	92.1%	30.1	5	25.1	83.4%	97.4	44.4	8.5	54.4%	67	22	0	0	100.0%	100.0%	82	22	0	0	100.0%	100.0%
			STUDENT ACCOMMODATION		W35/F02	30.9	7.6	23.3	75.4%									60	17	0	0	100.0%	100.0%						
R30	RESIDENTIAL		STUDENT ACCOMMODATION		W36/F02	31.1	9	22.1	71.1%	31.1	9	22.1	71.1%	98.1	22.7	9.7	76.9%	60	17	3	0	95.0%	100.0%	60	17	3	0	95.0%	100.0%
R31	RESIDENTIAL		STUDENT ACCOMMODATION		W37/F02	31.3	10.1	21.2	67.7%	31.3	10.1	21.2	67.7%	98.5	31.1	7.7	68.4%	60	17	7	0	88.3%	100.0%	60	17	7	0	88.3%	100.0%
R32	RESIDENTIAL		STUDENT ACCOMMODATION		W38/F02	31.4	11	20.4	65.0%	31.4	11	20.4	65.0%	98.2	20.6	9.3	79.0%	59	17	10	0	83.1%	100.0%	59	17	10	0	83.1%	100.0%
R33	RESIDENTIAL		STUDENT ACCOMMODATION		W39/F02	31.6	12.5	19.1	60.4%	31.6	12.5	19.1	60.4%	97.9	37.4	6.7	61.8%	59	17	11	0	81.4%	100.0%	59	17	11	0	81.4%	100.0%
R34	RESIDENTIAL		STUDENT ACCOMMODATION		W40/F02	31.8	13.7	18.1	56.9%	31.8	13.7	18.1	56.9%	97.2	27.3	8.6	71.9%	60	17	14	0	76.7%	100.0%	60	17	14	0	76.7%	100.0%
R35	RESIDENTIAL		STUDENT ACCOMMODATION		W41/F02	22.4	13.3	9.1	40.6%	22.4	13.3	9.1	40.6%	68.3	9.4	6.4	86.3%	27	2	10	0	63.0%	100.0%	27	2	10	0	63.0%	100.0%
R36	RESIDENTIAL		STUDENT ACCOMMODATION		W42/F02	32	18.3	13.7	42.8%	29.4	22.6	6.8	23.1%	98.6	90.3	1.9	8.5%	56	17	23	1	58.9%	94.1%	56	17	26	3	53.6%	82.4%
			STUDENT ACCOMMODATION		W43/F02	26.9	26.8	0.1	0.4%									18	2	18	2	0.0%	0.0%						
F03	R1	RESIDENTIAL	STUDENT ACCOMMODATION		W1/F03	36.1	24.3	11.8	32.7%	36.1	24.3	11.8	32.7%	95.7	77.3	2.7	19.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDENT ACCOMMODATION		W2/F03	22	10.5	11.5	52.3%	20.8	9.9	10.9	52.4%	73.5	62.1	2.2	15.4%	38	7	16	3	57.9%	57.1%	38	7	18	3	52.6%	57.1%
			STUDENT ACCOMMODATION		W3/F03	19.5	9.3	10.2	52.3%									33	6	13	2	60.6%	66.7%						
	R3	RESIDENTIAL	STUDENT ACCOMMODATION		W4/F03	11.3	3.6	7.7	68.1%	11.3	3.6	7.7	68.1%	33.5	28.9	0.7	13.6%	18	2	1	0	94.4%	100.0%	18	2	1	0	94.4%	100.0%
	R4	RESIDENTIAL	STUDENT ACCOMMODATION		W5/F03	10.1	2.8	7.3	72.3%	14.2	4.9	9.3	65.5%	95.1	37.9	13.9	60.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			STUDENT ACCOMMODATION		W6/F03	18.8	7.3	11.5	61.2%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	STUDENT ACCOMMODATION		W7/F03	33.8	15.7	18.1	53.6%	33.8	15.7	18.1	53.6%	98	36.4	7.1	62.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDENT ACCOMMODATION		W8/F03	35.3	16.4	18.9	53.5%	35.3	16.4	18.9	53.5%	95.5	53.2	4.9	44.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDENT ACCOMMODATION		W9/F03	29.7	10.9	18.8	63.3%	29.7	10.9	18.8	63.3%	97.6	33.2	7.4	66.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDENT ACCOMMODATION		W10/F03	35.7	17	18.7	52.4%	35.7	17	18.7	52.4%	98.5	37	6.8	62.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDENT ACCOMMODATION		W11/F03	36.4	17.8	18.6	51.1%	36.4	17.8	18.6	51.1%	98.2	40.4	6.3	58.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDENT ACCOMMODATION		W13/F03	25.4	11.1	14.3	56.3%	25.4	11.1	14.3	56.3%	70.1	16.8	7.2	76.0%	58	16	23	0	60.3%	100.0%	58	16	23	0	60.3%	100.0%
			STUDENT ACCOMMODATION		W12/F03	25.4	11.1	14.3	56.3%									58	16	23	0	60.3%	100.0%						

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)									
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %			
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
VIBE STUDENT LIVING 66-70 CAMBRIDGE ROAD (CONTINUED)																															
	R11	RESIDENTIAL	STUDENT ACCOMMODATION		W15/F03	25.5	10.1	15.4	60.4%	25.5	10.1	15.4	60.4%	67.1	28.6	5.1	57.3%	59	18	20	0	66.1%	100.0%	59	18	20	0	66.1%	100.0%		
			STUDENT ACCOMMODATION		W14/F03	25.5	10.1	15.4	60.4%									59	18	20	0	66.1%	100.0%								
	R12	RESIDENTIAL	STUDENT ACCOMMODATION		W16/F03	25.8	8.9	16.9	65.5%	26	8.5	17.5	67.3%	98.5	53.2	9.1	46.0%	58	18	18	0	69.0%	100.0%	59	19	18	0	69.5%	100.0%		
			STUDENT ACCOMMODATION		W17/F03	26.2	8.1	18.1	69.1%									58	19	17	0	70.7%	100.0%								
	R13	RESIDENTIAL	STUDENT ACCOMMODATION		W18/F03	20.6	2.7	17.9	86.9%	20.6	2.7	17.9	86.9%	84.4	7.5	8.1	91.1%	51	20	6	0	88.2%	100.0%	51	20	6	0	88.2%	100.0%		
	R14	RESIDENTIAL	STUDENT ACCOMMODATION		W19/F03	14.3	8.1	6.2	43.4%	14.3	8.1	6.2	43.4%	26.6	14.5	2.2	45.4%	33	14	8	0	75.8%	100.0%	33	14	8	0	75.8%	100.0%		
	R15	RESIDENTIAL	STUDENT ACCOMMODATION		W20/F03	7.3	3.8	3.5	47.9%	7.3	3.8	3.5	47.9%	36.4	11.1	3.8	69.5%	17	4	11	0	35.3%	100.0%	17	4	11	0	35.3%	100.0%		
	R16	RESIDENTIAL	STUDENT ACCOMMODATION		W21/F03	15.3	5.5	9.8	64.1%	15.8	5.8	10	63.3%	96.1	21	12.6	78.2%	28	10	10	0	64.3%	100.0%	32	11	11	0	65.6%	100.0%		
			STUDENT ACCOMMODATION		W22/F03	16.4	6.1	10.3	62.8%									28	9	10	0	64.3%	100.0%								
	R17	RESIDENTIAL	STUDENT ACCOMMODATION		W23/F03	16.3	6.4	9.9	60.7%	16.3	6.4	9.9	60.7%	71.8	11.9	8.5	83.5%	25	8	6	0	76.0%	100.0%	25	8	6	0	76.0%	100.0%		
	R18	RESIDENTIAL	STUDENT ACCOMMODATION		W24/F03	15.2	6.3	8.9	58.6%	15.2	6.3	8.9	58.6%	83.1	19.6	7.3	76.4%	20	5	5	0	75.0%	100.0%	20	5	5	0	75.0%	100.0%		
	R19	RESIDENTIAL	STUDENT ACCOMMODATION		W25/F03	9.4	3.1	6.3	67.0%	9.4	3.1	6.3	67.0%	92.7	17.8	7.1	80.8%	12	2	1	0	91.7%	100.0%	12	2	1	0	91.7%	100.0%		
	R20	RESIDENTIAL	STUDENT ACCOMMODATION		W26/F03	9.1	7.3	1.8	19.8%	9.1	7.3	1.8	19.8%	33.2	31.4	0.2	5.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R21	RESIDENTIAL	STUDENT ACCOMMODATION		W27/F03	12	9.7	2.3	19.2%	13	10.4	2.6	20.0%	60.1	59.2	0.1	1.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			STUDENT ACCOMMODATION		W28/F03	14	11.2	2.8	20.0%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R22	RESIDENTIAL	STUDENT ACCOMMODATION		W29/F03	16.1	12.6	3.5	21.7%	16.1	12.6	3.5	21.7%	44	42.1	0.3	4.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R23	RESIDENTIAL	STUDENT ACCOMMODATION		W30/F03	30.6	4.6	26	85.0%	30.6	4.6	26	85.0%	98.8	6.8	11.4	93.1%	68	23	7	0	89.7%	100.0%	68	23	7	0	89.7%	100.0%		
	R24	RESIDENTIAL	STUDENT ACCOMMODATION		W31/F03	31.1	4.4	26.7	85.9%	31.1	4.4	26.7	85.9%	99.4	8.1	10.0	91.9%	69	23	5	0	92.8%	100.0%	69	23	5	0	92.8%	100.0%		
	R25	RESIDENTIAL	STUDENT ACCOMMODATION		W32/F03	31.5	4.1	27.4	87.0%	31.5	4.1	27.4	87.0%	99.4	7.6	10.0	92.4%	72	24	4	0	94.4%	100.0%	72	24	4	0	94.4%	100.0%		
	R26	RESIDENTIAL	STUDENT ACCOMMODATION		W33/F03	31.8	3.9	27.9	87.7%	31.8	3.9	27.9	87.7%	99.5	7.4	10.2	92.6%	71	23	2	0	97.2%	100.0%	71	23	2	0	97.2%	100.0%		
	R27	RESIDENTIAL	STUDENT ACCOMMODATION		W34/F03	32.1	3.7	28.4	88.5%	32.1	3.7	28.4	88.5%	99	7.6	11.5	92.3%	72	23	1	0	98.6%	100.0%	72	23	1	0	98.6%	100.0%		
	R28	RESIDENTIAL	STUDENT ACCOMMODATION		W35/F03	27.3	1.9	25.4	93.0%	27.3	1.9	25.4	93.0%	95.3	4.9	12.1	94.9%	63	23	0	0	100.0%	100.0%	63	23	0	0	100.0%	100.0%		
	R29	RESIDENTIAL	STUDENT ACCOMMODATION		W36/F03	31	2.7	28.3	91.3%	31.9	5.5	26.4	82.8%	97.7	45.3	8.4	53.6%	69	24	0	0	100.0%	100.0%	84	24	0	0	100.0%	100.0%		
			STUDENT ACCOMMODATION		W37/F03	32.7	8.2	24.5	74.9%									60	17	0	0	100.0%	100.0%								
	R30	RESIDENTIAL	STUDENT ACCOMMODATION		W38/F03	32.8	9.7	23.1	70.4%	32.8	9.7	23.1	70.4%	98.3	23.8	9.5	75.8%	61	17	4	0	93.4%	100.0%	61	17	4	0	93.4%	100.0%		
	R31	RESIDENTIAL	STUDENT ACCOMMODATION		W39/F03	32.9	10.8	22.1	67.2%	32.9	10.8	22.1	67.2%	98.5	32	7.6	67.5%	61	17	9	0	85.2%	100.0%	61	17	9	0	85.2%	100.0%		
	R32	RESIDENTIAL	STUDENT ACCOMMODATION		W40/F03	33	11.7	21.3	64.5%	33	11.7	21.3	64.5%	98.2	21.7	9.1	77.9%	62	18	11	0	82.3%	100.0%	62	18	11	0	82.3%	100.0%		
	R33	RESIDENTIAL	STUDENT ACCOMMODATION		W41/F03	33.2	13.3	19.9	59.9%	33.2	13.3	19.9	59.9%	99.2	38.1	6.7	61.6%	62	18	12	0	80.6%	100.0%	62	18	12	0	80.6%	100.0%		
	R34	RESIDENTIAL	STUDENT ACCOMMODATION		W42/F03	33.3	14.5	18.8	56.5%	33.3	14.5	18.8	56.5%	98.8	28.4	8.6	71.3%	63	19	16	0	74.6%	100.0%	63	19	16	0	74.6%	100.0%		
	R35	RESIDENTIAL	STUDENT ACCOMMODATION		W43/F03	23.4	13.8	9.6	41.0%	23.4	13.8	9.6	41.0%	70.3	10.1	6.6	85.6%	29	3	10	0	65.5%	100.0%	29	3	10	0	65.5%	100.0%		
	R36	RESIDENTIAL	STUDENT ACCOMMODATION		W44/F03	33.3	19.2	14.1	42.3%	30.7	23.7	7	22.8%	98.6	90.8	1.7	7.9%	56	17	25	1	55.4%	94.1%	56	17	28	3	50.0%	82.4%		

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)						
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL
VIBE STUDENT LIVING 66-70 CAMBRIDGE ROAD (CONTINUED)																														
			STUDENT ACCOMMODATION		W45/F03	28.1	28.1	0	0.0%																					
F04	R1	RESIDENTIAL	STUDENT ACCOMMODATION		W1/F04	38.8	25.1	13.7	35.3%	38.8	25.1	13.7	35.3%	95.7	78.5	2.5	18.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDENT ACCOMMODATION		W2/F04	23.8	12.4	11.4	47.9%	22.3	11.6	10.7	48.0%	75.4	71	0.9	5.8%	41	7	20	4	51.2%	42.9%	41	7	22	4	46.3%	42.9%	
			STUDENT ACCOMMODATION		W3/F04	20.8	10.8	10	48.1%									33	6	13	2	60.6%	66.7%							
	R3	RESIDENTIAL	STUDENT ACCOMMODATION		W4/F04	11.8	4.4	7.4	62.7%	11.8	4.4	7.4	62.7%	33.9	31	0.4	8.5%	18	2	1	0	94.4%	100.0%	18	2	1	0	94.4%	100.0%	
	R4	RESIDENTIAL	STUDENT ACCOMMODATION		W5/F04	10.6	3.5	7.1	67.0%	15.1	5.8	9.3	61.6%	95.5	40.6	13.3	57.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			STUDENT ACCOMMODATION		W6/F04	20.3	8.5	11.8	58.1%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	STUDENT ACCOMMODATION		W7/F04	35.7	17	18.7	52.4%	35.7	17	18.7	52.4%	98.1	37.6	7.0	61.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDENT ACCOMMODATION		W8/F04	37	17.7	19.3	52.2%	37	17.7	19.3	52.2%	96.3	55.1	4.8	42.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDENT ACCOMMODATION		W9/F04	30.8	12	18.8	61.0%	30.8	12	18.8	61.0%	97.6	34.5	7.2	64.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDENT ACCOMMODATION		W10/F04	37.1	18.1	19	51.2%	37.1	18.1	19	51.2%	98.5	38.1	6.6	61.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDENT ACCOMMODATION		W11/F04	37.8	19	18.8	49.7%	37.8	19	18.8	49.7%	98.2	41.2	6.3	58.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDENT ACCOMMODATION		W12/F04	26.6	11.9	14.7	55.3%	26.6	11.9	14.7	55.3%	70.1	17.7	7.0	74.8%	59	16	26	1	55.9%	93.8%	59	16	26	1	55.9%	93.8%	
	R11	RESIDENTIAL	STUDENT ACCOMMODATION		W13/F04	26.7	10.8	15.9	59.6%	26.7	10.8	15.9	59.6%	67.1	30	4.9	55.3%	60	18	22	1	63.3%	94.4%	60	18	22	1	63.3%	94.4%	
	R12	RESIDENTIAL	STUDENT ACCOMMODATION		W14/F04	27.1	9.6	17.5	64.6%	27.2	9.2	18	66.2%	98.5	54.8	8.8	44.4%	60	18	19	0	68.3%	100.0%	61	19	20	0	67.2%	100.0%	
			STUDENT ACCOMMODATION		W15/F04	27.4	8.8	18.6	67.9%									58	19	19	0	67.2%	100.0%							
	R13	RESIDENTIAL	STUDENT ACCOMMODATION		W16/F04	21.8	3.2	18.6	85.3%	21.8	3.2	18.6	85.3%	85	9.3	8.0	89.1%	52	20	9	0	82.7%	100.0%	52	20	9	0	82.7%	100.0%	
	R14	RESIDENTIAL	STUDENT ACCOMMODATION		W17/F04	17.8	11.4	6.4	36.0%	17.8	11.4	6.4	36.0%	32.7	22.7	1.8	30.5%	37	15	13	0	64.9%	100.0%	37	15	13	0	64.9%	100.0%	
	R15	RESIDENTIAL	STUDENT ACCOMMODATION		W18/F04	8.8	5.1	3.7	42.0%	8.8	5.1	3.7	42.0%	37.5	13.2	3.6	64.8%	21	4	14	0	33.3%	100.0%	21	4	14	0	33.3%	100.0%	
	R16	RESIDENTIAL	STUDENT ACCOMMODATION		W19/F04	17.7	7.4	10.3	58.2%	18.4	7.8	10.6	57.6%	97.2	23.7	12.3	75.7%	33	11	14	0	57.6%	100.0%	39	12	16	0	59.0%	100.0%	
			STUDENT ACCOMMODATION		W20/F04	19.2	8.3	10.9	56.8%									35	10	14	0	60.0%	100.0%							
	R17	RESIDENTIAL	STUDENT ACCOMMODATION		W21/F04	19.1	8.6	10.5	55.0%	19.1	8.6	10.5	55.0%	72.9	14.4	8.3	80.2%	30	8	9	0	70.0%	100.0%	30	8	9	0	70.0%	100.0%	
	R18	RESIDENTIAL	STUDENT ACCOMMODATION		W22/F04	17.7	8.3	9.4	53.1%	17.7	8.3	9.4	53.1%	88.8	27.6	7.0	68.9%	24	5	8	0	66.7%	100.0%	24	5	8	0	66.7%	100.0%	
	R19	RESIDENTIAL	STUDENT ACCOMMODATION		W23/F04	10.1	3.6	6.5	64.4%	10.1	3.6	6.5	64.4%	93.4	19.8	6.9	78.8%	14	2	2	0	85.7%	100.0%	14	2	2	0	85.7%	100.0%	
	R20	RESIDENTIAL	STUDENT ACCOMMODATION		W24/F04	11.5	9.7	1.8	15.7%	11.5	9.7	1.8	15.7%	49.8	47	0.4	5.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R21	RESIDENTIAL	STUDENT ACCOMMODATION		W25/F04	15.8	13.4	2.4	15.2%	17	14.4	2.6	15.3%	74.8	74.6	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			STUDENT ACCOMMODATION		W26/F04	18.2	15.4	2.8	15.4%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R22	RESIDENTIAL	STUDENT ACCOMMODATION		W27/F04	20.3	16.8	3.5	17.2%	20.3	16.8	3.5	17.2%	62	60.3	0.3	2.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R23	RESIDENTIAL	STUDENT ACCOMMODATION		W28/F04	32.1	5.2	26.9	83.8%	32.1	5.2	26.9	83.8%	98.9	7.9	11.3	92.1%	70	24	7	0	90.0%	100.0%	70	24	7	0	90.0%	100.0%	
	R24	RESIDENTIAL	STUDENT ACCOMMODATION		W29/F04	32.7	4.9	27.8	85.0%	32.7	4.9	27.8	85.0%	99.4	9.5	9.9	90.4%	72	24	7	0	90.3%	100.0%	72	24	7	0	90.3%	100.0%	
	R25	RESIDENTIAL	STUDENT ACCOMMODATION		W30/F04	33.1	4.7	28.4	85.8%	33.1	4.7	28.4	85.8%	99.4	9	9.9	91.0%	73	25	5	0	93.2%	100.0%	73	25	5	0	93.2%	100.0%	

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)								
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
VIBE STUDENT LIVING 66-70 CAMBRIDGE ROAD (CONTINUED)																														
	R26	RESIDENTIAL	STUDENT ACCOMMODATION		W31/F04	33.5	4.4	29.1	86.9%	33.5	4.4	29.1	86.9%	99.5	8.8	10.0	91.2%	73	24	3	0	95.9%	100.0%	73	24	3	0	95.9%	100.0%	
	R27	RESIDENTIAL	STUDENT ACCOMMODATION		W32/F04	33.8	4.2	29.6	87.6%	33.8	4.2	29.6	87.6%	99	8.7	11.4	91.2%	74	24	2	0	97.3%	100.0%	74	24	2	0	97.3%	100.0%	
	R28	RESIDENTIAL	STUDENT ACCOMMODATION		W33/F04	28.7	2.3	26.4	92.0%	28.7	2.3	26.4	92.0%	95.5	5.8	12.0	93.9%	63	23	0	0	100.0%	100.0%	63	23	0	0	100.0%	100.0%	
	R29	RESIDENTIAL	STUDENT ACCOMMODATION		W34/F04	32.6	3.2	29.4	90.2%	33.5	6.1	27.4	81.8%	97.7	46.3	8.3	52.6%	69	24	0	0	100.0%	100.0%	84	24	2	0	97.6%	100.0%	
			STUDENT ACCOMMODATION		W35/F04	34.4	8.9	25.5	74.1%									60	17	2	0	96.7%	100.0%							
	R30	RESIDENTIAL	STUDENT ACCOMMODATION		W36/F04	34.4	10.5	23.9	69.5%	34.4	10.5	23.9	69.5%	98.3	25	9.4	74.6%	62	18	5	0	91.9%	100.0%	62	18	5	0	91.9%	100.0%	
	R31	RESIDENTIAL	STUDENT ACCOMMODATION		W37/F04	34.4	11.7	22.7	66.0%	34.4	11.7	22.7	66.0%	98.5	32.8	7.5	66.7%	62	18	9	0	85.5%	100.0%	62	18	9	0	85.5%	100.0%	
	R32	RESIDENTIAL	STUDENT ACCOMMODATION		W38/F04	34.4	12.5	21.9	63.7%	34.4	12.5	21.9	63.7%	98.2	22.7	9.0	76.9%	62	18	12	0	80.6%	100.0%	62	18	12	0	80.6%	100.0%	
	R33	RESIDENTIAL	STUDENT ACCOMMODATION		W39/F04	34.6	14.1	20.5	59.2%	34.6	14.1	20.5	59.2%	99.2	38.9	6.6	60.8%	62	18	14	0	77.4%	100.0%	62	18	14	0	77.4%	100.0%	
	R34	RESIDENTIAL	STUDENT ACCOMMODATION		W40/F04	34.7	15.4	19.3	55.6%	34.7	15.4	19.3	55.6%	98.9	29.7	8.5	70.0%	63	19	17	0	73.0%	100.0%	63	19	17	0	73.0%	100.0%	
	R35	RESIDENTIAL	STUDENT ACCOMMODATION		W41/F04	24.2	14.4	9.8	40.5%	24.2	14.4	9.8	40.5%	71.2	10.5	6.6	85.3%	30	4	10	0	66.7%	100.0%	30	4	10	0	66.7%	100.0%	
	R36	RESIDENTIAL	STUDENT ACCOMMODATION		W42/F04	34.5	20.1	14.4	41.7%	32	24.7	7.3	22.8%	98.6	91.5	1.6	7.2%	58	18	26	1	55.2%	94.4%	58	18	29	3	50.0%	83.3%	
			STUDENT ACCOMMODATION		W43/F04	29.4	29.3	0.1	0.3%									18	8	18	8	0.0%	0.0%							
F05	R1	RESIDENTIAL	STUDENT ACCOMMODATION		W1/F05	39.6	26	13.6	34.3%	39.6	26	13.6	34.3%	95.7	79.8	2.3	16.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDENT ACCOMMODATION		W2/F05	26.5	15.4	11.1	41.9%	24.8	14.6	10.2	41.1%	80.4	79.1	0.3	1.7%	54	8	32	4	40.7%	50.0%	54	8	33	4	38.9%	50.0%	
			STUDENT ACCOMMODATION		W3/F05	23.1	13.8	9.3	40.3%									43	7	23	3	46.5%	57.1%							
	R3	RESIDENTIAL	STUDENT ACCOMMODATION		W4/F05	12.8	5.9	6.9	53.9%	12.8	5.9	6.9	53.9%	35.9	34.6	0.2	3.7%	19	2	4	0	78.9%	100.0%	19	2	4	0	78.9%	100.0%	
	R4	RESIDENTIAL	STUDENT ACCOMMODATION		W5/F05	11.3	4.6	6.7	59.3%	16.4	7.5	8.9	54.3%	97.1	45.5	12.5	53.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			STUDENT ACCOMMODATION		W6/F05	22.2	10.9	11.3	50.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	STUDENT ACCOMMODATION		W7/F05	37	19	18	48.6%	37	19	18	48.6%	98.3	39.8	6.7	59.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDENT ACCOMMODATION		W8/F05	38.1	19.5	18.6	48.8%	38.1	19.5	18.6	48.8%	97.7	58.1	4.6	40.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDENT ACCOMMODATION		W9/F05	31.3	13.4	17.9	57.2%	31.3	13.4	17.9	57.2%	97.6	36.8	6.9	62.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDENT ACCOMMODATION		W10/F05	37.7	19.6	18.1	48.0%	37.7	19.6	18.1	48.0%	98.5	39.7	6.5	59.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDENT ACCOMMODATION		W11/F05	38.5	20.5	18	46.8%	38.5	20.5	18	46.8%	98.4	42.9	6.1	56.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDENT ACCOMMODATION		W12/F05	27.6	12.8	14.8	53.6%	27.6	12.8	14.8	53.6%	70.3	19	6.9	72.9%	60	16	29	1	51.7%	93.8%	60	16	29	1	51.7%	93.8%	
	R11	RESIDENTIAL	STUDENT ACCOMMODATION		W13/F05	27.7	11.6	16.1	58.1%	27.7	11.6	16.1	58.1%	67.1	31.8	4.7	52.6%	61	18	25	1	59.0%	94.4%	61	18	25	1	59.0%	94.4%	
	R12	RESIDENTIAL	STUDENT ACCOMMODATION		W14/F05	28.1	10.3	17.8	63.3%	28.3	9.9	18.4	65.0%	98.8	56.4	8.5	42.9%	61	18	22	0	63.9%	100.0%	64	19	22	0	65.6%	100.0%	
			STUDENT ACCOMMODATION		W15/F05	28.5	9.5	19	66.7%									63	19	20	0	68.3%	100.0%							
	R13	RESIDENTIAL	STUDENT ACCOMMODATION		W16/F05	23	3.9	19.1	83.0%	23	3.9	19.1	83.0%	95.8	10.7	7.9	87.5%	54	20	11	0	79.6%	100.0%	54	20	11	0	79.6%	100.0%	
	R14	RESIDENTIAL	STUDENT ACCOMMODATION		W17/F05	22.9	16.1	6.8	29.7%	22.9	16.1	6.8	29.7%	49.9	41.5	15	16.8%	48	16	22	0	54.2%	100.0%	48	16	22	0	54.2%	100.0%	
	R15	RESIDENTIAL	STUDENT ACCOMMODATION		W18/F05	12.2	8.1	4.1	33.6%	12.2	8.1	4.1	33.6%	42.1	18.2	3.6	56.7%	30	6	23	0	23.3%	100.0%	30	6	23	0	23.3%	100.0%	

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)								
						EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	
																							ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
VIBE STUDENT LIVING 66-70 CAMBRIDGE ROAD (CONTINUED)																														
	R16	RESIDENTIAL	STUDENT ACCOMMODATION		W19/F05	21.9	11	10.9	49.8%	22.7	11.3	11.4	50.2%	97.7	28.8	11.5	70.5%	40	11	24	0	40.0%	100.0%	45	12	24	0	46.7%	100.0%	
			STUDENT ACCOMMODATION		W20/F05	23.5	11.6	11.9	50.6%									42	12	21	0	50.0%	100.0%							
	R17	RESIDENTIAL	STUDENT ACCOMMODATION		W21/F05	22.9	11.9	11	48.0%	22.9	11.9	11	48.0%	76.2	17.5	8.3	77.0%	38	8	17	0	55.3%	100.0%	38	8	17	0	55.3%	100.0%	
	R18	RESIDENTIAL	STUDENT ACCOMMODATION		W22/F05	21	11.1	9.9	47.1%	21	11.1	9.9	47.1%	91	31.9	6.8	64.9%	31	5	15	0	51.6%	100.0%	31	5	15	0	51.6%	100.0%	
	R19	RESIDENTIAL	STUDENT ACCOMMODATION		W23/F05	10.9	4.4	6.5	59.6%	10.9	4.4	6.5	59.6%	94.3	21.9	6.8	76.8%	16	3	4	0	75.0%	100.0%	16	3	4	0	75.0%	100.0%	
	R20	RESIDENTIAL	STUDENT ACCOMMODATION		W24/F05	14.8	12.1	2.7	18.2%	14.8	12.1	2.7	18.2%	74.8	59.7	2.1	20.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R21	RESIDENTIAL	STUDENT ACCOMMODATION		W25/F05	21.4	18.1	3.3	15.4%	22.8	19.4	3.4	14.9%	99.5	95.3	0.7	4.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			STUDENT ACCOMMODATION		W26/F05	24.3	20.7	3.6	14.8%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R22	RESIDENTIAL	STUDENT ACCOMMODATION		W27/F05	25.8	21.9	3.9	15.1%	25.8	21.9	3.9	15.1%	97.5	89	1.3	8.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R23	RESIDENTIAL	STUDENT ACCOMMODATION		W28/F05	33.3	5.9	27.4	82.3%	33.3	5.9	27.4	82.3%	98.9	9	11.2	90.9%	71	24	10	0	85.9%	100.0%	71	24	10	0	85.9%	100.0%	
	R24	RESIDENTIAL	STUDENT ACCOMMODATION		W29/F05	33.9	5.6	28.3	83.5%	33.9	5.6	28.3	83.5%	99.4	10.6	9.7	89.3%	72	24	9	0	87.5%	100.0%	72	24	9	0	87.5%	100.0%	
	R25	RESIDENTIAL	STUDENT ACCOMMODATION		W30/F05	34.3	5.3	29	84.5%	34.3	5.3	29	84.5%	99.4	10.3	9.7	89.7%	74	25	8	0	89.2%	100.0%	74	25	8	0	89.2%	100.0%	
	R26	RESIDENTIAL	STUDENT ACCOMMODATION		W31/F05	34.7	5.1	29.6	85.3%	34.7	5.1	29.6	85.3%	99.5	10	9.9	89.9%	73	24	3	0	95.9%	100.0%	73	24	3	0	95.9%	100.0%	
	R27	RESIDENTIAL	STUDENT ACCOMMODATION		W32/F05	35.1	4.8	30.3	86.3%	35.1	4.8	30.3	86.3%	99	9.8	11.3	90.1%	74	24	3	0	95.9%	100.0%	74	24	3	0	95.9%	100.0%	
	R28	RESIDENTIAL	STUDENT ACCOMMODATION		W33/F05	29.7	2.8	26.9	90.6%	29.7	2.8	26.9	90.6%	95.6	6.9	11.9	92.8%	64	24	2	0	96.9%	100.0%	64	24	2	0	96.9%	100.0%	
	R29	RESIDENTIAL	STUDENT ACCOMMODATION		W34/F05	34	3.9	30.1	88.5%	35	6.9	28.1	80.3%	97.7	47.5	8.1	51.4%	73	26	0	0	100.0%	100.0%	89	26	3	0	96.6%	100.0%	
			STUDENT ACCOMMODATION		W35/F05	35.9	9.8	26.1	72.7%									63	19	3	0	95.2%	100.0%							
	R30	RESIDENTIAL	STUDENT ACCOMMODATION		W36/F05	35.8	11.4	24.4	68.2%	35.8	11.4	24.4	68.2%	98.3	26.4	9.2	73.2%	64	19	8	0	87.5%	100.0%	64	19	8	0	87.5%	100.0%	
	R31	RESIDENTIAL	STUDENT ACCOMMODATION		W37/F05	35.8	12.6	23.2	64.8%	35.8	12.6	23.2	64.8%	98.5	33.9	7.4	65.5%	64	19	12	0	81.3%	100.0%	64	19	12	0	81.3%	100.0%	
	R32	RESIDENTIAL	STUDENT ACCOMMODATION		W38/F05	35.8	13.5	22.3	62.3%	35.8	13.5	22.3	62.3%	98.2	24.7	8.8	74.9%	63	18	14	0	77.8%	100.0%	63	18	14	0	77.8%	100.0%	
	R33	RESIDENTIAL	STUDENT ACCOMMODATION		W39/F05	35.9	15.1	20.8	57.9%	35.9	15.1	20.8	57.9%	99.2	39.6	6.6	60.1%	63	18	18	0	71.4%	100.0%	63	18	18	0	71.4%	100.0%	
	R34	RESIDENTIAL	STUDENT ACCOMMODATION		W40/F05	35.9	16.3	19.6	54.6%	35.9	16.3	19.6	54.6%	98.9	31.4	8.3	68.3%	64	19	20	0	68.8%	100.0%	64	19	20	0	68.8%	100.0%	
	R35	RESIDENTIAL	STUDENT ACCOMMODATION		W41/F05	25.1	15	10.1	40.2%	25.1	15	10.1	40.2%	72.5	11.2	6.7	84.6%	31	5	10	0	67.7%	100.0%	31	5	10	0	67.7%	100.0%	
	R36	RESIDENTIAL	STUDENT ACCOMMODATION		W42/F05	35.6	21.1	14.5	40.7%	33.1	25.8	7.3	22.1%	98.6	92.2	1.4	6.5%	60	18	29	1	51.7%	94.4%	60	18	32	3	46.7%	83.3%	
			STUDENT ACCOMMODATION		W43/F05	30.6	30.5	0.1	0.3%									18	5	18	5	0.6%	0.6%							
F06	R1	RESIDENTIAL	STUDENT ACCOMMODATION		W1/F06	39.6	27.1	12.5	31.6%	39.6	27.1	12.5	31.6%	95.7	81.6	2.0	14.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	STUDENT ACCOMMODATION		W2/F06	31.5	18.9	12.6	40.0%	30.4	18.8	11.6	38.2%	96	86.1	1.9	10.2%	70	17	44	7	37.1%	58.8%	70	17	45	7	35.7%	58.8%	
			STUDENT ACCOMMODATION		W3/F06	29.4	18.7	10.7	36.4%									63	11	41	4	34.9%	63.6%							
	R3	RESIDENTIAL	STUDENT ACCOMMODATION		W4/F06	17.6	11.3	6.3	35.8%	17.6	11.3	6.3	35.8%	59.2	64.8	-0.8	-9.4%	29	2	14	0	51.7%	100.0%	29	2	14	0	51.7%	100.0%	
	R4	RESIDENTIAL	STUDENT ACCOMMODATION		W5/F06	14.2	7.8	6.4	45.1%	20.4	12.2	8.2	40.2%	98.9	59	9.7	40.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			STUDENT ACCOMMODATION		W6/F06	27.5	17.3	10.2	37.1%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)									
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %					
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%			
VIBE STUDENT LIVING 66-70 CAMBRIDGE ROAD (CONTINUED)																																	
	R5	RESIDENTIAL	STUDENT ACCOMMODATION		W7/F06	38.4	21.9	16.5	43.0%	38.4	21.9	16.5	43.0%	98.3	42.9	6.4	56.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDENT ACCOMMODATION		W8/F06	38.9	21.7	17.2	44.2%	38.9	21.7	17.2	44.2%	97.8	60.5	4.3	38.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDENT ACCOMMODATION		W9/F06	32.6	16.1	16.5	50.6%	32.6	16.1	16.5	50.6%	98.4	40.9	6.6	58.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDENT ACCOMMODATION		W10/F06	38.5	21.8	16.7	43.4%	38.5	21.8	16.7	43.4%	98.7	42.6	6.2	56.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDENT ACCOMMODATION		W11/F06	38.9	22.4	16.5	42.4%	38.9	22.4	16.5	42.4%	98.6	45.2	5.9	54.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDENT ACCOMMODATION		W12/F06	28.4	13.8	14.6	51.4%	28.4	13.8	14.6	51.4%	70.3	21.1	6.6	70.0%	62	16	32	2	48.4%	87.5%	62	16	32	2	48.4%	87.5%				
	R11	RESIDENTIAL	STUDENT ACCOMMODATION		W13/F06	28.5	12.6	15.9	55.8%	28.5	12.6	15.9	55.8%	67.4	34.9	4.3	48.1%	65	18	28	1	56.9%	94.4%	65	18	28	1	56.9%	94.4%				
	R12	RESIDENTIAL	STUDENT ACCOMMODATION		W14/F06	28.9	11.2	17.7	61.2%	29.1	10.8	18.3	62.9%	98.7	58.3	8.1	40.9%	64	18	25	0	60.9%	100.0%	66	19	25	0	62.1%	100.0%				
			STUDENT ACCOMMODATION		W15/F06	29.3	10.4	18.9	64.5%									64	19	24	0	62.5%	100.0%										
	R13	RESIDENTIAL	STUDENT ACCOMMODATION		W16/F06	24.6	5.5	19.1	77.6%	24.6	5.5	19.1	77.6%	87.3	14.1	7.7	83.8%	56	20	13	0	76.8%	100.0%	56	20	13	0	76.8%	100.0%				
	R14	RESIDENTIAL	STUDENT ACCOMMODATION		W17/F06	29.5	20.6	8.9	30.2%	29.5	20.6	8.9	30.2%	90.9	65.3	4.6	28.2%	56	17	29	0	48.2%	100.0%	56	17	29	0	48.2%	100.0%				
	R15	RESIDENTIAL	STUDENT ACCOMMODATION		W18/F06	21.2	11.7	9.5	44.8%	21.2	11.7	9.5	44.8%	77.8	35	6.4	55.1%	49	14	27	0	44.9%	100.0%	49	14	27	0	44.9%	100.0%				
	R16	RESIDENTIAL	STUDENT ACCOMMODATION		W19/F06	28.8	15.9	12.9	44.8%	29	15.9	13.1	45.2%	99.5	60.7	6.5	39.0%	59	15	34	0	42.4%	100.0%	63	16	36	0	42.9%	100.0%				
			STUDENT ACCOMMODATION		W20/F06	29.3	15.9	13.4	45.7%									61	15	35	0	42.6%	100.0%										
	R17	RESIDENTIAL	STUDENT ACCOMMODATION		W21/F06	28	15.6	12.4	44.3%	28	15.6	12.4	44.3%	89.7	22.6	9.5	74.8%	55	11	31	1	43.6%	90.9%	55	11	31	1	43.6%	90.9%				
	R18	RESIDENTIAL	STUDENT ACCOMMODATION		W22/F06	25.6	14.6	11	43.0%	25.6	14.6	11	43.0%	92.5	34.5	6.7	62.7%	47	9	24	0	48.9%	100.0%	47	9	24	0	48.9%	100.0%				
	R19	RESIDENTIAL	STUDENT ACCOMMODATION		W23/F06	13	6.4	6.6	50.8%	13	6.4	6.6	50.8%	98.5	26.9	6.7	72.7%	21	4	8	0	61.9%	100.0%	21	4	8	0	61.9%	100.0%				
	R20	RESIDENTIAL	STUDENT ACCOMMODATION		W24/F06	22.8	18.8	4	17.5%	22.8	18.8	4	17.5%	93.3	87.4	0.8	6.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R21	RESIDENTIAL	STUDENT ACCOMMODATION		W25/F06	30.6	25.6	5	16.3%	31.4	26.3	5.1	16.2%	99.3	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			STUDENT ACCOMMODATION		W26/F06	32.3	26.9	5.4	16.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R22	RESIDENTIAL	STUDENT ACCOMMODATION		W27/F06	32.3	26.6	5.7	17.6%	32.3	26.6	5.7	17.6%	97.7	94.4	0.5	3.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R23	RESIDENTIAL	STUDENT ACCOMMODATION		W28/F06	34	6.7	27.3	80.3%	34	6.7	27.3	80.3%	98.9	10.8	11.0	89.1%	74	25	13	0	82.4%	100.0%	74	25	13	0	82.4%	100.0%				
	R24	RESIDENTIAL	STUDENT ACCOMMODATION		W29/F06	34.5	6.4	28.1	81.4%	34.5	6.4	28.1	81.4%	99.4	12.1	9.6	87.8%	73	24	11	0	84.9%	100.0%	73	24	11	0	84.9%	100.0%				
	R25	RESIDENTIAL	STUDENT ACCOMMODATION		W30/F06	34.9	6.2	28.7	82.2%	34.9	6.2	28.7	82.2%	99.4	11.9	9.6	88.0%	74	25	10	0	86.5%	100.0%	74	25	10	0	86.5%	100.0%				
	R26	RESIDENTIAL	STUDENT ACCOMMODATION		W31/F06	35.3	5.9	29.4	83.3%	35.3	5.9	29.4	83.3%	99.5	11.6	9.7	88.3%	74	25	7	0	90.5%	100.0%	74	25	7	0	90.5%	100.0%				
	R27	RESIDENTIAL	STUDENT ACCOMMODATION		W32/F06	35.6	5.6	30	84.3%	35.6	5.6	30	84.3%	99	11.3	11.1	88.6%	74	24	6	0	91.9%	100.0%	74	24	6	0	91.9%	100.0%				
	R28	RESIDENTIAL	STUDENT ACCOMMODATION		W33/F06	30.1	3.5	26.6	88.4%	30.1	3.5	26.6	88.4%	95.6	8	11.8	91.6%	64	24	3	0	95.3%	100.0%	64	24	3	0	95.3%	100.0%				
	R29	RESIDENTIAL	STUDENT ACCOMMODATION		W34/F06	34.7	4.9	29.8	85.9%	35.8	7.9	27.9	77.9%	97.7	50.1	7.6	48.7%	74	26	2	0	97.3%	100.0%	90	26	7	0	92.2%	100.0%				
			STUDENT ACCOMMODATION		W35/F06	36.9	10.8	26.1	70.7%									63	19	6	0	90.5%	100.0%										
	R30	RESIDENTIAL	STUDENT ACCOMMODATION		W36/F06	36.8	12.5	24.3	66.0%	36.8	12.5	24.3	66.0%	98.4	28.6	8.9	70.9%	64	19	13	0	79.7%	100.0%	64	19	13	0	79.7%	100.0%				
	R31	RESIDENTIAL	STUDENT ACCOMMODATION		W37/F06	36.9	13.7	23.2	62.9%	36.9	13.7	23.2	62.9%	98.5	35.3	7.2	64.2%	64	19	13	0	79.7%	100.0%	64	19	13	0	79.7%	100.0%				

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)					
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

VIBE STUDENT LIVING 66-70 CAMBRIDGE ROAD (CONTINUED)

	R32	RESIDENTIAL	STUDENT ACCOMMODATION		W38/F06	36.8	14.6	22.2	60.3%	36.8	14.6	22.2	60.3%	98.2	27.3	8.5	72.2%	63	18	17	0	73.0%	100.0%	63	18	17	0	73.0%	100.0%	
	R33	RESIDENTIAL	STUDENT ACCOMMODATION		W39/F06	36.9	16.2	20.7	56.1%	36.9	16.2	20.7	56.1%	99.2	40.5	6.5	59.2%	63	18	19	0	69.8%	100.0%	63	18	19	0	69.8%	100.0%	
	R34	RESIDENTIAL	STUDENT ACCOMMODATION		W40/F06	36.9	17.4	19.5	52.8%	36.9	17.4	19.5	52.8%	99	33.5	8.0	66.1%	64	19	21	0	67.2%	100.0%	64	19	21	0	67.2%	100.0%	
	R35	RESIDENTIAL	STUDENT ACCOMMODATION		W41/F06	26.1	16	10.1	38.7%	26.1	16	10.1	38.7%	75.3	12.6	6.9	83.3%	33	5	13	0	60.6%	100.0%	33	5	13	0	60.6%	100.0%	
	R36	RESIDENTIAL	STUDENT ACCOMMODATION		W42/F06	36.7	22.2	14.5	39.5%	34.2	26.9	7.3	21.3%	98.7	93	1.3	5.8%	64	20	32	1	50.0%	95.0%	64	20	35	3	45.3%	85.0%	
			STUDENT ACCOMMODATION		W43/F06	31.7	31.6	0.1	0.3%									18	8	18	8	0.0%	0.0%							
F07	R1	RESIDENTIAL	STUDENT ACCOMMODATION		W1/F07	37.8	32.9	4.9	13.0%	37.8	32.9	4.9	13.0%	98.4	94.8	0.4	3.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDENT ACCOMMODATION		W2/F07	37.9	33.5	4.4	11.6%	37.9	33.5	4.4	11.6%	98.5	95.9	0.3	2.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDENT ACCOMMODATION		W3/F07	37.6	32.1	5.5	14.6%	37.6	32.1	5.5	14.6%	98.3	92.6	0.7	5.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDENT ACCOMMODATION		W4/F07	37.4	31.2	6.2	16.6%	37.4	31.2	6.2	16.6%	98.1	89.8	1.0	8.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	STUDENT ACCOMMODATION		W5/F07	37.3	30.8	6.5	17.4%	37.3	30.8	6.5	17.4%	95.6	95.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDENT ACCOMMODATION		W6/F07	34.6	7.8	26.8	77.5%	34.6	7.8	26.8	77.5%	98.9	12.7	10.7	87.2%	74	25	16	0	78.4%	100.0%	74	25	16	0	78.4%	100.0%	
	R7	RESIDENTIAL	STUDENT ACCOMMODATION		W7/F07	35.1	7.5	27.6	78.6%	35.1	7.5	27.6	78.6%	99.4	14.3	9.4	85.7%	74	25	13	0	82.4%	100.0%	74	25	13	0	82.4%	100.0%	
	R8	RESIDENTIAL	STUDENT ACCOMMODATION		W8/F07	35.5	7.2	28.3	79.7%	35.5	7.2	28.3	79.7%	99.4	13.8	9.4	86.1%	75	26	13	0	82.7%	100.0%	75	26	13	0	82.7%	100.0%	
	R9	RESIDENTIAL	STUDENT ACCOMMODATION		W9/F07	35.8	6.9	28.9	80.7%	35.8	6.9	28.9	80.7%	99.5	13.3	9.5	86.6%	75	25	9	0	88.0%	100.0%	75	25	9	0	88.0%	100.0%	
	R10	RESIDENTIAL	STUDENT ACCOMMODATION		W10/F07	36.1	6.5	29.6	82.0%	36.1	6.5	29.6	82.0%	99	12.9	10.9	87.0%	77	25	8	0	89.6%	100.0%	77	25	8	0	89.6%	100.0%	

CASCADIA HOUSE CAMBRIDGE ROAD

F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	8.3	3.9	4.4	53.0%	7.8	3.9	3.9	50.0%	59.5	26	6.5	56.4%	23	3	11	2	52.2%	33.3%	29	3	12	2	58.6%	33.3%	
			UNKNOWN		W2/F00	7.5	4.2	3.3	44.0%									18	2	7	2	61.1%	0.0%							
			UNKNOWN		W3/F00	7.4	4	3.4	45.9%										17	2	7	2	58.8%	0.0%						
			UNKNOWN		W4/F00	7.9	3.5	4.4	55.7%											20	1	9	0	55.0%	100.0%					
	R2	RESIDENTIAL	UNKNOWN		W5/F00	7.3	6.1	1.2	16.4%	7.3	6.1	1.2	16.4%	34.6	30.3	0.2	12.4%	16	0	13	0	18.8%	0.0%	16	0	13	0	18.8%	0.0%	
	R3	RESIDENTIAL	UNKNOWN		W6/F00	8.5	6.7	1.8	21.2%	9	6.9	2.1	23.3%	27.6	22.4	1.1	18.8%	16	0	12	0	25.0%	0.0%	17	0	13	0	23.5%	0.0%	
			UNKNOWN		W7/F00	9.6	7.1	2.5	26.0%											17	0	13	0	23.5%	0.0%					
	R4	RESIDENTIAL	UNKNOWN		W8/F00	11.6	4.6	7	60.3%	9.9	4	5.9	59.6%	48.1	26.4	4.7	45.1%	28	3	11	2	60.7%	33.3%	31	3	14	2	54.8%	33.3%	
			UNKNOWN		W9/F00	9.5	4.7	4.8	50.5%											18	1	8	1	55.6%	0.0%					
			UNKNOWN		W10/F00	8.9	4.1	4.8	53.9%											15	0	5	0	66.7%	0.0%					
			UNKNOWN		W11/F00	9.6	2.8	6.8	70.8%											21	0	4	0	81.0%	0.0%					
	R5 (3)	RESIDENTIAL	UNKNOWN		W12/F00	6.6	5.6	1	15.2%	6.6	5.6	1	15.2%	18.8	16.7	0.6	10.8%	10	0	10	0	0.0%	0.0%	10	0	10	0	0.0%	0.0%	
			UNKNOWN		W13/F00	6.5	5.5	1	15.4%											10	0	10	0	0.0%	0.0%					

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
CASCADIA HOUSE CAMBRIDGE ROAD (CONTINUED)																													
	R6 (3)	RESIDENTIAL	UNKNOWN		W14/F00	6.3	5.4	0.9	14.3%	6.3	5.4	0.9	14.3%	19	18.1	0.1	4.5%	8	0	8	0	0.0%	0.0%	8	0	8	0	0.0%	0.0%
	R7 (3)	RESIDENTIAL	UNKNOWN		W15/F00	6.1	5.2	0.9	14.8%	6	5.2	0.8	13.3%	18.6	16.6	0.6	11.0%	7	0	7	0	0.0%	0.0%	7	0	7	0	0.0%	0.0%
			UNKNOWN		W16/F00	5.9	5.1	0.8	13.6%									4	0	4	0	0.0%	0.0%						
	R8	RESIDENTIAL	UNKNOWN		W17/F00	6.3	1.9	4.4	69.8%	6.3	1.9	4.4	69.8%	50.9	15.5	4.7	69.6%	18	1	6	1	66.7%	0.0%	18	1	6	1	66.7%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W18/F00	6.7	2.2	4.5	67.2%	6.3	2.3	4	63.5%	55.3	29.2	3.4	47.2%	18	0	6	0	66.7%	0.0%	21	0	9	0	57.1%	0.0%
			UNKNOWN		W19/F00	6	2.5	3.5	58.3%									11	0	7	0	36.4%	0.0%						
			UNKNOWN		W20/F00	5.9	2.5	3.4	57.6%									11	0	7	0	36.4%	0.0%						
			UNKNOWN		W21/F00	6.5	2.2	4.3	66.2%									18	0	6	0	66.7%	0.0%						
F01	R1	RESIDENTIAL	LKD		W1/F01	37.1	37.1	0	0.0%	25.9	23.8	2.1	8.1%	97.7	96.9	0.2	0.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W2/F01	18.8	18.8	0	0.0%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W3/F01	25.7	21.1	4.6	17.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W4/F01	22.7	18	4.7	20.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W5/F01	25.2	20.7	4.5	17.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W6/F01	21.2	17.1	4.1	19.3%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/F01	26.1	7.4	18.7	71.6%	24.3	6.3	18	74.1%	97.1	38.8	11.2	60.1%	57	19	17	2	70.2%	89.5%	57	19	17	2	70.2%	89.5%
			UNKNOWN		W9/F01	23.1	5.7	17.4	75.3%									51	19	16	2	68.6%	89.5%						
			UNKNOWN		W10/F01	25.9	7.1	18.8	72.6%									57	19	17	2	70.2%	89.5%						
			UNKNOWN		W11/F01	22.4	5.1	17.3	77.2%									48	16	14	0	70.8%	100.0%						
	R3	RESIDENTIAL	UNKNOWN		W12/F01	32	12.3	19.7	61.6%	32	12.3	19.7	61.6%	99.7	45.5	3.0	54.4%	69	20	28	3	59.4%	85.0%	69	20	28	3	59.4%	85.0%
	R4	RESIDENTIAL	UNKNOWN		W13/F01	31.7	11.9	19.8	62.5%	31.6	11.7	19.9	63.0%	99.7	31.9	13.7	68.0%	67	17	26	2	61.2%	88.2%	67	17	26	2	61.2%	88.2%
			UNKNOWN		W14/F01	31.4	11.6	19.8	63.1%									64	16	23	2	64.1%	87.5%						
	R5	RESIDENTIAL	UNKNOWN		W15/F01	26.9	7.6	19.3	71.7%	25.1	6	19.1	76.1%	86.7	31.1	11.9	64.1%	53	13	14	2	73.6%	84.6%	56	15	17	3	69.6%	80.0%
			UNKNOWN		W16/F01	25.4	6	19.4	76.4%									53	15	13	2	75.5%	86.7%						
			UNKNOWN		W17/F01	25.7	6.7	19	73.9%									49	11	11	1	77.6%	90.9%						
			UNKNOWN		W18/F01	22.4	3.8	18.6	83.0%									44	10	6	0	86.4%	100.0%						
	R6 (3)	RESIDENTIAL	UNKNOWN		W19/F01	30.4	10.7	19.7	64.8%	30.2	10.6	19.6	64.9%	96.4	26.9	19.1	72.1%	61	14	22	4	63.9%	71.4%	62	15	22	4	64.5%	73.3%
			UNKNOWN		W20/F01	30.1	10.5	19.6	65.1%									60	14	20	4	66.7%	71.4%						
	R7 (3)	RESIDENTIAL	UNKNOWN		W21/F01	29.4	10.1	19.3	65.6%	29.4	10.1	19.3	65.6%	90.3	27.5	10.3	69.5%	60	14	22	4	63.3%	71.4%	60	14	22	4	63.3%	71.4%
	R8 (3)	RESIDENTIAL	UNKNOWN		W22/F01	28.7	9.9	18.8	65.5%	28.5	9.9	18.6	65.3%	95.9	24.5	22.5	74.5%	53	9	19	2	64.2%	77.8%	55	11	23	3	58.2%	72.7%
			UNKNOWN		W23/F01	28.1	9.8	18.3	65.1%									53	10	20	3	62.3%	70.0%						
	R9	RESIDENTIAL	UNKNOWN		W24/F01	17.4	2.8	14.6	83.9%	17.4	2.8	14.6	83.9%	92.1	18	9.9	80.5%	34	8	8	3	76.5%	62.5%	34	8	8	3	76.5%	62.5%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)					
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
CASCADIA HOUSE CAMBRIDGE ROAD (CONTINUED)																													
	R10	RESIDENTIAL	UNKNOWN		W25/F01	18.1	3.2	14.9	82.3%	19.2	3.9	15.3	79.7%	99.5	31.9	8.7	67.9%	36	5	8	1	77.8%	80.0%	42	7	12	1	71.4%	85.7%
			UNKNOWN		W26/F01	20.6	4.6	16	77.7%									40	6	11	1	72.5%	83.3%						
			UNKNOWN		W27/F01	20.4	4.6	15.8	77.5%									41	7	11	1	73.2%	85.7%						
			UNKNOWN		W28/F01	17.8	3.2	14.6	82.0%									37	7	7	1	81.1%	85.7%						
F02	R1	RESIDENTIAL	LKD		W1/F02	38.3	38.3	0	0.0%	33.7	31.6	2.1	6.2%	98	97.2	0.2	0.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W2/F02	33.3	33.3	0	0.0%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LKD		W3/F02	32.5	28	4.5	13.8%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LKD		W4/F02	31.7	27.3	4.4	13.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LKD		W5/F02	31.8	27.3	4.5	14.2%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LKD		W6/F02	29.1	25.1	4	13.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN		W8/F02	32.3	13.1	19.2	59.4%	31.3	12.3	19	60.7%	97.4	45.9	9.9	52.9%	65	20	26	2	60.0%	90.0%	65	20	27	2	58.5%	90.0%
			UNKNOWN		W9/F02	31.5	12.3	19.2	61.0%									62	20	24	2	61.3%	90.0%						
			UNKNOWN		W10/F02	31.9	12.6	19.3	60.5%									61	19	22	1	63.9%	94.7%						
			UNKNOWN		W11/F02	29.8	11.1	18.7	62.8%									58	17	21	0	63.8%	100.0%						
	R3	RESIDENTIAL	UNKNOWN		W12/F02	31.2	11	20.2	64.7%	31.2	11	20.2	64.7%	99.7	50	2.7	49.8%	64	21	23	3	64.1%	85.7%	64	21	23	3	64.1%	85.7%
	R4	RESIDENTIAL	UNKNOWN		W13/F02	30.9	10.6	20.3	65.7%	30.8	10.4	20.4	66.2%	99.7	37.4	12.6	62.4%	64	21	21	3	67.2%	85.7%	65	22	22	4	66.2%	81.8%
			UNKNOWN		W14/F02	30.7	10.2	20.5	66.8%									63	20	20	3	68.3%	85.0%						
	R5	RESIDENTIAL	UNKNOWN		W15/F02	30.7	10.6	20.1	65.5%	29.1	9.6	19.5	67.0%	91.4	33.5	12.4	63.3%	56	16	15	3	73.2%	81.3%	61	17	20	3	67.2%	82.4%
			UNKNOWN		W16/F02	29	9.4	19.6	67.6%									50	14	10	2	80.0%	85.7%						
			UNKNOWN		W17/F02	31	11	20	64.5%									60	16	18	1	70.0%	93.8%						
			UNKNOWN		W18/F02	25.9	7.3	18.6	71.8%									43	13	6	0	86.0%	100.0%						
	R6 (3)	RESIDENTIAL	UNKNOWN		W19/F02	31.2	10.5	20.7	66.3%	31.5	10.8	20.7	65.7%	99.2	30	19.0	69.7%	63	17	22	5	65.1%	70.6%	63	17	22	5	65.1%	70.6%
			UNKNOWN		W20/F02	31.8	11.2	20.6	64.8%									61	17	18	4	70.5%	78.5%						
	R7 (3)	RESIDENTIAL	UNKNOWN		W21/F02	30.3	9.9	20.4	67.3%	30.3	9.9	20.4	67.3%	99.4	29.5	11.5	70.4%	60	17	19	4	68.3%	76.5%	60	17	19	4	68.3%	76.5%
	R8 (3)	RESIDENTIAL	UNKNOWN		W22/F02	29.7	9.8	19.9	67.0%	29.5	9.8	19.7	66.8%	99.1	27.3	22.6	72.4%	59	16	23	4	61.0%	75.0%	59	16	27	6	54.2%	62.5%
			UNKNOWN		W23/F02	29.1	9.9	19.2	66.0%									56	14	22	4	60.7%	71.4%						
	R9	RESIDENTIAL	UNKNOWN		W24/F02	19.4	3.9	15.5	79.9%	18.2	4	14.2	78.0%	97.5	32.5	8.7	66.7%	34	9	10	4	70.6%	55.6%	48	10	20	4	58.3%	60.0%
			UNKNOWN		W25/F02	20.2	4.4	15.8	78.2%									41	7	14	2	65.9%	71.4%						
			UNKNOWN		W26/F02	15.1	2.6	12.5	82.8%									26	10	7	4	73.1%	60.0%						
			UNKNOWN		W27/F02	18.4	5.2	13.2	71.7%									39	8	17	4	56.4%	50.0%						
F03	R1	RESIDENTIAL	BEDROOM		W1/F03	34.8	14.6	20.2	58.0%	34.8	14.6	20.2	58.0%	77.2	13.8	8.8	82.1%	71	22	31	6	56.3%	72.7%	71	22	31	6	56.3%	72.7%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)					
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

CASCADIA HOUSE CAMBRIDGE ROAD (CONTINUED)

	R2 (3)	RESIDENTIAL	LIVING ROOM		W2/F03	33.1	13.2	19.9	60.1%	33.2	13	20.2	60.8%	95	26.5	19.7	72.1%	64	20	25	5	60.9%	75.0%	68	21	28	5	58.8%	76.2%
			LIVING ROOM		W3/F03	33.4	13	20.4	61.1%									65	20	24	5	63.1%	75.0%						
			LIVING ROOM		W4/F03	33.4	13.1	20.3	60.8%									66	20	26	5	60.6%	75.0%						
			LIVING ROOM		W5/F03	33.1	12.7	20.4	61.6%									66	21	26	5	60.6%	76.2%						
	R3	RESIDENTIAL	KITCHEN (1)		W6/F03 / INC (2)	75.4	54.5	20.9	27.7%	75.4	54.5	20.9	27.7%	100	57.5	3.1	42.5%	78	20	42	6	46.2%	70.0%	78	20	42	6	46.2%	70.0%
	R4	RESIDENTIAL	BEDROOM		W7/F03 / INC (2)	77.3	55.6	21.7	28.1%	77.3	55.6	21.7	28.1%	100	64.1	2.7	35.9%	79	20	41	6	48.1%	70.0%	79	20	41	6	48.1%	70.0%
	R5	RESIDENTIAL	BEDROOM		W8/F03	33	13.1	19.9	60.3%	33	13.1	19.9	60.3%	82.2	12.6	8.8	84.7%	65	18	32	7	50.8%	61.1%	65	18	32	7	50.8%	61.1%
	R6	RESIDENTIAL	KITCHEN (1)		W9/F03 / INC (2)	74.2	56	18.2	24.5%	74.2	56	18.2	24.5%	86.5	80.7	0.4	6.6%	65	14	37	5	43.1%	64.3%	65	14	37	5	43.1%	64.3%
	R7 (3)	RESIDENTIAL	LIVING ROOM		W10/F03	30.1	12.2	17.9	59.5%	29.4	11.5	17.9	60.9%	95.8	17.1	22.7	82.2%	53	12	22	4	58.5%	66.7%	54	12	23	4	57.4%	66.7%
			LIVING ROOM		W11/F03	29.9	12.2	17.7	59.2%									52	12	21	4	59.6%	66.7%						
			LIVING ROOM		W12/F03	28.7	10.6	18.1	63.1%									54	12	23	4	57.4%	66.7%						
			LIVING ROOM		W13/F03	28.8	11.2	17.6	61.1%									49	12	18	4	63.3%	66.7%						

140 CAMBRIDGE ROAD

F00	R1	RESIDENTIAL	UNKNOWN	TEST WINDOWS	W1/F00	27.7	13.7	14	50.5%	27.7	13.7	14	50.5%	98.9	42.9	6.4	56.7%	58	18	34	1	41.4%	94.4%	58	18	34	1	41.4%	94.4%
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	31	14.2	16.8	54.2%	31	14.2	16.8	54.2%	96.7	59.4	5.1	38.6%	63	23	33	6	47.6%	73.9%	63	23	33	6	47.6%	73.9%

138 CAMBRIDGE ROAD

F00	R1	RESIDENTIAL	UNKNOWN	TEST WINDOWS	W1/F00	32.5	10.9	21.6	66.5%	32.5	10.9	21.6	66.5%	96.6	15.6	18.1	83.9%	71	23	31	1	56.3%	95.7%	71	23	31	1	56.3%	95.7%
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	30.7	13.3	17.4	56.7%	30.7	13.3	17.4	56.7%	93.4	50.5	6.6	46.0%	63	24	31	7	50.8%	70.8%	63	24	31	7	50.8%	70.8%

136 CAMBRIDGE ROAD

F00	R1	RESIDENTIAL	UNKNOWN	TEST WINDOWS	W1/F00	23.4	8.9	14.5	62.0%	26.8	10.3	16.5	61.6%	98.7	40.7	9.3	58.8%	40	8	16	1	60.0%	87.5%	64	19	33	5	48.4%	73.7%
			UNKNOWN		W2/F00	30.2	11.7	18.5	61.3%									63	19	31	4	50.8%	78.9%						
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	30.3	12.5	17.8	58.7%	30.3	12.5	17.8	58.7%	94.8	51.2	6.7	46.0%	60	23	31	8	48.3%	65.2%	60	23	31	8	48.3%	65.2%

134 CAMBRIDGE ROAD

F00	R1	RESIDENTIAL	UNKNOWN	TEST WINDOWS	W1/F00	31.3	10.8	20.5	65.5%	31.3	11	20.3	64.9%	99.3	41.7	8.4	58.0%	68	24	32	6	52.9%	75.0%	69	24	33	6	52.2%	75.0%
			UNKNOWN		W2/F00	31.3	11.3	20	63.9%									68	23	33	6	51.5%	73.9%						
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	28.7	11	17.7	61.7%	28.7	11	17.7	61.7%	89.9	42.4	6.6	52.9%	57	22	26	7	54.4%	68.2%	57	22	26	7	54.4%	68.2%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)					
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	SOM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
142 CAMBRIDGE ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN	TEST WINDOWS	W1/F00	32.6	12.9	19.7	60.4%	32.6	12.9	19.7	60.4%	98.7	25.2	12.0	74.5%	72	23	33	2	54.2%	91.3%	72	23	33	2	54.2%	91.3%
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	29.4	13.1	16.3	55.4%	29.4	13.1	16.3	55.4%	94.9	51.3	6.1	45.9%	60	23	29	4	51.7%	82.6%	60	23	29	4	51.7%	82.6%
144 CAMBRIDGE ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	17.3	13	4.3	24.9%	17.3	13	4.3	24.9%	60.9	26.9	5.1	55.8%	32	8	24	0	25.0%	100.0%	32	8	24	0	25.0%	100.0%
	R2	RESIDENTIAL	UNKNOWN	TEST WINDOWS	W2/F00	32	15	17	53.1%	32	15	17	53.1%	100	51.2	3.2	48.8%	67	22	39	3	41.8%	86.4%	67	22	39	3	41.8%	86.4%
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	29.4	13.4	16	54.4%	29.4	13.4	16	54.4%	96.1	51.3	6.7	46.6%	60	23	27	2	55.0%	91.3%	60	23	27	2	55.0%	91.3%
146 CAMBRIDGE ROAD																													
F00	R3	RESIDENTIAL	UNKNOWN	TEST WINDOWS	W3/F00	32.2	14.8	17.4	54.0%	32	15.1	16.9	52.8%	99.4	53.8	6.6	45.8%	70	22	37	3	47.1%	86.4%	70	22	37	3	47.1%	86.4%
			UNKNOWN		W4/F00	31.9	15.4	16.5	51.7%									68	22	37	3	45.6%	86.4%						
F01	R2	RESIDENTIAL	UNKNOWN		W2/F01	29.4	13.5	15.9	54.1%	29.4	13.5	15.9	54.1%	95.4	47.1	7.6	50.6%	61	23	30	2	50.8%	91.3%	61	23	30	2	50.8%	91.3%
148 CAMBRIDGE ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN	TEST WINDOWS	W1/F00	32.5	15.1	17.4	53.5%	32.3	14.9	17.4	53.9%	98.7	42	8.9	57.4%	72	22	34	3	52.8%	86.4%	72	22	34	3	52.8%	86.4%
			UNKNOWN		W2/F00	32.2	14.7	17.5	54.3%									70	20	32	2	54.3%	90.0%						
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	29.3	13.5	15.8	53.9%	29.3	13.5	15.8	53.9%	96.8	56	5.4	42.2%	62	24	30	3	51.6%	87.5%	62	24	30	3	51.6%	87.5%
2 HAMPDEN ROAD																													
F01	R1	RESIDENTIAL	LKD		W1/F01	25	9.4	15.6	62.4%	23.2	18.5	4.7	20.3%	99.9	99.8	0.0	0.1%	42	7	12	1	71.4%	85.7%	46	7	16	1	65.2%	85.7%
			LKD		W20/F01	22.4	22.4	0	0.0%									1	0	1	0	0%	0%						
	R3	RESIDENTIAL	BEDROOM		W3/F01	26.7	11	15.7	58.8%	26.7	11	15.7	58.8%	97.1	38.8	6.9	60.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W4/F01	30.1	13.6	16.5	54.8%	30.1	13.6	16.5	54.8%	96.6	49.6	7.0	48.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W5/F01	31.9	14.5	17.4	54.5%	31.9	14.5	17.4	54.5%	98.3	51.1	4.8	48.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W6/F01	32.3	14.2	18.1	56.0%	32.3	14.2	18.1	56.0%	93.7	42	5.4	55.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W7/F01	32.4	13.4	19	58.6%	32.4	13.4	19	58.6%	97	21.8	6.5	77.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM		W8/F01	32.3	12.5	19.8	61.3%	32.3	12.5	19.8	61.3%	92.2	15.8	7.3	82.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	KITCHEN (1)		W9/F01	31.3	10.4	20.9	66.8%	31.3	10.4	20.9	66.8%	87.7	18.6	4.8	78.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	LIVING ROOM		W10/F01	31.7	9.8	21.9	69.1%	18	4.6	13.4	74.4%	94.8	33.7	13.8	64.5%							36	14	5	3	86.1%	78.6%
			LIVING ROOM		W11/F01	11.7	2.2	9.5	81.2%									24	14	3	3	87.5%	78.6%						
	R11	RESIDENTIAL	BEDROOM		W12/F01	8.6	0.8	7.8	90.7%	8.6	0.8	7.8	90.7%	74.7	10.2	8.1	86.3%	15	12	2	2	86.7%	83.3%	15	12	2	2	86.7%	83.3%

(1) KITCHEN SMALLER THAN 13m2  
 (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)  
 (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS %	LOSS %	EX	PR	LOSS %	LOSS %				
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
2 HAMPDEN ROAD (CONTINUED)																													
	R12	RESIDENTIAL	LKD		W13/F01	5	0.2	4.8	96.0%	16.9	8.1	8.8	52.1%	90.3	15	20.6	83.4%	3	1	2	0	77.8%	100.0%	67	20	40	9	40.3%	55.0%
			LKD		W14/F01	27.1	14.9	12.2	45.0%									65	20	39	9	40.0%	55.0%						
	R13	RESIDENTIAL	LIVING ROOM		W15/F01	16.1	7.9	8.2	50.9%	24.1	18.7	5.4	22.4%	100	89.9	2.4	10.1%	32	20	22	12	31.3%	40.0%	59	20	51	14	13.6%	30.0%
			LIVING ROOM		W16/F01	37.7	37.2	0.5	1.3%									56	18	51	14	8.9%	22.2%						
F02	R1	RESIDENTIAL	LKD		W1/F02	26.9	10.9	16	59.5%	31.2	26.4	4.8	15.4%	100	99.9	0.0	0.1%	42	7	14	2	66.7%	71.4%	47	7	19	2	59.6%	71.4%
			LKD		W20/F02	33.1	33.1	0	0.0%									3	0	3	0	0.0%	0.0%						
	R3	RESIDENTIAL	BEDROOM		W3/F02	28.8	12.8	16	55.6%	28.8	12.8	16	55.6%	98.9	39.6	7.4	60.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W4/F02	33.4	16.6	16.8	50.3%	33.4	16.6	16.8	50.3%	98.1	55.8	5.0	43.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W5/F02	34.6	16.7	17.9	51.7%	34.6	16.7	17.9	51.7%	97.9	47.2	6.1	51.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W6/F02	34.7	15.9	18.8	54.2%	34.7	15.9	18.8	54.2%	93.7	44.9	5.1	52.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W7/F02	34.7	14.8	19.9	57.3%	34.7	14.8	19.9	57.3%	97	22.9	6.4	76.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM		W8/F02	34.6	13.7	20.9	60.4%	34.6	13.7	20.9	60.4%	92.2	16.5	7.2	82.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	KITCHEN (1)		W9/F02	33.3	11.4	21.9	65.8%	33.3	11.4	21.9	65.8%	87.7	21.4	4.6	75.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	LIVING ROOM		W10/F02	33.7	10.8	22.9	68.0%	19.2	5.1	14.1	73.4%	94.9	33.6	13.8	64.5%	26				16.8%	10.0%	39	16	9	3	76.9%	81.3%
			LIVING ROOM		W11/F02	12.5	2.4	10.1	80.8%									26	16	3	3	88.5%	81.3%						
	R11	RESIDENTIAL	BEDROOM		W12/F02	9.2	0.9	8.3	90.2%	9.2	0.9	8.3	90.2%	74.7	10.2	8.1	86.3%	16	13	2	2	87.5%	84.6%	16	13	2	2	87.5%	84.6%
	R12	RESIDENTIAL	LKD		W13/F02	5.6	0.4	5.2	92.9%	17.8	9	8.8	49.4%	90.4	16.2	20.3	82.1%	10	3	3	0	70.0%	100.0%	69	21	42	9	39.1%	57.1%
			LKD		W14/F02	28.2	16.4	11.8	41.8%									67	21	42	9	37.3%	57.1%						
	R13	RESIDENTIAL	LIVING ROOM		W15/F02	17	8.4	8.6	50.6%	25.2	19.5	5.7	22.6%	100	89.9	2.4	10.1%	32	20	22	12	31.3%	40.0%	59	20	51	14	13.6%	30.0%
			LIVING ROOM		W16/F02	39.1	38.6	0.5	1.3%									56	18	51	14	8.9%	22.2%						
F03	R1	RESIDENTIAL	LKD		W1/F03	37.1	22	15.1	40.7%	31.1	22.4	8.7	28.0%	100	99.7	0.1	0.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W2/F03	24	23.7	0.3	1.3%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LKD		W3/F03	37.1	21.2	15.9	42.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LKD		W4/F03	37	20.2	16.8	45.4%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	BEDROOM		W5/F03	36.9	19	17.9	48.5%	36.9	19	17.9	48.5%	96	38.6	5.6	59.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3	RESIDENTIAL	BEDROOM		W6/F03	36.7	17.4	19.3	52.6%	36.7	17.4	19.3	52.6%	86.1	19.9	7.6	76.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM		W7/F03	36.5	16.2	20.3	55.6%	36.5	16.2	20.3	55.6%	91.4	39.4	5.8	56.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM		W8/F03	36.3	15	21.3	58.7%	36.3	15	21.3	58.7%	95.3	40.9	5.6	57.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	LKD		W9/F03	34.9	12.5	22.4	64.2%	22.5	6.7	15.8	70.2%	100	58.7	10.8	41.3%	33	6	7	0	76.8%	100.0%	44	17	10	3	77.3%	82.4%
			LKD		W10/F03	35.3	11.9	23.4	66.3%									31	6	7	0	75.8%	100.0%						
			LKD		W11/F03	12.8	2.5	10.3	80.5%									26	16	3	3	88.5%	81.3%						

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)										
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS %	EX	PR	LOSS %	EX	PR	LOSS %	EX	PR	LOSS %			
						%	%	%	%	%	%	%	%	%	%	SQM	%	%	%	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER		
2 HAMPDEN ROAD (CONTINUED)																																
	R7	RESIDENTIAL	BEDROOM		W12/F03	9.4	0.9	8.5	90.4%	9.4	0.9	8.5	90.4%	74.6	10.2	8.0	86.3%	16	13	2	2	87.5%	84.6%	16	13	2	2	87.5%	84.6%			
	R8	RESIDENTIAL	LKD		W13/F03	6.1	0.7	5.4	88.5%	18.4	9.8	8.6	46.7%	90.5	17.4	20.0	80.8%	10	8	8	0	40.0%	100.0%	71	21	46	9	35.2%	57.1%			
			LKD		W14/F03	28.9	17.7	11.2	38.8%									69	21	45	9	34.8%	57.1%									
	R9	RESIDENTIAL	LKD		W15/F03	17.2	8.7	8.5	49.4%	27.5	22.8	4.7	17.1%	100	98	0.5	2.0%	32	20	22	12	31.3%	40.0%	59	20	52	14	11.9%	30.0%			
			LKD		W16/F03	39.4	38.9	0.5	1.3%									56	18	51	14	8.9%	22.2%									
			LKD		W17/F03	38.9	38.6	0.3	0.8%									57	18	52	14	8.8%	22.2%									
F04	R1	RESIDENTIAL	LKD		W1/F04	37.9	23.5	14.4	38.0%	31.6	23.3	8.3	26.3%	100	99.7	0.1	0.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
			LKD		W2/F04	24.2	23.9	0.3	1.2%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
			LKD		W3/F04	37.8	22.6	15.2	40.2%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
			LKD		W4/F04	37.7	21.7	16	42.4%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R2	RESIDENTIAL	BEDROOM		W5/F04	37.6	20.4	17.2	45.7%	37.6	20.4	17.2	45.7%	96.2	42.4	5.3	55.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R3	RESIDENTIAL	BEDROOM		W6/F04	37.5	18.8	18.7	49.9%	37.5	18.8	18.7	49.9%	86.1	22.1	7.3	74.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM		W7/F04	37.4	17.5	19.9	53.2%	37.4	17.5	19.9	53.2%	91.4	41.7	5.6	54.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM		W8/F04	37.1	16.3	20.8	56.1%	37.1	16.3	20.8	56.1%	95.4	43.3	5.3	54.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	LKD		W9/F04	35.6	13.8	21.8	61.2%	23	7.3	15.7	68.3%	100	60.9	10.2	39.1%	35	8	35	0	70.0%	100.0%	46	17	13	3	71.7%	82.4%			
			LKD		W10/F04	36.1	13.3	22.8	63.2%									31	8	8	0	74.2%	100.0%									
			LKD		W11/F04	13	2.5	10.5	80.8%									26	16	3	3	88.5%	81.3%									
	R7	RESIDENTIAL	BEDROOM		W12/F04	9.5	0.9	8.6	90.5%	9.5	0.9	8.6	90.5%	74.6	10.2	8.0	86.3%	16	13	2	2	87.5%	84.6%	16	13	2	2	87.5%	84.6%			
	R8	RESIDENTIAL	LKD		W13/F04	6.5	1.1	5.4	83.1%	18.8	10.9	7.9	42.0%	90.5	19.6	19.4	78.3%	11	9	9	0	30.0%	100.0%	71	21	50	9	29.6%	57.1%			
			LKD		W14/F04	29.4	19.3	10.1	34.4%									69	21	50	9	27.5%	57.1%									
	R9	RESIDENTIAL	LKD		W15/F04	17.3	9.9	7.4	42.8%	27.6	23.5	4.1	14.9%	100	98	0.5	2.0%	32	20	25	12	21.9%	40.0%	59	20	55	14	6.8%	30.0%			
			LKD		W16/F04	39.4	39	0.4	1.0%									56	18	52	14	7.1%	22.2%									
			LKD		W17/F04	39	38.7	0.3	0.8%									57	18	53	14	7.0%	22.2%									
F05	R1	RESIDENTIAL	LKD		W1/F05	38.1	25.1	13	34.1%	31.8	24.2	7.6	23.9%	100	99.7	0.1	0.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
			LKD		W2/F05	24.4	24.1	0.3	1.2%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LKD		W3/F05	38.1	24.2	13.9	36.5%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LKD		W4/F05	38	23.3	14.7	38.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	BEDROOM		W5/F05	36.4	20.6	15.8	43.4%	37.1	21.3	15.8	42.6%	96.4	48.2	4.7	50.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM		W6/F05	37.9	22.1	15.8	41.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3	RESIDENTIAL	BEDROOM		W7/F05	37.8	20.5	17.3	45.8%	37.8	20.5	17.3	45.8%	86.1	25.8	6.9	70.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W8/F05	37.7	19.2	18.5	49.1%	37.7	19.2	18.5	49.1%	91.4	44.7	5.3	51.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)										
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %						
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%				
2 HAMPDEN ROAD (CONTINUED)																																		
	R5	RESIDENTIAL	BEDROOM		W9/F05	37.4	18	19.4	51.9%	37.4	18	19.4	51.9%	95.4	46.8	5.0	50.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R6	RESIDENTIAL	LKD		W10/F05	36	15.6	20.4	56.7%	23.2	8.1	15.1	65.1%	100	62.8	9.7	37.2%	36	5	12	1	88.7%	93.3%	47	17	15	4	68.1%	76.5%					
			LKD		W11/F05	36.5	15.1	21.4	58.6%										33	5	11	0	96.7%	100.0%										
			LKD		W12/F05	13	2.5	10.5	80.8%											26	16	3	3	89.5%	81.3%									
	R7	RESIDENTIAL	BEDROOM		W13/F05	9.5	0.9	8.6	90.5%	9.5	0.9	8.6	90.5%	74.6	10.7	8.0	85.6%	16	13	2	2	87.5%	84.6%	16	13	2	2	87.5%	84.6%					
	R8	RESIDENTIAL	LKD		W14/F05	6.8	1.6	5.2	76.5%	19.3	12.1	7.2	37.3%	90.5	23.2	18.4	74.4%	13	5	10	0	93.1%	100.0%	73	21	55	9	24.7%	57.1%					
			LKD		W15/F05	30	21.2	8.8	29.3%										72	21	55	9	23.6%	57.1%										
			LKD		W16/F05	17.4	11.3	6.1	35.1%	27.7	24.3	3.4	12.3%	100	98	0.5	2.0%	33	20	28	12	15.2%	40.0%	60	20	58	15	3.3%	25.0%					
	R9	RESIDENTIAL	LKD		W17/F05	39.4	39	0.4	1.0%									56	18	52	14	7.1%	22.2%											
			LKD		W18/F05	39.1	38.8	0.3	0.8%										57	18	54	15	5.3%	16.7%										
			LKD		W19/F05	39.1	38.8	0.3	0.8%																									
F06	R1	RESIDENTIAL	LKD		W1/F06	38.4	28.8	9.6	25.0%	32.9	29.8	3.1	9.4%	100	100	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
			LKD		W2/F06	38.4	26.7	11.7	30.5%										N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LKD		W3/F06	37	31.3	5.7	15.4%										N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LKD		W4/F06	34.4	31.9	2.5	7.3%											N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W5/F06	32.2	31.5	0.7	2.2%											N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W6/F06	31.3	31.3	0	0.0%											N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W7/F06	30.4	30.4	0	0.0%											N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W8/F06	38.3	26	12.3	32.1%											N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W9/F06	38.2	24.7	13.5	35.3%	38.2	24.7	13.5	35.3%	96.8	79.7	2.2	17.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R3	RESIDENTIAL	BEDROOM		W10/F06	38.1	23.1	15	39.4%	38.1	23.1	15	39.4%	96.9	68.4	3.3	29.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM		W11/F06	37.9	21.6	16.3	43.0%	37.9	21.6	16.3	43.0%	96.1	75.2	2.3	21.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM		W12/F06	37.7	20.2	17.5	46.4%	37.7	20.2	17.5	46.4%	98	62.5	3.6	36.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	LKD		W13/F06	37.4	18.8	18.6	49.7%	27.8	16.2	11.6	41.7%	100	66.5	8.8	33.5%	37	6	15	2	99.9%	99.7%	67	21	43	12	35.8%	42.9%					
			LKD		W14/F06	36.7	17.1	19.6	53.4%										35	11	11	0	95.0%	100%										
			LKD		W15/F06	22.8	15.3	7.5	32.9%										60	20	42	11	30.0%	45.0%										
	R7	RESIDENTIAL	BEDROOM		W16/F06	23.2	16.5	6.7	28.9%	23.2	16.5	6.7	28.9%	82.2	46	4.6	44.1%	55	20	45	12	18.2%	40.0%	55	20	45	12	18.2%	40.0%					
	R8	RESIDENTIAL	BEDROOM		W17/F06	23.8	17.4	6.4	26.9%	23.8	17.4	6.4	26.9%	84.6	45.7	4.5	45.9%	53	20	45	12	15.1%	40.0%	53	20	45	12	15.1%	40.0%					
	R9	RESIDENTIAL	LKD		W18/F06	25.3	19.4	5.9	23.3%	31.2	27.7	3.5	11.2%	100	99	0.3	1.0%	59	22	52	15	11.9%	31.8%	79	22	73	16	7.6%	27.3%					
			LKD		W19/F06	39.2	38.8	0.4	1.0%									53	18	50	15	5.7%	16.7%											
			LKD		W20/F06	39.1	38.9	0.2	0.5%									51	16	49	14	3.9%	12.5%											

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %			
						%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER		
<b>54 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	28.6	9.9	18.7	65.4%	28.6	9.9	18.7	65.4%	99	21.7	8.1	78.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W2/F00	28.5	9.8	18.7	65.6%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	29.7	11	18.7	63.0%	29.7	11	18.7	63.0%	80.6	23.8	4.4	70.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>56 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	26.9	9.4	17.5	65.1%	21.8	6.8	15	68.8%	95.9	17.1	8.6	82.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W2/F00	25.7	7.5	18.2	70.8%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W3/F00	12.9	3.5	9.4	72.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	29.8	11.3	18.5	62.1%	29.8	11.3	18.5	62.1%	96.1	39	4.6	59.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>58 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	28.8	10.9	17.9	62.2%	28.8	10.9	17.9	62.2%	91.2	18.4	5.6	79.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>62 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	KITCHEN (1)		W1/F00	29.5	13.3	16.2	54.9%	29.5	13.3	16.2	54.9%	98	45.3	4.6	53.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	29.1	12.9	16.2	55.7%	29.1	12.9	16.2	55.7%	98	48.4	4.7	50.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>64 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	KITCHEN (1)		W1/F00	29.9	15.3	14.6	48.8%	29.9	15.3	14.6	48.8%	94.5	44.4	3.1	53.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	29	14.3	14.7	50.7%	29.3	14.2	15.1	51.5%	98.4	62.5	3.4	36.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM		W2/F01	29.5	14.1	15.4	52.2%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
<b>66 VINCENT ROAD</b>																															
F00	R1	RESIDENTIAL	KITCHEN (1)		W1/F00	30.1	17.3	12.8	42.5%	30.1	17.3	12.8	42.5%	95.1	55.6	2.4	41.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	29.3	16.5	12.8	43.7%	29.6	16.3	13.3	44.9%	98.4	69.9	2.7	28.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM		W2/F01	29.8	16.1	13.7	46.0%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
<b>13 PORTMAN ROAD</b>																															
F00	R2	RESIDENTIAL	LD	FLOOR PLANS	W3/F00	15.1	14.7	0.4	2.6%	14.9	13.9	1	6.7%	83.5	72.3	2.0	13.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LD		W4/F00	14.7	12.8	1.9	12.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM	FLOOR PLANS	W1/F01	23.7	20.8	2.9	12.2%	23.7	20.8	2.9	12.2%	87.9	87.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)								
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %				
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
<b>13 PORTMAN ROAD (CONTINUED)</b>																																
	R2	RESIDENTIAL	BEDROOM	FLOOR PLANS	W2/F01	31.7	25.1	6.6	20.8%	31.7	25.1	6.6	20.8%	98.3	94.4	0.3	4.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>17 PORTMAN ROAD</b>																																
F00	R3	RESIDENTIAL	KITCHEN (1)	FLOOR PLANS	W3/F00	14.9	14.3	0.6	4.0%	14.9	14.3	0.6	4.0%	81.1	81	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	DINING ROOM	FLOOR PLANS	W4/F00	15.1	12.3	2.8	18.5%	15.1	12.3	2.8	18.5%	60	41.4	19	31.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM	FLOOR PLANS	W1/F01	21.5	18.2	3.3	15.3%	21.5	18.2	3.3	15.3%	85	84.3	0.1	0.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	FLOOR PLANS	W2/F01	25.6	20.9	4.7	18.4%	25.6	20.9	4.7	18.4%	97.9	91.6	0.4	6.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>25 PORTMAN ROAD</b>																																
F00	R2	RESIDENTIAL	KITCHEN (1)	FLOOR PLANS	W2/F00	20.9	19.4	1.5	7.2%	20.9	19.4	1.5	7.2%	86.3	82.7	0.2	4.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	DINING ROOM	FLOOR PLANS	W3/F00	16.2	12.3	3.9	24.1%	16.2	12.3	3.9	24.1%	85.5	40.6	5.8	52.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM	FLOOR PLANS	W1/F01	21.4	17.3	4.1	19.2%	21.4	17.3	4.1	19.2%	95.1	74.4	2.1	21.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	FLOOR PLANS	W2/F01	31.9	23.7	8.2	25.7%	31.9	23.7	8.2	25.7%	97	85.2	0.7	12.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>33 PORTMAN ROAD</b>																																
F00	R2	RESIDENTIAL	KITCHEN (1)	PLANS	W2/F00	17.2	15.5	1.7	9.9%	17.2	15.5	1.7	9.9%	74.7	71.5	0.2	4.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	LIVING ROOM	PLANS	W3/F00	13.5	10	3.5	25.9%	13.5	10	3.5	25.9%	72.3	29.5	4.8	59.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	19.3	14.8	4.5	23.3%	19.3	14.8	4.5	23.3%	92	71.2	2.0	22.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>15 PORTMAN ROAD</b>																																
F00	R1	RESIDENTIAL	DINING ROOM	ASSUMED	W1/F00	15.2	11.1	4.1	27.0%	15.2	11.1	4.1	27.0%	75.9	27.4	6.2	64.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	KITCHEN (1)	ASSUMED	W11/F00	14.4	12.5	1.9	13.2%	14.4	12.5	1.9	13.2%	81.4	81.3	0.0	0.1%	32	0	26	0	18.8%	0.0%	32	0	26	0	18.8%	0.0%			
F01	R1	RESIDENTIAL	BEDROOM	ASSUMED	W1/F01	25.6	19.6	6	23.4%	25.6	19.6	6	23.4%	91.3	65.7	3.2	28.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	ASSUMED	W2/F01	31.8	24.9	6.9	21.7%	31.8	24.9	6.9	21.7%	98.5	92.7	0.4	5.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>19 PORTMAN ROAD</b>																																
F00	R1	RESIDENTIAL	DINING ROOM	ASSUMED	W1/F00	13.7	10	3.7	27.0%	13.7	10	3.7	27.0%	74.5	24.5	6.0	67.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	KITCHEN (1)	ASSUMED	W2/F00	15.3	13.2	2.1	13.7%	15.3	13.2	2.1	13.7%	63.4	63.4	0.0	0.1%	34	2	27	1	20.6%	50.0%	34	2	27	1	20.6%	50.0%			
	R3	RESIDENTIAL	UNKNOWN	ASSUMED	W3/F00	26.5	18.2	8.3	31.3%	26.5	18.2	8.3	31.3%	98.3	49.6	3.3	49.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM	ASSUMED	W1/F01	22.4	17	5.4	24.1%	22.4	17	5.4	24.1%	89.7	57.6	3.8	35.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	ASSUMED	W2/F01	24.5	22	2.5	10.2%	24.5	22	2.5	10.2%	89.8	89.8	0.0	0.0%	51	13	45	12	11.8%	7.7%	51	13	45	12	11.8%	7.7%			

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)								
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %				
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
<b>19 PORTMAN ROAD (CONTINUED)</b>																																
	R3	RESIDENTIAL	UNKNOWN	ASSUMED	W3/F01	311	22.8	8.3	26.7%	311	22.8	8.3	26.7%	97.4	78.6	1.3	19.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>27 PORTMAN ROAD</b>																																
F00	R1	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F00	10.2	8.2	2	19.6%	10.2	8.2	2	19.6%	95	84.6	0.1	0.5%	21	1	14	1	33.3%	0.0%	21	1	14	1	33.3%	0.0%			
F01	R1	RESIDENTIAL	BEDROOM	ASSUMED	W1/F01	31.8	23.5	8.3	26.1%	31.8	23.5	8.3	26.1%	97.5	88.3	0.6	9.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	DINING ROOM	ASSUMED	W2/F01	17.6	12.2	5.4	30.7%	17.6	12.2	5.4	30.7%	94.6	53.5	4.6	43.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F02	R1	RESIDENTIAL	BEDROOM	ASSUMED	W1/F02	34.2	25.5	8.7	25.4%	34.2	25.5	8.7	25.4%	95	92.7	0.1	2.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	BEDROOM	ASSUMED	W2/F02	23.2	17	6.2	26.7%	23.2	17	6.2	26.7%	94.3	55.5	4.4	41.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>31 PORTMAN ROAD</b>																																
F00	R1	RESIDENTIAL	DINING ROOM	ASSUMED	W1/F00	13	8.7	4.3	33.1%	13	8.7	4.3	33.1%	56.3	16.3	5.2	71.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R2	RESIDENTIAL	KITCHEN (1)	ASSUMED	W2/F00	15.2	13.7	1.5	9.9%	15.2	13.7	1.5	9.9%	69.4	60.1	0.6	13.4%	35	2	28	3	20.0%	-50.0%	35	2	28	3	20.0%	-50.0%			
F01	R1	RESIDENTIAL	BEDROOM	ASSUMED	W1/F01	18.8	13.4	5.4	28.7%	18.8	13.4	5.4	28.7%	82.2	45.7	4.8	44.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R2	RESIDENTIAL	BEDROOM	ASSUMED	W2/F01	31.6	23.2	8.4	26.6%	31.6	23.2	8.4	26.6%	94.5	80.4	1.0	14.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
<b>29 PORTMAN ROAD</b>																																
F00	R2	RESIDENTIAL	KITCHEN (1)	ASSUMED	W2/F00	13.8	12.4	1.4	10.1%	13.8	12.4	1.4	10.1%	68.3	66.9	0.1	2.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R3	RESIDENTIAL	DINING ROOM	ASSUMED	W3/F00	12.5	9.6	2.9	23.2%	12.5	9.6	2.9	23.2%	71.2	28	5.6	60.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
F01	R1	RESIDENTIAL	BEDROOM	ASSUMED	W1/F01	17.5	13.4	4.1	23.4%	17.5	13.4	4.1	23.4%	78.3	58.6	2.5	25.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R2	RESIDENTIAL	BEDROOM	ASSUMED	W2/F01	31.7	23.3	8.4	26.5%	31.7	23.3	8.4	26.5%	97	81	11	16.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
<b>43 PORTMAN ROAD</b>																																
F00	R1	RESIDENTIAL	DINING ROOM	ASSUMED	W1/F00	9.5	9.7	-0.2	-2.1%	9.5	9.7	-0.2	-2.1%	51.3	36.3	2.0	29.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R2	RESIDENTIAL	UNKNOWN	ASSUMED	W2/F00	10.6	10.5	0.1	0.9%	10.6	10.5	0.1	0.9%	66.6	67.3	0.0	-1.0%	18	2	19	1	-5.6%	50.0%	18	2	19	1	-5.6%	50.0%			
	R3	RESIDENTIAL	UNKNOWN	ASSUMED	W3/F00	18.3	19.7	-1.4	-7.7%	18.3	19.7	-1.4	-7.7%	70.3	47.8	1.6	32.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
F01	R1	RESIDENTIAL	BEDROOM	ASSUMED	W1/F01	14.8	12.4	2.4	16.2%	14.8	12.4	2.4	16.2%	73.6	68.2	0.7	7.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R2	RESIDENTIAL	BEDROOM	ASSUMED	W3/F01	27	23.4	3.6	13.3%	27	23.4	3.6	13.3%	95.2	90.7	0.3	4.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
F02	R2	RESIDENTIAL	BEDROOM	ASSUMED	W2/F02	22.4	18.4	4	17.9%	22.4	18.4	4	17.9%	84.3	67.8	2.2	19.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
<b>41 PORTMAN ROAD</b>																																
F00	R1	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F00	23.7	21.8	1.9	8.0%	23.7	21.8	1.9	8.0%	88	87	0.1	1.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m





FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)					
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
<b>2 SOMERSET ROAD (CONTINUED)</b>																													
			LIVING ROOM		W2/F00	28.4	25.1	3.3	11.6%										N/A	N/A	N/A	N/A	N/A	N/A					
			LIVING ROOM		W3/F00	27.5	28.6	-1.1	-4.0%										N/A	N/A	N/A	N/A	N/A	N/A					
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	29.6	25.5	4.1	13.9%	29.6	25.5	4.1	13.9%	94.5	77.4	15	18.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>3 SOMERSET ROAD</b>																													
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	24.5	17.6	6.9	28.2%	27.7	24.8	2.9	10.5%	87.8	90.2	-0.3	-2.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W2/F00	29.6	27	2.6	8.8%									N/A	N/A	N/A	N/A	N/A	N/A						
			LIVING ROOM		W3/F00	27.1	27.8	-0.7	-2.6%									N/A	N/A	N/A	N/A	N/A	N/A						
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	32.6	29.4	3.2	9.8%	32.6	29.4	3.2	9.8%	95.2	88.2	0.6	7.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F02	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F02 / INC (2)	78.9	73.8	5.1	6.5%	78.9	73.8	5.1	6.5%	91.8	91.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>4 SOMERSET ROAD</b>																													
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	24.7	18.8	5.9	23.9%	28.5	26	2.5	8.8%	92.2	92.7	-0.1	-0.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W2/F00	30.5	28.1	2.4	7.9%									N/A	N/A	N/A	N/A	N/A	N/A						
			LIVING ROOM		W3/F00	28.4	28.8	-0.4	-1.4%									N/A	N/A	N/A	N/A	N/A	N/A						
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	33.5	30.6	2.9	8.7%	33.5	30.6	2.9	8.7%	94.8	89.6	0.5	5.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F02	R2	RESIDENTIAL	BEDROOM	PLANS	W2/F02 / INC (2)	71.7	70.1	1.6	2.2%	71.7	70.1	1.6	2.2%	84.8	84.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>29 ROWLLS ROAD</b>																													
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00 / INC (2)	74.9	74.7	0.2	0.3%	74.9	74.7	0.2	0.3%	100	100	0.0	0.0%	31	3	31	3	0.0%	0.0%	31	3	31	3	0.0%	0.0%
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F00	8.1	8.1	0	0.0%	8.1	8.1	0	0.0%	55.9	55.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	35.7	32.3	3.4	9.5%	35.7	32.3	3.4	9.5%	97.8	97.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F01	23.5	23.6	-0.1	-0.4%	23.5	23.6	-0.1	-0.4%	89.7	89.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>91 ROWLLS ROAD</b>																													
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00	20	16.4	3.6	18.0%	20	16.4	3.6	18.0%	91.4	64.3	4.1	29.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F00	26.6	19.8	6.8	25.6%	26.6	19.8	6.8	25.6%	79.2	78.4	0.1	1.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	24	22	2	8.3%	24	22	2	8.3%	97.6	97.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN-RESI		W2/F01	26.6	23	3.6	13.5%	26.6	23	3.6	13.5%	98.1	84.5	0.4	4.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3	RESIDENTIAL	UNKNOWN-RESI		W3/F01	31.4	24.4	7	22.3%	33.7	28.4	5.3	15.7%	98.7	98.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			UNKNOWN-RESI		W4/F01	36	32.5	3.5	9.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		

(1) KITCHEN SMALLER THAN 13m2  
 (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)  
 (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)							
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %			
						%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER		
<b>30 ROWLLS ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	31.2	25.4	5.8	18.6%	32.6	28.6	4	12.3%	99.5	99.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W2/F00	35	30.7	4.3	12.3%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W3/F00	29.1	27.8	1.3	4.5%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R7	RESIDENTIAL	KITCHEN		W10/F00	27.4	27.4	0	0.0%	27.8	27.4	0.4	1.4%	99.9	99.9	0.0	0.0%	64	20	63	20	16%	0.0%	65	20	64	20	15%	0.0%		
			KITCHEN		W11/F00	29.6	27.3	2.3	7.8%									39	11	39	11	0.0%	0.0%								
F01	R3	RESIDENTIAL	BEDROOM	PLANS	W3/F01	33.8	29.8	4	11.8%	33.8	29.8	4	11.8%	99	99	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM		W4/F01	33.7	29.8	3.9	11.6%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F02	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F02	37.2	31.6	5.6	15.1%	37.2	31.5	5.7	15.3%	96.3	88.6	1.0	8.0%	50	15	41	13	18.0%	13.3%	50	15	41	13	18.0%	13.3%		
			BEDROOM		W2/F02	37.2	31.5	5.7	15.3%									49	14	40	12	18.4%	14.3%								
	R4	RESIDENTIAL	BEDROOM	PLANS	W5/F02 / INC (2)	88	85.2	2.8	3.2%	88.5	85.7	2.8	3.2%	86.2	86.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM		W6/F02 / INC (2)	89	86.2	2.8	3.1%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>28 ROWLLS ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	29	23.8	5.2	17.9%	31.6	28	3.6	11.4%	99.5	99.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W2/F00	34.8	30.9	3.9	11.2%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W3/F00	27.9	26.6	1.3	4.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	33.7	30	3.7	11.0%	33.7	30	3.7	11.0%	99.1	99.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM		W2/F01	33.7	30.1	3.6	10.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F02	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F02 / INC (2)	88.9	86.3	2.6	2.9%	88.9	86.3	2.6	2.9%	76.1	76.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>26 ROWLLS ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	28.7	23.5	5.2	18.1%	31.6	27.7	3.9	12.3%	99.6	99.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W2/F00	34.8	30.4	4.4	12.6%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W3/F00	28.3	26.6	1.7	6.0%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R3	RESIDENTIAL	BEDROOM	PLANS	W3/F01	35	30.9	4.1	11.7%	35	30.9	4.1	11.7%	99.3	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM		W4/F01	35	30.9	4.1	11.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F02	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F02 / INC (2)	46.8	44	2.8	6.0%	46.2	43.6	2.6	5.6%	97.2	97.2	0.0	0.0%	62	20	58	19	6.5%	5.0%	62	20	58	19	6.5%	5.0%		
			BEDROOM		W2/F02 / INC (2)	45.7	43.2	2.5	5.5%									60	18	55	17	8.3%	5.6%								

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %			
						%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER		
<b>24 ROWLLS ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	29.5	24.3	5.2	17.6%	30.6	26.8	3.8	12.4%	99.3	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W2/F00	34.2	30	4.2	12.3%									N/A	N/A	N/A	N/A	N/A	N/A								
			LIVING ROOM		W3/F00	24.7	23.1	1.6	6.5%									N/A	N/A	N/A	N/A	N/A	N/A								
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	34.9	30.8	4.1	11.7%	34.7	30.7	4	11.5%	99.2	99.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM		W2/F01	34.5	30.6	3.9	11.3%									N/A	N/A	N/A	N/A	N/A	N/A								
F02	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F02 / INC (2)	81.7	80	1.7	2.1%	84.8	82.8	2	2.4%	86	86	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM		W2/F02 / INC (2)	87.8	85.5	2.3	2.6%									N/A	N/A	N/A	N/A	N/A	N/A								
<b>22 ROWLLS ROAD</b>																															
F00	R2	RESIDENTIAL	LIVING ROOM	PLANS	W2/F00	11.4	9.5	1.9	16.7%	22.8	19.6	3.2	14.0%	99.3	99.3	0.0	0.0%	11	3	11	3	0.0%	0.0%	22	3	21	3	4.5%	0.0%		
			LIVING ROOM		W3/F00	33.3	28.7	4.6	13.8%									13	0	13	0	7.7%	0.0%								
			LIVING ROOM		W4/F00	31.5	27.4	4.1	13.0%									13	0	12	0	7.7%	0.0%								
			LIVING ROOM		W5/F00	27	23.5	3.5	13.0%									12	0	10	0	8.3%	0.0%								
			LIVING ROOM		W6/F00	20.6	17.7	2.9	14.1%									5	0	5	0	0.0%	0.0%								
F01	R2	RESIDENTIAL	BEDROOM	PLANS	W2/F01	33.6	29.8	3.8	11.3%	30.6	26.9	3.7	12.1%	99.3	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM		W3/F01	27.7	24	3.7	13.4%									N/A	N/A	N/A	N/A	N/A	N/A								
<b>20 ROWLLS ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	14.3	13.2	1.1	7.7%	26.3	23	3.3	12.5%	98.6	98.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LIVING ROOM		W2/F00	29.1	25.6	3.5	12.0%									N/A	N/A	N/A	N/A	N/A	N/A								
			LIVING ROOM		W3/F00	32.6	27.4	5.2	16.0%									N/A	N/A	N/A	N/A	N/A	N/A								
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	29.6	26.1	3.5	11.8%	31	27.5	3.5	11.3%	99.3	99.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM		W2/F01	32.5	28.9	3.6	11.1%									N/A	N/A	N/A	N/A	N/A	N/A								
<b>93 ROWLLS ROAD</b>																															
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00	29.9	26.4	3.5	11.7%	29.9	26.4	3.5	11.7%	98.9	98.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	34.3	30.4	3.9	11.4%	34.3	30.4	3.9	11.4%	98.7	98.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>63 CAMBRIDGE GROVE ROAD</b>																															
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	19.7	9.7	10	50.8%	28.1	13.2	14.9	53.0%	95.6	41.4	10.0	56.7%	43	14	27	8	37.2%	42.9%	49	14	28	8	42.9%	42.9%		
			LIVING ROOM		W2/F00	31.4	14.6	16.8	53.5%									47	13	27	8	42.6%	38.5%								

- (1) KITCHEN SMALLER THAN 13m2
- (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)
- (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
63 CAMBRIDGE GROVE ROAD (CONTINUED)																													
			LIVING ROOM		W3/F00	20.4	9.9	10.5	51.5%									45	14	27	8	40.0%	42.9%						
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	34.6	15.9	18.7	54.0%	34.6	15.9	18.7	54.0%	91	47.7	6.1	47.6%	45	14	24	8	46.7%	42.9%	45	14	24	8	46.7%	42.9%
65 CAMBRIDGE GROVE ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	34.5	15.5	19	55.1%	27.4	12.2	15.2	55.5%	95.9	32.5	11.1	66.1%	47	13	27	8	42.6%	38.5%	48	14	27	8	43.8%	42.9%
			LIVING ROOM		W2/F00	7.6	0	7.6	100.0%									11	2	0	0	100.0%	100.0%						
			LIVING ROOM		W3/F00	0	0	0	-									0	0	0	0	0.0%	0.0%						
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	36	16.2	19.8	55.0%	36.1	16.3	19.8	54.8%	98	69.6	4.0	29.0%	44	13	24	8	45.5%	38.5%	45	14	24	8	46.7%	42.9%
			BEDROOM		W2/F01	36.1	16.4	19.7	54.6%									45	14	24	8	46.7%	42.9%						
67 CAMBRIDGE GROVE ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	34.3	15.5	18.8	54.8%	28.2	12.7	15.5	55.0%	95.8	36.2	10.2	62.2%	44	12	23	6	47.7%	50.0%	44	12	23	6	47.7%	50.0%
			LIVING ROOM		W2/F00	0	0	0	-									0	0	0	0	0.0%	0.0%						
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	36.1	16.6	19.5	54.0%	36.1	16.7	19.4	53.7%	98.2	69.6	4.0	29.2%	45	14	24	8	46.7%	42.9%	46	15	24	8	47.8%	46.7%
			BEDROOM		W2/F01	36	16.7	19.3	53.6%									46	15	24	8	47.8%	46.7%						
69 CAMBRIDGE GROVE ROAD																													
F00	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F00	35.1	16	19.1	54.4%	35.1	16	19.1	54.4%	91.2	90.6	0.0	0.6%	48	14	26	8	45.8%	42.9%	48	14	26	8	45.8%	42.9%
	R2	RESIDENTIAL	LIVING ROOM	PLANS	W2/F00	29.7	15.2	14.5	48.8%	29.7	15.2	14.5	48.8%	95.1	33.1	8.0	65.2%	46	13	26	8	43.5%	38.5%	46	13	26	8	43.5%	38.5%
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	36	16.9	19.1	53.1%	36	16.9	19.1	53.1%	95	53	4.2	44.3%	45	14	24	8	46.7%	42.9%	45	14	24	8	46.7%	42.9%
71 CAMBRIDGE GROVE ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	35.2	16.7	18.5	52.6%	35.1	16.7	18.4	52.4%	97.9	34.2	8.3	65.1%	46	13	25	8	45.7%	38.5%	46	13	25	8	45.7%	38.5%
			LIVING ROOM		W2/F00	35.1	16.7	18.4	52.4%									46	13	25	8	45.7%	38.5%						
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	36	17.1	18.9	52.5%	36	17.1	18.9	52.5%	95.1	51.6	4.3	45.8%	44	13	24	8	45.5%	38.5%	44	13	24	8	45.5%	38.5%
73 CAMBRIDGE GROVE ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	35.3	17	18.3	51.8%	35.3	17	18.3	51.8%	94.8	25.8	9.3	72.7%	47	13	26	8	44.7%	38.5%	47	13	26	8	44.7%	38.5%
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	36.3	17.5	18.8	51.8%	36.3	17.5	18.8	51.8%	95	50.7	4.6	46.6%	44	13	24	8	45.5%	38.5%	44	13	24	8	45.5%	38.5%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
75 CAMBRIDGE GROVE ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	35.1	17.2	17.9	51.0%	35.1	17.2	17.9	51.0%	94.7	31.1	8.2	67.2%	47	13	26	8	44.7%	38.5%	47	13	26	8	44.7%	38.5%
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	36.2	17.8	18.4	50.8%	36.2	17.8	18.4	50.8%	95	48.7	4.6	48.8%	44	13	24	8	45.5%	38.5%	44	13	24	8	45.5%	38.5%
77 CAMBRIDGE GROVE ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	30	14.3	15.7	52.3%	33.2	17	16.2	48.8%	99.8	43.8	6.8	56.1%	22	3	3	0	38.4%	100.0%	47	13	26	8	44.7%	38.5%
			LIVING ROOM		W2/F00	35.4	17.7	17.7	50.0%									47	13	26	8	44.7%	38.5%						
			LIVING ROOM		W3/F00	30.1	18.6	11.5	38.2%									47	13	26	8	44.7%	38.5%						
			LIVING ROOM		W4/F00	34.4	17.1	17.3	50.3%									47	13	26	8	44.7%	38.5%						
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	36.1	18	18.1	50.1%	36.1	18	18.1	50.1%	96.3	42.8	5.0	55.6%	44	13	24	8	45.5%	38.5%	44	13	24	8	45.5%	38.5%
79 CAMBRIDGE GROVE ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	35	18	17	48.6%	35	18	17	48.6%	94.7	32.4	7.6	65.8%	46	13	26	9	43.5%	30.8%	46	13	26	9	43.5%	30.8%
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	35.9	18.1	17.8	49.6%	35.9	18.1	17.8	49.6%	93.6	43.3	4.7	53.7%	42	13	23	9	45.2%	30.8%	42	13	23	9	45.2%	30.8%
81 CAMBRIDGE GROVE ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	35.1	18.2	16.9	48.1%	35	18.2	16.8	48.0%	99.2	40.8	7.2	58.8%	47	13	28	9	40.4%	30.8%	47	13	29	10	38.3%	23.1%
			LIVING ROOM		W2/F00	34.9	18.3	16.6	47.6%									45	11	27	8	40.0%	27.3%						
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	36.1	18.8	17.3	47.9%	36.1	18.8	17.3	47.9%	93.4	47.3	4.4	49.3%	43	13	25	10	41.9%	23.1%	43	13	25	10	41.9%	23.1%
83 CAMBRIDGE GROVE ROAD																													
F00	R1	RESIDENTIAL	LIVING ROOM	PLANS	W1/F00	34.7	18.3	16.4	47.3%	31.2	17.2	14	44.9%	99.7	44.8	7.0	55.1%	43	10	25	7	41.9%	30.0%	46	11	29	8	37.0%	27.3%
			LIVING ROOM		W2/F00	30	15.1	14.9	49.7%									22	3	3	0	38.4%	100.0%						
			LIVING ROOM		W3/F00	34.7	18.4	16.3	47.0%									43	9	26	6	39.5%	33.3%						
			LIVING ROOM		W4/F00	26.8	17.4	9.4	35.1%									44	9	27	6	38.6%	33.3%						
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	36.1	19.2	16.9	46.8%	36.1	19.2	16.9	46.8%	94.9	54.8	4.0	42.2%	42	13	27	12	35.7%	7.7%	42	13	27	12	35.7%	7.7%
17 PIPER ROAD																													
F00	R2	RESIDENTIAL	RECEPTION ROOM	PLANS	W2/F00	15.9	7.1	8.8	55.3%	15.9	7.1	8.8	55.3%	67.2	22	6.1	67.2%	23	3	6	0	73.9%	100.0%	23	3	6	0	73.9%	100.0%
	R3	RESIDENTIAL	BEDROOM	ASSUMED	W3/F00 / INC (2)	73.6	56.5	17.1	23.2%	73.6	56.5	17.1	23.2%	99.2	99.2	0.0	0.0%	59	17	38	13	35.6%	23.5%	59	17	38	13	35.6%	23.5%
F01	R2	RESIDENTIAL	BEDROOM	PLANS	W3/F01	36.4	18	18.4	50.5%	36.4	18	18.4	50.5%	97.6	36.4	6.1	62.7%	49	14	28	10	42.9%	28.6%	49	14	28	10	42.9%	28.6%
F02	R2	RESIDENTIAL	BEDROOM	PLANS	W2/F02	37.5	20.5	17	45.3%	37.5	20.5	17	45.3%	91.5	51	2.7	44.2%	50	15	29	10	42.0%	33.3%	50	15	29	10	42.0%	33.3%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
11 PIPER ROAD																													
F00	R1	RESIDENTIAL	KITCHEN		W1/F00 / INC (2)	73.8	55.9	17.9	24.3%	43.6	28.1	15.5	35.6%	100	100	0.0	0.0%	57	16	35	11	38.6%	31.3%	63	16	40	11	36.5%	31.3%
			KITCHEN		W2/F00	31.2	12.6	18.6	59.6%									42	9	17	4	59.5%	55.6%						
			KITCHEN		W3/F00	31.3	12.7	18.6	59.4%									44	11	19	6	56.8%	45.5%						
			KITCHEN		W4/F00	31.3	12.8	18.5	59.1%									46	13	21	8	54.3%	38.5%						
			KITCHEN		W5/F00	31	12.8	18.2	58.7%									46	13	21	8	54.3%	38.5%						
			KITCHEN		W6/F00 / INC (2)	76.3	58.3	18	23.6%									57	16	35	11	38.6%	31.3%						
			KITCHEN		W7/F00 / INC (2)	61.9	47.6	14.3	23.1%									14	0	1	0	32.9%	0.0%						
			KITCHEN		W8/F00	25.3	16.9	8.4	33.2%									5	0	1	0	33.0%	0.0%						
			KITCHEN		W9/F00 / INC (2)	58.5	45	13.5	23.1%									8	0	0	0	100.0%	0.0%						
			KITCHEN		W10/F00	25.6	17.3	8.3	32.4%									10	0	0	0	30.0%	0.0%						
			KITCHEN		W11/F00 / INC (2)	50.6	38.2	12.4	24.5%									3	0	0	0	100.0%	0.0%						
	R2	RESIDENTIAL	DINING ROOM		W12/F00	27.7	19.9	7.8	28.2%	27.7	19.9	7.8	28.2%	96.4	70.8	2.9	26.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	19	10.6	8.4	44.2%	19	10.6	8.4	44.2%	75.1	34.5	4.6	54.1%	5	0	0	0	100.0%	0.0%	5	0	0	0	100.0%	0.0%
	R3	RESIDENTIAL	BEDROOM		W3/F01	35.6	17.4	18.2	51.1%	35.6	17.4	18.2	51.1%	96.3	37.4	6.6	61.2%	49	15	27	9	44.9%	40.0%	49	15	27	9	44.9%	40.0%
13 PIPER ROAD																													
F00	R1	RESIDENTIAL	DINING ROOM		W1/F00	14.8	6.5	8.3	56.1%	14.8	6.5	8.3	56.1%	66.1	22.1	5.2	66.6%	20	1	7	0	65.0%	100.0%	20	1	7	0	65.0%	100.0%
	R2	RESIDENTIAL	KITCHEN (1)		W2/F00	8.1	5.3	2.8	34.6%	10.3	7.2	3.1	30.1%	80.9	68.7	0.9	15.1%	26	4	10	0	61.5%	100.0%	35	6	18	1	48.6%	83.3%
			KITCHEN (1)		W3/F00	12.7	9.3	3.4	26.8%									35	6	18	1	48.6%	83.3%						
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	20.1	10.5	9.6	47.8%	20.1	10.5	9.6	47.8%	77.2	30.3	5.6	60.8%	32	5	15	0	53.1%	100.0%	32	5	15	0	53.1%	100.0%
	R2	RESIDENTIAL	BEDROOM		W2/F01	17.2	13.5	3.7	21.5%	17.2	13.5	3.7	21.5%	79.9	79.8	0.0	0.1%	46	8	29	2	37.0%	75.0%	46	8	29	2	37.0%	75.0%
27 PIPER ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F00	32.8	17.3	15.5	47.3%	32.8	17.3	15.5	47.3%	99.8	51.3	7.2	48.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F01 / INC (2)	35.8	20.9	14.9	41.6%	35.8	20.9	14.9	41.6%	99.1	63	6.5	36.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/F01 / INC (2)	35.7	21	14.7	41.2%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F02	R1	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F02 / INC (2)	37.3	22.5	14.8	39.7%	37.3	22.5	14.8	39.7%	83.1	40.5	4.8	51.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN	ASSUMED	W2/F02	33	29.6	3.4	10.3%	33	29.6	3.4	10.3%	98.2	98.1	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)														
						EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX	PR	LOSS	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %										
						%	%	%	%	%	%	%	%	%	%	SQM	%	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER								
<b>25 PIPER ROAD</b>																																						
F00	R1	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F00	33.3	16.9	16.4	49.2%	33.3	16.9	16.4	49.2%	99.9	61.4	5.6	38.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R2	RESIDENTIAL	UNKNOWN	ASSUMED	W2/F00	2.5	2.3	0.2	8.0%	2.5	2.3	0.2	8.0%	7.6	7.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
F01	R1	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F01	6.6	6.3	0.3	4.5%	6.6	6.3	0.3	4.5%	17.7	17.2	0.1	2.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R2	RESIDENTIAL	UNKNOWN	ASSUMED	W2/F01 / INC (2)	36.5	20.8	15.7	43.0%	36.5	20.8	15.7	43.0%	96.1	43	9.4	55.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>27A PIPER ROAD</b>																																						
F00	R1	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F00	31.9	17.5	14.4	45.1%	31.9	17.5	14.4	45.1%	99.7	51	7.4	48.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
F01	R1	RESIDENTIAL	UNKNOWN	ASSUMED	W3/F01 / INC (2)	35	21.1	13.9	39.7%	34.9	21.2	13.7	39.3%	99	68.7	5.5	30.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			UNKNOWN		W4/F01 / INC (2)	34.8	21.2	13.6	39.1%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
F02	R1	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F02 / INC (2)	36.9	23.1	13.8	37.4%	36.9	23.1	13.8	37.4%	87.9	53	3.9	39.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN	ASSUMED	W2/F02	33.4	30	3.4	10.2%	33.4	30	3.4	10.2%	98.8	98.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>87 BONNER HILL ROAD</b>																																						
F00	R1	RESIDENTIAL	DINING ROOM	PLANS	W1/F00	13	11.6	1.4	10.8%	13	11.6	1.4	10.8%	41.6	40	0.3	3.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	R2	RESIDENTIAL	KITCHEN (1)	PLANS	W2/F00	21.2	11.8	9.4	44.3%	29.7	22	7.7	25.9%	99.5	99.3	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			KITCHEN (1)		W3/F00	34.2	27.4	6.8	19.9%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
F01	R1	RESIDENTIAL	BEDROOM	PLANS	W1/F01	23.1	18.9	4.2	18.2%	23.1	18.9	4.2	18.2%	88.4	65	3.1	26.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	BEDROOM	PLANS	W2/F01	37.1	30.4	6.7	18.1%	37.1	30.4	6.7	18.1%	95.1	94.7	0.0	0.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>85 BONNER HILL ROAD</b>																																						
F00	R1	RESIDENTIAL	DINING ROOM	ASSUMED	W1/F00	15.1	14.7	0.4	2.6%	15.1	14.7	0.4	2.6%	49.4	49.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	KITCHEN (1)	ASSUMED	W2/F00	31.5	27.5	4	12.7%	31.5	27.5	4	12.7%	98.6	98	0.0	0.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F01	R1	RESIDENTIAL	BEDROOM	ASSUMED	W1/F01	22.6	21.8	0.8	3.5%	22.6	21.8	0.8	3.5%	87.4	87.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	ASSUMED	W2/F01	37.3	31	6.3	16.9%	37.3	31	6.3	16.9%	96.3	96.2	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
<b>89 BONNER HILL ROAD</b>																																						
F00	R1	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F00 / INC (2)	82.8	56.6	26.2	31.6%	52.9	37	15.9	30.1%	100	100	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			UNKNOWN		W2/F00	35.2	25.1	10.1	28.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			UNKNOWN		W6/F00 / INC (2)	81.8	56.7	25.1	30.7%									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN	ASSUMED	W3/F00	17.9	6.3	11.6	64.8%	29.3	21.9	7.4	25.3%	98.9	88.8	2.1	10.2%	2	0	0	0	100.0%	0.0%	12	0	9	0	25.0%	0.0%									
			UNKNOWN		W4/F00	35.2	26.9	8.3	23.6%									10	0	7	0	30.0%	0.0%															

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)							
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %	
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
89 BONNER HILL ROAD (CONTINUED)																													
			UNKNOWN		W5/F00	19.4	19.3	0.1	0.5%									7	0	7	0	0.0%	0.0%						
F01	R1	RESIDENTIAL	UNKNOWN	ASSUMED	W1/F01	37.5	28.8	8.7	23.2%	37.5	28.8	8.7	23.2%	94.2	78.7	3.1	16.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
15 PIPER ROAD																													
F00	R1	RESIDENTIAL	KITCHEN	ASSUMED	W1/F00 / INC (2)	73.9	56.8	17.1	23.1%	42.4	28.9	13.5	31.8%	100	100	0.0	0.0%	58	17	37	13	36.2%	23.5%	59	18	37	13	37.3%	27.8%
			KITCHEN		W2/F00	33.4	14.6	18.8	56.3%									47	13	26	9	44.7%	30.8%						
			KITCHEN		W3/F00 / INC (2)	77.6	60.3	17.3	22.3%									57	17	35	12	38.6%	29.4%						
			KITCHEN		W4/F00 / INC (2)	43.3	36.9	6.4	14.8%									35	10	25	8	34.3%	25.0%						
F01	R1	RESIDENTIAL	BEDROOM	ASSUMED	W1/F01	36.4	17.8	18.6	51.1%	36.4	17.8	18.6	51.1%	97.2	39.8	5.5	59.1%	49	14	27	9	44.9%	35.7%	49	14	27	9	44.9%	35.7%
	R2	RESIDENTIAL	BEDROOM	ASSUMED	W2/F01	20.5	10.8	9.7	47.3%	20.5	10.8	9.7	47.3%	84.7	40.8	5.6	51.8%	10	0	0	0	100.0%	0.0%	10	0	0	0	100.0%	0.0%
F02	R1	RESIDENTIAL	BEDROOM	ASSUMED	W1/F02	37.2	20	17.2	46.2%	37.2	20	17.2	46.2%	94.3	60.3	2.5	36.1%	50	15	29	10	42.0%	33.3%	50	15	29	10	42.0%	33.3%
	R2	RESIDENTIAL	BEDROOM	ASSUMED	W2/F02	34.6	27.6	7	20.2%	34.6	27.6	7	20.2%	100	95.5	0.3	4.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM	ASSUMED	W3/F02	34.6	27.7	6.9	19.9%	34.6	27.7	6.9	19.9%	100	95.3	0.4	4.7%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	ASSUMED	W4/F02	35.2	28	7.2	20.5%	35.2	28	7.2	20.5%	100	93.9	0.6	6.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
33 HAMPDEN ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	19.9	17.6	2.3	11.6%	19.9	17.6	2.3	11.6%	35.4	33.8	0.2	4.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN		W2/F00	20	17.4	2.6	13.0%	20	17.4	2.6	13.0%	54.3	54.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3	RESIDENTIAL	UNKNOWN		W3/F00	26.1	19.6	6.5	24.9%	28.3	24.6	3.7	13.1%	99.5	99.1	0.1	0.4%	22	5	20	5	3.1%	0.0%	46	14	44	14	4.3%	0.0%
			UNKNOWN		W4/F00	30.1	26.2	3.9	13.0%									42	13	41	13	2.4%	0.0%						
			UNKNOWN		W5/F00	26.9	26.4	0.5	1.9%									41	12	40	12	2.4%	0.0%						
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	28.9	25.5	3.4	11.8%	28.9	25.5	3.4	11.8%	97.9	97.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN		W2/F01	30.7	26.6	4.1	13.4%	30.6	26.6	4	13.1%	99.1	98.9	0.0	0.3%	40	13	39	13	2.5%	0.0%	42	13	41	13	2.4%	0.0%
			UNKNOWN		W3/F01	30.5	26.7	3.8	12.5%									39	11	38	11	2.6%	0.0%						
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02 / INC (2)	85.6	81.2	4.4	5.1%	84.8	80.4	4.4	5.2%	77.3	77.3	0.0	0.0%	71	18	70	18	1.4%	0.0%	74	20	73	20	1.4%	0.0%
			UNKNOWN		W2/F02 / INC (2)	83.9	79.7	4.2	5.0%									67	14	66	14	1.5%	0.0%						
22 HAMPDEN ROAD																													
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	23.9	22.9	1	4.2%	23.9	22.9	1	4.2%	75.8	62.7	1.6	17.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	UNKNOWN		W2/F00	22.5	21.3	1.2	5.3%	22.5	21.3	1.2	5.3%	92.5	85.1	0.8	8.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3	RESIDENTIAL	UNKNOWN		W3/F00	30.9	28.8	2.1	6.8%	30.9	28.8	2.1	6.8%	97.9	82.7	1.7	15.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

(1) KITCHEN SMALLER THAN 13m2  
 (2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)  
 (3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)						APSH (ROOM)						
						EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %		EX		PR		LOSS %		
						%	%	%	%	%	%	%	%	%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL
<b>22 HAMPDEN ROAD (CONTINUED)</b>																														
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	33.1	30.2	2.9	8.8%	33.1	30.2	2.9	8.8%	98.9	85.7	16	13.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F01	26.7	23.8	2.9	10.9%	26.7	23.8	2.9	10.9%	92.5	86	0.7	7.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W3/F01	34	31.1	2.9	8.5%	34	31.1	2.9	8.5%	98	84.3	15	14.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	34.7	31.6	3.1	8.9%	34.7	31.6	3.1	8.9%	98.2	92.4	0.6	5.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>141 BONNER HILL ROAD</b>																														
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	30.5	25.9	4.6	15.1%	30.5	25.9	4.6	15.1%	98.3	69.4	2.5	29.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F00	23	19.4	3.6	15.7%	23	19.4	3.6	15.7%	97.3	67.7	2.8	30.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W3/F00	33.8	28	5.8	17.2%	33.8	28	5.8	17.2%	97.3	67	3.7	31.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W4/F00	22.7	18.2	4.5	19.8%	22.7	18.2	4.5	19.8%	97.5	73.1	2.1	25.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W5/F00	33.3	27.5	5.8	17.4%	33.3	27.5	5.8	17.4%	99	78.4	15	20.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W6/F00	30.5	24.8	5.7	18.7%	30.5	24.8	5.7	18.7%	98.7	75	2.0	24.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	32.1	26.8	5.3	16.5%	32.1	26.8	5.3	16.5%	98.2	74.8	2.0	23.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F01	26.6	22.6	4	15.0%	26.6	22.6	4	15.0%	97.7	73.7	2.2	24.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W3/F01	22.6	18	4.6	20.4%	22.6	18	4.6	20.4%	97.5	79.7	15	18.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W4/F01	30	24.1	5.9	19.7%	30	24.1	5.9	19.7%	98.3	84.5	10	14.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W5/F01	28.9	23	5.9	20.4%	28.9	23	5.9	20.4%	97.8	80.4	15	17.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	37.1	31.3	5.8	15.6%	37.1	31.3	5.8	15.6%	100	95.5	0.6	4.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>23 PIPER ROAD</b>																														
F00	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F00	29.2	15.4	13.8	47.3%	29.2	15.4	13.8	47.3%	100	54	6.1	46.0%	36	2	19	1	47.2%	50.0%	36	2	19	1	47.2%	50.0%	
F01	R1	RESIDENTIAL	UNKNOWN-RESI		W1/F01	37.1	20.9	16.2	43.7%	37.1	20.9	16.2	43.7%	96.8	61.3	7.1	36.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m