

View 9 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1625mm | Nominal lens rise 0mm | Date 06.03.20 | Time 14:32



View 9 proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 10 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1600mm | Nominal lens rise 0mm | Date 03.03.20 | Time 09:39



View 10 proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 11 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1630mm | Nominal lens rise 0mm | Date 03.03.20 | Time 13:02



View 11 proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 12 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1550mm | Nominal lens rise 0mm | Date 03.03.20 | Time 11:13



View 12 proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 13 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1630mm | Nominal lens rise 0mm | Date 03.03.20 | Time 10:58



View 13 proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 14b existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1600mm | Nominal lens rise 0mm | Date 03.03.20 | Time 10:42



View 14b proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 15 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1614mm | Nominal lens rise 0mm | Date 03.03.20 | Time 10:32



View 15 proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 16a existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1610mm | Nominal lens rise 0mm | Date 01.03.20 | Time 10:20



View 16a proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 17 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1617mm | Nominal lens rise 0mm | Date 03.03.20 | Time 09:48



View 17 proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 18 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1628mm | Nominal lens rise 0mm | Date 03.03.20 | Time 09:45



View 18 proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 19 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1590mm | Nominal lens rise 0mm | Date 03.03.20 | Time 10:03



View 19 proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 20a existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1602mm | Nominal lens rise 0mm | Date 06.03.20 | Time 10:12



View 20a proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 21 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1606mm | Nominal lens rise 0mm | Date 03.03.20 | Time 11:02



View 21 proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 22 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1600mm | Nominal lens rise 0mm | Date 06.03.20 | Time 12:34



View 22 proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 23a existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1600mm | Nominal lens rise 0mm | Date 06.03.20 | Time 13:45



View 23a proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 24 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1600mm | Nominal lens rise 0mm | Date 06.03.20 | Time 13:17



View 24 proposed



To achieve the optimum viewing distance of up to 500mm, we recommend printing this image edge to edge on A2 landscape and viewing it on site from a distance of 470mm. Please refer to section 2.8 on page 4 of this document for further information.

View 25 existing

Single frame image | Focal length 28.37mm | Camera height above survey point 1600mm | Nominal lens rise 0mm | Date 03.03.20 | Time 12:37

